



	Dr. Vinay Ch MD (Pathology & Chairman & Con		Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. VIJAY KUMAR			
AGE/ GENDER	: 63 YRS/MALE	PATIE	NT ID	: 1692126
COLLECTED BY	:	REG. N	IO./LAB NO.	: 012412060006
REFERRED BY	:	REGIS	TRATION DATE	:06/Dec/2024 08:13 AM
BARCODE NO.	: 01522048	COLLI	CTION DATE	:06/Dec/2024 01:58PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	RTING DATE	:06/Dec/202403:28PM
	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
ULIENT ADDRESS	. 0349/ I, MICHOLSON KOAD,			
	. 0549/1, NICHOLSON ROAD,	Value	Unit	Biological Reference interva
	CLINIC	Value	BIOCHEMIST	RY
CLIENT ADDRESS Test Name GLUCOSE FASTINC by GLUCOSE OXIDAS	CLINIC	Value CAL CHEMISTRY/	BIOCHEMIST	RY

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A fasting plasma glucose below 100 mg/dL and post-prandial plasma glucose level below 140 mg/dl is considered normal.

2. A fasting plasma glucose level between 100 - 125 mg/dl and post-prandial plasma glucose level between 140 – 200 mg/dL is considered as glucose intolerant or pre diabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

3. A fasting plasma glucose level of above 125 mg/dL and post-prandial plasma glucose level above 200 mg/dL is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt - 133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT