



	Consultant Pathologis		(Pathology) Pathologist
NAME : Mr. KANSI RAM			
AGE/ GENDER : 72 YRS/MALE		PATIENT ID	: 1693062
COLLECTED BY :		REG. NO./LAB NO.	: 012412070001
REFERRED BY :		REGISTRATION DATE	: 07/Dec/2024 07:45 AM
BARCODE NO. : 01522078		COLLECTION DATE	: 07/Dec/2024 07:47AM
CLIENT CODE. : KOS DIAGNOSTIC LAB		REPORTING DATE	: 07/Dec/2024 08:55AM
CLIENT ADDRESS : 6349/1, NICHOLSON ROA	AD, AMBALA CANTT		
Test Name	Value	Unit	Biological Reference interval
ST	NASTHYA WE	LLNESS PANEL: 1.0)
	COMPLETE BL	OOD COUNT (CBC)	
RED BLOOD CELLS (RBCS) COUNT AND IND	ICES		
HAEMOGLOBIN (HB)	15.7	gm/dL	12.0 - 17.0
by CALORIMETRIC RED BLOOD CELL (RBC) COUNT	5.16 ^H	Millions/	/cmm 3.50 - 5.00
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDEI	NCE		
PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANAL	48.8 LYZER	%	40.0 - 54.0
MEAN CORPUSCULAR VOLUME (MCV) by calculated by automated hematology anal	94.5	fL	80.0 - 100.0
MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANAL	30.4	pg	27.0 - 34.0
MEAN CORPUSCULAR HEMOGLOBIN CONC. (by CALCULATED BY AUTOMATED HEMATOLOGY ANAL	MCHC) 32.2	g/dL	32.0 - 36.0
RED CELL DISTRIBUTION WIDTH (RDW-CV) by CALCULATED BY AUTOMATED HEMATOLOGY ANAL	13.9	%	11.00 - 16.00
RED CELL DISTRIBUTION WIDTH (RDW-SD) by CALCULATED BY AUTOMATED HEMATOLOGY ANAL	49.2	fL	35.0 - 56.0
MENTZERS INDEX	18.31	RATIO	BETA THALASSEMIA TRAIT: <
by CALCULATED			13.0 IRON DEFICIENCY ANEMIA:
			>13.0
GREEN & KING INDEX	25.43	RATIO	BETA THALASSEMIA TRAIT:<= 65.0
			IRON DEFICIENCY ANEMIA: >
			65.0
WHITE BLOOD CELLS (WBCS)	10000		4000 11000
TOTAL LEUCOCYTE COUNT (TLC) by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	10830	/cmm	4000 - 11000
NUCLEATED RED BLOOD CELLS (nRBCS) by AUTOMATED 6 PART HEMATOLOGY ANALYZER	NIL		0.00 - 20.00
NUCLEATED RED BLOOD CELLS (nRBCS) %	NIL	%	< 10 %
by CALCULATED BY AUTOMATED HEMATOLOGY ANAL			

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





EXCELLENCE IN HEALTHCARE & DIAGNOSTICS Dr. Yugam Chopra MD (Pathology)

CEO & Consultant Pathologist

NAME	: Mr. KANSI RAM		
AGE/ GENDER	: 72 YRS/MALE	PATIENT ID	: 1693062
COLLECTED BY	:	REG. NO./LAB NO.	: 012412070001
REFERRED BY	:	REGISTRATION DATE	: 07/Dec/2024 07:45 AM
BARCODE NO.	: 01522078	COLLECTION DATE	: 07/Dec/2024 07:47AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 07/Dec/2024 08:55AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Dr. Vinay Chopra

MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Test Name		Value	Unit	Biological Reference interval
DIFFERENTIAL LEUCOCYTE	COUNT (DLC)			
NEUTROPHILS by flow cytometry by SF cube		49 ^L	%	50 - 70
LYMPHOCYTES by FLOW CYTOMETRY BY SF CUBE		43 ^H	%	20 - 40
EOSINOPHILS by FLOW CYTOMETRY BY SF CUBE	& MICROSCOPY	1	%	1 - 6
MONOCYTES by FLOW CYTOMETRY BY SF CUBE		7	%	2 - 12
BASOPHILS by FLOW CYTOMETRY BY SF CUBE	& MICROSCOPY	0	%	0 - 1
ABSOLUTE LEUKOCYTES (W	<u>BC) COUNT</u>			
ABSOLUTE NEUTROPHIL COU by FLOW CYTOMETRY BY SF CUBE		5307	/cmm	2000 - 7500
ABSOLUTE LYMPHOCYTE COU by FLOW CYTOMETRY BY SF CUBE		4657	/cmm	800 - 4900
ABSOLUTE EOSINOPHIL COUL by FLOW CYTOMETRY BY SF CUBE		108	/cmm	40 - 440
ABSOLUTE MONOCYTE COUN by FLOW CYTOMETRY BY SF CUBE		758	/cmm	80 - 880
ABSOLUTE BASOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE		0	/cmm	0 - 110
PLATELETS AND OTHER PLA	TELET PREDICTIVE	E MARKERS.		
PLATELET COUNT (PLT) by hydro dynamic focusing, el	ECTRICAL IMPEDENCE	274000	/cmm	150000 - 450000
PLATELETCRIT (PCT) by HYDRO DYNAMIC FOCUSING, EL	ECTRICAL IMPEDENCE	0.37 ^H	%	0.10 - 0.36
MEAN PLATELET VOLUME (M by HYDRO DYNAMIC FOCUSING, EL		14 ^H	fL	6.50 - 12.0
PLATELET LARGE CELL COUN by HYDRO DYNAMIC FOCUSING, EL		139000 ^H	/cmm	30000 - 90000
PLATELET LARGE CELL RATE by HYDRO DYNAMIC FOCUSING, EL	O (P-LCR)	50.8 ^H	%	11.0 - 45.0
PLATELET DISTRIBUTION WI by HYDRO DYNAMIC FOCUSING, EL NOTE: TEST CONDUCTED ON E	DTH (PDW) ECTRICAL IMPEDENCE	16.7	%	15.0 - 17.0





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologis		Pathology)
NAME	: Mr. KANSI RAM		
AGE/ GENDER	: 72 YRS/MALE	PATIENT ID	: 1693062
COLLECTED BY	:	REG. NO./LAB NO.	: 012412070001
REFERRED BY	:	REGISTRATION DATE	: 07/Dec/2024 07:45 AM
BARCODE NO.	: 01522078	COLLECTION DATE	: 07/Dec/2024 07:47AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 07/Dec/2024 08:55AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		
Test Name	Value	Unit	Biological Reference interval



UR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







NAME	: Mr. KANSI RAM	in & Consultant Patholog	st CEO & Consultant	
AGE/ GENDER	: 72 YRS/MALE		PATIENT ID	: 1693062
COLLECTED BY	:		REG. NO./LAB NO.	: 012412070001
REFERRED BY	:		REGISTRATION DATE	: 07/Dec/2024 07:45 AM
ARCODE NO.	:01522078		COLLECTION DATE	: 07/Dec/2024 07:47AM
LIENT CODE.	: KOS DIAGNOSTIC LA	Ъ	REPORTING DATE	: 07/Dec/2024 09:03AM
LIENT ADDRESS	: 6349/1, NICHOLSON	I ROAD, AMBALA CANT	г	
Test Name		Value	Unit	Biological Reference interval
	E	RYTHROCYTE SED	IMENTATION RATE (1	ESR)
NTERPRETATION:	GATION BY CAPILLARY PHO	OTOMETRY		
immune disease, but 2. An ESR can be affe as C-reactive protein 3. This test may also systemic lupus eryth CONDITION WITH LO A low ESR can be see (polycythaemia), sign as sickle cells in sick NOTE: 1. ESR and C - reactive 2. Generally, ESR doe 3. CRP is not affected 4. If the ESR is elevat 5. Women tend to ha 6. Drugs such as dex	does not tell the health acted by other conditions be used to monitor dise ematosus W ESR In with conditions that in hificantly high white bloc le cell anaemia) also low the protein (C-RP) are both es not change as rapidly as many other factor ed, it is typically a result we a higher ESR, and me	practitioner exactly whe besides inflammation. I ase activity and response whibit the normal sedime od cell count (leucocytos ver the ESR. markers of inflammatic as does CRP, either at th s as is ESR, making it a b e of two types of proteins nstruation and pregnanc ontraceptives, penicillan	The the inflammation is in the for this reason, the ESR is type to therapy in both of the a entation of red blood cells, si sis) , and some protein abno on. e start of inflammation or as etter marker of inflammatior s, globulins or fibrinogen. y can cause temporary eleva	picallý used in conjunction with other test su bove diseases as well as some others, such a uch as a high red blood cell count rmalities. Some changes in red cell shape (s s it resolves. n .





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



Page 4 of 14





	MD (F	Tinay Chopra athology & Microbiology) nan & Consultant Pathologist	Dr. Yugam MD (CEO & Consultant	(Pathology)
NAME	: Mr. KANSI RAM			
AGE/ GENDER	: 72 YRS/MALE	PAT	IENT ID	: 1693062
COLLECTED BY	:	REG	. NO./LAB NO.	: 012412070001
REFERRED BY	:	REG	ISTRATION DATE	: 07/Dec/2024 07:45 AM
BARCODE NO.	:01522078	COL	LECTION DATE	:07/Dec/202407:47AM
CLIENT CODE.	: KOS DIAGNOSTIC	AB REP	ORTING DATE	:07/Dec/2024 11:01AM
CLIENT ADDRESS	: 6349/1, NICHOLS	ON ROAD, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		CLINICAL CHEMISTRY	/BIOCHEMIST	RY
		GLUCOSE FAS	TING (F)	
GLUCOSE FASTING by GLUCOSE OXIDAS	G (F): PLASMA Se - peroxidase (god-p	94.85 (DD)	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0

IN ACCRDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES: 1. A fasting plasma glucose level below 100 mg/dl is considered normal. 2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood

KOS Diagnostic Lab (A Unit of KOS Healthcare)

test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY) KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

Page 5 of 14

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT





	Dr. Vinay Cł MD (Pathology & Chairman & Coi		Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. KANSI RAM			
AGE/ GENDER	: 72 YRS/MALE	PATIE	NT ID	: 1693062
COLLECTED BY	:	REG. N	0./LAB NO.	: 012412070001
REFERRED BY	:	REGIS	TRATION DATE	: 07/Dec/2024 07:45 AM
BARCODE NO.	:01522078	COLLE	CTION DATE	:07/Dec/202407:47AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	RTING DATE	: 07/Dec/2024 11:01AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		LIPID PROFILE	: BASIC	
CHOLESTEROL TO	TAL: SERUM	166.62	mg/dL	OPTIMAL: < 200.0
by CHOLESTEROL OX			8	BORDERLINE HIGH: 200.0 -
				239.0
				HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: S	ERUM	229.86 ^H	mg/dL	OPTIMAL: < 150.0
by GLYCEROL PHOSP	PHATE OXIDASE (ENZYMATIC)			BORDERLINE HIGH: 150.0 -
				199.0 HIGH: 200.0 - 499.0
				VERY HIGH: $> OR = 500.0$
	L (DIRECT): SERUM	35.85	mg/dL	LOW HDL: < 30.0
by SELECTIVE INHIBIT	ION			BORDERLINE HIGH HDL: 30.0 60.0
				HIGH HDL: $> OR = 60.0$
LDL CHOLESTEROI	L: SERUM	84.8	mg/dL	OPTIMAL: < 100.0
by CALCULATED, SPE	CTROPHOTOMETRY		Ű	ABOVE OPTIMAL: 100.0 - 129.
				BORDERLINE HIGH: 130.0 - 159.0
				HIGH: 160.0 - 189.0
				VERY HIGH: > OR = 190.0
NON HDL CHOLEST by CALCULATED, SPE		130.77 ^H	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.
by CALCOLATED, SFL	CIRCENTION			BORDERLINE HIGH: 160.0 -
				189.0
				HIGH: 190.0 - 219.0
νι δι συριέςτερα)I · SEDIM	AF OFH	ma/di	VERY HIGH: > OR = 220.0 0.00 - 45.00
VLDL CHOLESTER(by CALCULATED, SPE		45.97 ^H	mg/dL	0.00 - 43.00
TOTAL LIPIDS: SER		563.1	mg/dL	350.00 - 700.00
by CALCULATED, SPE CHOLESTEROL/HD		4.65 ^H	RATIO	LOW RISK: 3.30 - 4.40
by CALCULATED, SPE		4.03**	IXATIO	AVERAGE RISK: 4.50 - 7.0
				MODERATE RISK: 7.10 - 11.0
				HIGH RISK: > 11.0



DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab:6349/1, Nicholson Road, Ambala Cantt -133 001, HaryanaKOS Molecular Lab:IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana0171-2643898, +91 99910 43898care@koshealthcare.comwww.koshealthcare.comwww.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





	Dr. Vinay Cl MD (Pathology Chairman & Col		Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mr. KANSI RAM			
AGE/ GENDER	: 72 YRS/MALE	PA	TIENT ID	: 1693062
COLLECTED BY	:	RE	G. NO./LAB NO.	: 012412070001
REFERRED BY	:	RF	GISTRATION DATE	: 07/Dec/2024 07:45 AM
BARCODE NO.	: 01522078	CO	LLECTION DATE	: 07/Dec/2024 07:47AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RE	PORTING DATE	:07/Dec/2024 11:01AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
LDL/HDL RATIO: S by CALCULATED, SPE		2.37	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/H by CALCULATED, SPE		6.41 ^H	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

 Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
 NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	Dr. Vinay Chop MD (Pathology & Mi Chairman & Consult	crobiology)	Dr. Yugam MD (CEO & Consultant	(Pathology)
NAME	: Mr. KANSI RAM			
AGE/ GENDER	: 72 YRS/MALE	PA	ATIENT ID	: 1693062
COLLECTED BY	:	RI	EG. NO./LAB NO.	: 012412070001
REFERRED BY	:	RI	EGISTRATION DATE	: 07/Dec/2024 07:45 AM
BARCODE NO.	: 01522078	CO	DLLECTION DATE	: 07/Dec/2024 07:47AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RI	EPORTING DATE	: 07/Dec/2024 11:01AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	BALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	LIVER	FUNCTION 7	TEST (COMPLETE)	
BILIRUBIN TOTAL by DIAZOTIZATION, SI	: SERUM PECTROPHOTOMETRY	0.47	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	C (CONJUGATED): SERUM	0.12	mg/dL	0.00 - 0.40
BILIRUBIN INDIRE	CCT (UNCONJUGATED): SERUM	0.35	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PY	[/RIDOXAL PHOSPHATE	32.6	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PY	[/RIDOXAL PHOSPHATE	33	U/L	0.00 - 49.00
		0.00	DATTO	0.00 40.00

by CALCULATED, SPECTROPHOTOMETRY	0.00	ing, ui	0.10 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE	32.6	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE	33	U/L	0.00 - 49.00
AST/ALT RATIO: SERUM by calculated, spectrophotometry	0.99	RATIO	0.00 - 46.00
ALKALINE PHOSPHATASE: SERUM by PARA NITROPHENYL PHOSPHATASE BY AMINO METHYL PROPANOL	118.59	U/L	40.0 - 130.0
GAMMA GLUTAMYL TRANSFERASE (GGT): SERUM by SZASZ, SPECTROPHTOMETRY	44.53	U/L	0.00 - 55.0
TOTAL PROTEINS: SERUM by BIURET, SPECTROPHOTOMETRY	7.04	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL GREEN	3.7	gm/dL	3.50 - 5.50
GLOBULIN: SERUM by CALCULATED, SPECTROPHOTOMETRY	3.34	gm/dL	2.30 - 3.50
A : G RATIO: SERUM by calculated, spectrophotometry	1.11	RATIO	1.00 - 2.00

INTERPRETATION

NOTE: To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

> 2
> 2 (Highly Suggestive)
1.4 - 2.0
> 1.5
> 1.3 (Slightly Increased)
-





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



Page 8 of 14





	Dr. Vinay Chopra MD (Pathology & Micro Chairman & Consultant	obiology) ME	m Chopra D (Pathology) ht Pathologist
NAME	: Mr. KANSI RAM		
AGE/ GENDER	: 72 YRS/MALE	PATIENT ID	: 1693062
COLLECTED BY	:	REG. NO./LAB NO.	: 012412070001
REFERRED BY	:	REGISTRATION DATE	: 07/Dec/2024 07:45 AM
BARCODE NO.	: 01522078	COLLECTION DATE	: 07/Dec/2024 07:47AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 07/Dec/2024 11:01AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBA	LA CANTT	
Test Name		Value Unit	Biological Reference inter

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







	Dr. Vinay Cho j MD (Pathology & M Chairman & Consul	licrobiology)	Dr. Yugam MD (f CEO & Consultant F	Pathology)	
NAME	: Mr. KANSI RAM				
AGE/ GENDER	: 72 YRS/MALE	РА	TIENT ID	: 1693062	
COLLECTED BY	:	RE	G. NO./LAB NO.	: 012412070001	
REFERRED BY	:	RE	GISTRATION DATE	: 07/Dec/2024 07:45 AM	
BARCODE NO.	: 01522078	CO	LLECTION DATE	:07/Dec/202407:47AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RE	PORTING DATE	:07/Dec/2024 11:46AM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	MBALA CANTT			
Test Name		Value	Unit	Biological Reference interv	
	KIDNF	Y FUNCTION '	FEST (COMPLETE)		
UREA: SERUM		22.17	mg/dL	10.00 - 50.00	
	ATE DEHYDROGENASE (GLDH)	22.17	ing/ uL	10.00 - 50.00	
CREATININE: SERU		1.29	mg/dL	0.40 - 1.40	
by ENZYMATIC, SPEC	COGEN (BUN): SERUM	10.36	mg/dL	7.0 - 25.0	
by CALCULATED, SPE		10.50	ing/uL	7.0 - 23.0	
	ROGEN (BUN)/CREATININE	8.03 ^L	RATIO	10.0 - 20.0	
RATIO: SERUM by CALCULATED, SPE					
UREA/CREATININ		17.19	RATIO		
by CALCULATED, SPE		11.10			
URIC ACID: SERUM		9.21 ^H	mg/dL	3.60 - 7.70	
by URICASE - OXIDAS CALCIUM: SERUM	E PEROXIDASE	9.53	mg/dL	8.50 - 10.60	
by ARSENAZO III, SPE	CTROPHOTOMETRY	0.00	ing, uii	0.00 10.00	
PHOSPHOROUS: SE		2.71	mg/dL	2.30 - 4.70	
ELECTROLYTES	DATE, SPECTROPHOTOMETRY				
SODIUM: SERUM		144.1	mmol/L	135.0 - 150.0	
by ISE (ION SELECTIV	ELECTRODE)	11111		100.0 100.0	
POTASSIUM: SERU		4.65	mmol/L	3.50 - 5.00	
by ISE (ION SELECTIV CHLORIDE: SERUM	-	108.07	mmol/L	90.0 - 110.0	
by ISE (ION SELECTIV	'E ELECTRODE)	100.01			
ESTIMATED GLOM	IERULAR FILTERATION RATE				
	ERULAR FILTERATION RATE	58.9			
(eGFR): SERUM by CALCULATED					
INTERPRETATION:					

INTERPRETATION:

To differentiate between pre- and post renal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







		Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist		Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist				
NAME	: Mr. KANSI R	AM						
AGE/ GENDER	: 72 YRS/MAL	2		PATIENT ID	:	1693062		
COLLECTED BY	:			REG. NO./LAB NO	. :	0124120700	01	
REFERRED BY	•			REGISTRATION D		07/Dec/2024 0		
BARCODE NO.	: 01522078			COLLECTION DAT		07/Dec/20240		
CLIENT CODE.	: KOS DIAGNO			REPORTING DAT	E :	07/Dec/2024 1	1:46AM	
CLIENT ADDRESS	: 6349/1, NIC	IOLSON ROAD, AMI	GALA CANTI					
Test Name			Value	Ur	uit	Biolog	ical Referen	ce interval
burns, surgery, cache 7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (< 1. Acute tubular necr	xia, high fever). (e.g. ureter colc ass (subnormal tetracycline, glu 0:1) WITH ELEVA (BUN rises disp superimposed o 0:1) WITH DECR	stomy) creatinine productic cocorticoids) TED CREATININE LEV roportionately more n renal disease.	n) ELS:	on, GI bleeding, thy ne) (e.g. obstructiv			rome, high pr	Juli diet,
burns, surgery, cache 7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia DECREASED RATIO (1. Acute tubular necr 2. Low protein diet an 3. Severe liver diseas 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther ESTIMATED GLOMERI G1 G2 G3a	xia, high fever). (e.g. ureter colo ass (subnormal tetracycline, glu 0:1) WITH ELEVA (BUN rises disp superimposed o 0:1) WITH DECR osis. Id starvation. creased urea syn urea rather than monemias (urea f inappropiate a 0:1) WITH INCRE oy (accelerates of eleases muscle of who develop ren- sis (acetoacetate creased BUN/creased who develop ren- sis (acetoacetate creased BUN/creased LAR FILTERATIO Nor Kin Nor	stomy) creatinine productic cocorticoids) TED CREATININE LEV roportionately more n renal disease. EASED BUN : thesis. creatinine diffuses is virtually absent in ntidiuretic harmone ASED CREATININE: onversion of creatir reatinine). tal failure. causes false increat eatinine ratio). <i>v</i> ith creatinine meas NATE: DESCRIPTION mal kidney function dney damage with ormal or high GFR d decrease in GFR	n) ELS: than creatinin out of extrace blood). due to tubul e to creatinin se in creatinin urement). GFR (m	he) (e.g. obstructive ellular fluid). ar secretion of urea e). he with certain me <u>L/min/1.73m2) >90 >90 60 -89</u>	e uropathy) a. thodologies	- ·	rmal ratio who	
burns, surgery, cache 7. Urine reabsorption 3. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia DECREASED RATIO (1. Acute tubular necr 2. Low protein diet an 3. Severe liver diseas 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (9. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin there ESTIMATED GLOMERI G1 G2	xia, high fever). (e.g. ureter colo ass (subnormal tetracycline, glu 0:1) WITH ELEVA (BUN rises disp superimposed o 0:1) WITH DECR osis. Id starvation. creased urea syn urea rather thar monemias (urea f inappropiate a 0:1) WITH INCRE py (accelerates of eleases muscle of who develop ren- sis (acetoacetate creased BUN/crea apy (interferes w LAR FILTERATIO Nor Kin Nor Kin Mid Mode	stomy) creatinine productic cocorticoids) TED CREATININE LEV roportionately more n renal disease. EASED BUN : thesis. creatinine diffuses is virtually absent in ntidiuretic harmone ASED CREATININE: onversion of creatir reatinine). tal failure. e causes false increate treatinine ratio). <i>v</i> ith creatinine meas NATE: DESCRIPTION mal kidney function dney damage with ormal or high GFR	n) ELS: than creatinin out of extrace blood). due to tubul e to creatinin se in creatinin urement). GFR (m	he) (e.g. obstructive ellular fluid). ar secretion of urea e). he with certain me <u>L/min/1.73m2) >90 >90</u>	e uropathy) a. thodologies	,resulting in no ATED FINDINGS proteinuria nce of Protein ,	rmal ratio who	





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







	Dr. Vinay Chopra MD (Pathology & Microbiolo Chairman & Consultant Path		(Pathology)
NAME	: Mr. KANSI RAM		
AGE/ GENDER	: 72 YRS/MALE	PATIENT ID	: 1693062
COLLECTED BY	:	REG. NO./LAB NO.	: 012412070001
REFERRED BY	:	REGISTRATION DATE	: 07/Dec/2024 07:45 AM
BARCODE NO.	: 01522078	COLLECTION DATE	: 07/Dec/2024 07:47AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 07/Dec/2024 11:46AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA C	ANTT	
Test Name	Valu	ie Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	Dr. Vinay Ch MD (Pathology & Chairman & Con		n Chopra (Pathology) Pathologist		
NAME	: Mr. KANSI RAM				
AGE/ GENDER	: 72 YRS/MALE	PAT	FIENT ID	: 1693062	
COLLECTED BY	:	REC	G. NO./LAB NO.	: 012412070001	
REFERRED BY	:	REC	GISTRATION DATE	: 07/Dec/2024 07:45 AM	
BARCODE NO.	: 01522078	COLLECTION DATE		: 07/Dec/2024 07:47AM	
	: KOS DIAGNOSTIC LAB		PORTING DATE	: 07/Dec/2024 09:05AM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT			
Test Name		Value	Unit	Biological Reference interval	
		CLINICAL PA	THOLOGY		
	UDINE DO		SCOPIC EXAMINA	ATION	
PHYSICAL EXAMINA		UTINE & MICKU	SCOPIC EXAMINA	ATION	
QUANTITY RECIEVED		10	ml		
by DIP STICK/REFLECTA	NCE SPECTROPHOTOMETRY				
COLOUR by DIP STICK/REFLECTA	NCE SPECTROPHOTOMETRY	AMBER YELL	OW	PALE YELLOW	
TRANSPARANCY		CLEAR		CLEAR	
SPECIFIC GRAVITY	NCE SPECTROPHOTOMETRY	1.01		1.002 - 1.030	
by DIP STICK/REFLECTA	NCE SPECTROPHOTOMETRY				
CHEMICAL EXAMINA	ATION	ACIDIC			
REACTION by DIP STICK/REFLECTA	NCE SPECTROPHOTOMETRY	ACIDIC			
PROTEIN	NCE SPECTROPHOTOMETRY	Trace		NEGATIVE (-ve)	
SUGAR	NCE SPECIKOPHOTOMETKI	Negative		NEGATIVE (-ve)	
	NCE SPECTROPHOTOMETRY	6.5		50 75	
pH by DIP STICK/REFLECTA	NCE SPECTROPHOTOMETRY	0.5		5.0 - 7.5	
BILIRUBIN	NCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)	
NITRITE	NOE SI ECHIOI HOTOMETICI	Negative		NEGATIVE (-ve)	
by DIP STICK/REFLECTA UROBILINOGEN	NCE SPECTROPHOTOMETRY.	Normal	EU/dL	0.2 - 1.0	
	NCE SPECTROPHOTOMETRY		E07 uL		
KETONE BODIES	NCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)	
BLOOD		Negative		NEGATIVE (-ve)	
by DIP STICK/REFLECTA	NCE SPECTROPHOTOMETRY	NEGATIVE (-v		NEGATIVE (-ve)	
by DIP STICK/REFLECTA	NCE SPECTROPHOTOMETRY	INEGATIVE (-)		NEGATIVE (-VC)	
MICROSCOPIC EXAM					
RED BLOOD CELLS (F	RBCs)	NEGATIVE (-	ve) /HPF	0 - 3	





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com





NANGE



EXCELLENCE IN HEALTHCARE & DIAGNOSTICS

Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

WANCE DAM

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

Test Name		Value	Unit	Biological Reference interval
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
CLIENT ADDRESS	COMO /1 NICHOLCON DOAD	AMDALA CANTT		
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	DRTING DATE	:07/Dec/2024 09:05AM
BARCODE NO.	: 01522078	COLI	ECTION DATE	: 07/Dec/2024 07:47AM
REFERRED BY	:	REGI	STRATION DATE	: 07/Dec/2024 07:45 AM
COLLECTED BY	:	REG.	NO./LAB NO.	: 012412070001
AGE/ GENDER	: 72 YRS/MALE	PATI	ENT ID	: 1693062
NAME	: Mr. KANSI RAM			

by MICROSCOPT ON CENTRIFUGED URINART SEDIMENT			
PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	2-4	/HPF	0 - 5
EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	1-3	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	ABSENT		ABSENT

** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

UR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt - 133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com

