



	MD (Pathology &	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist		n Chopra (Pathology) Pathologist
NAME	: Mrs. MEENAKSHI			
AGE/ GENDER	: 47 YRS/FEMALE	PAT	IENT ID	: 1693071
COLLECTED BY	:	REG	. NO./LAB NO.	: 012412070006
REFERRED BY	:		ISTRATION DATE	: 07/Dec/2024 08:26 AM
BARCODE NO. CLIENT CODE.	: 01522083		LECTION DATE	: 07/Dec/2024 08:30AM
CLIENT CODE. CLIENT ADDRESS	: KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD, A		ORTING DATE	: 07/Dec/2024 10:55AM
Test Name		Value	Unit	Biological Reference interval
		CLINICAL PAT		
		UTINE & MICRO	SCOPIC EXAMINA	ATION
PHYSICAL EXAMIN		10		
QUANTITY RECIEV	ED TANCE SPECTROPHOTOMETRY	10	ml	
COLOUR	TANCE SPECTROPHOTOMETRY	PALE YELLOV	V	PALE YELLOW
TRANSPARANCY	TANCE SPECTROPHOTOMETRY	HAZY		CLEAR
SPECIFIC GRAVITY		1.02		1.002 - 1.030
by DIP STICK/REFLEC CHEMICAL EXAMI	TANCE SPECTROPHOTOMETRY NATION			
REACTION		ACIDIC		
by DIP STICK/REFLEC PROTEIN	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
SUGAR by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
pH		6		5.0 - 7.5
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY BILIRUBIN		Negative		NEGATIVE (-ve)
by DIP STICK/REFLEC NITRITE	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY.		EU/dL	0.2 - 1.0
UROBILINOGEN by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	Normal	EU/ UL	0.2 - 1.0
KETONE BODIES	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
BLOOD	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
ASCORBIC ACID		NEGATIVE (-v	e)	NEGATIVE (-ve)
by DIP STICK/REFLEC MICROSCOPIC EXA	TANCE SPECTROPHOTOMETRY			
RED BLOOD CELLS		NEGATIVE (-v	e) /HPF	0 - 3
	(56)		-/ /	

KOS Diagnostic Lab (A Unit of KOS Healthcare)



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mrs. MEENAKSHI		
AGE/ GENDER	: 47 YRS/FEMALE	PATIENT ID	: 1693071
COLLECTED BY	:	REG. NO./LAB NO.	: 012412070006
REFERRED BY	:	REGISTRATION DATE	:07/Dec/2024 08:26 AM
BARCODE NO.	: 01522083	COLLECTION DATE	:07/Dec/2024 08:30AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	:07/Dec/2024 10:55AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANT	Т	
Test Name	Value	Unit	Biological Reference interval

Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

by MICROSCOPY ON CENTRI	FUGED URINARY SEDIMENT			
PUS CELLS by MICROSCOPY ON CENTRI	FUGED URINARY SEDIMENT	1-3	/HPF	0 - 5
EPITHELIAL CELLS by MICROSCOPY ON CENTRI	FUGED URINARY SEDIMENT	6-7	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON CENTRI	FUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRI	FUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRI	FUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS by MICROSCOPY ON CENTRI	FUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINA		ABSENT		ABSENT



an

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







	MD (Pathology & M	Dr. Vinay ChopraDr. Yugam ChopraMD (Pathology & Microbiology)MD (Pathology)Chairman & Consultant PathologistCEO & Consultant Pathologist			
NAME	: Mrs. MEENAKSHI				
AGE/ GENDER	: 47 YRS/FEMALE	PATIENT ID	: 1693071		
COLLECTED BY	:	REG. NO./LAB NO.	: 012412070006		
REFERRED BY	:	REGISTRATION DATE	: 07/Dec/2024 08:26 AM		
BARCODE NO.	: 01522083	COLLECTION DATE	: 07/Dec/2024 08:30AM		
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	:09/Dec/2024 02:49PM		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	IBALA CANTT			
Test Name		Value Unit	Biological Reference interval		
	CULTURE AEROBIC BA	MICROBIOLOGY ACTERIA AND ANTIBIOTIC SEN	ISITIVITY: URINE		
CULTURE AND SUS	SCEPTIBILITY: URINE				
DATE OF SAMPLE SPECIMEN SOURCE INCUBATION PERIOD by AUTOMATED BROTH CULTURE		07-12-2024 URINE 48 HOURS			
CULTURE by AUTOMATED BROTH CULTURE		STERILE			
ORGANISM by AUTOMATED BROTH CULTURE		NO AEROBIC PYOGENIC ORGANISM GROWN AFTER 48 HOURS OF INCUBATION AT 37*C			
AEROBIC SUSCEPT	TIBILITY: URINE				
INTERPRETATION:					

In urine culture and sensitivity, presence of more than 100,000 organism per mL in midstream sample of urine is considered clinically significant. However in symptomatic patients, a smaller number of bacteria (100 to 10000/mL) may signify infection.
 Colony count of 100 to 10000/ mL indicate infection, if isolate from specimen obtained by suprapubic aspiration or "in-and-out" catheterization or from patients with indwelling catheters.

SUSCEPTIBILITY:

 A test interpreted as SENSTITIVE implies that infection due to isolate may be appropriately treated with the dosage of an antimicrobial agent recommended for that type of infection and infecting species, unless otherwise indicated..
 A test interpreted as INTERMEDIATE implies that the" Infection due to the isolate may be appropriately treated in body sites where the drugs are

A test interpreted as **INTERMEDIATE** implies that the" Infection due to the isolate may be appropriately treated in body sites where the drugs are physiologically concentrated or when a high dosage of drug can be used".
 A test interpreted as **RESISTANT** implies that the "isolates are not inhibited by the usually achievable concentration of the agents with normal

3.A test interpreted as **RESISTANT** implies that the "isolates are not inhibited by the usually achievable concentration of the agents with normal dosage, schedule and/or fall in the range where specific microbial resistance mechanism are likely (e.g. beta-lactamases), and clinical efficacy has not been reliable in treatment studies.

CAUTION:

Conditions which can cause a false Negative culture:

1. Patient is on antibiotics. Please repeat culture post therapy.

2. Anaerobic bacterial infection.

- 3. Fastidious aerobic bacteria which are not able to grow on routine culture media.
- 4. Besides all these factors, at least in 25-40 % of cases there is no direct correlation between in vivo clinical picture.
- 5. Renal tuberculosis to be confirmed by AFB studies.

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



TEST PERFORMED AT KOS DIAGNOSTIC LAB. AMBALA CANTT