

## **KOS Diagnostic Lab**

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mr. HARBANS LAL

AGE/ GENDER : 65 YRS/MALE PATIENT ID : 1698540

COLLECTED BY : REG. NO./LAB NO. : 012412130040

 REFERRED BY
 : 13/Dec/2024 05:50 PM

 BARCODE NO.
 : 01522415
 COLLECTION DATE
 : 13/Dec/2024 05:51 PM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 13/Dec/2024 06:18 PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

## **HAEMATOLOGY**

### PROTHROMBIN TIME STUDIES (PT/INR)

PT TEST (PATIENT) by PHOTO OPTICAL CLOT DETECTION	15.5 <sup>H</sup>	SECS	11.5 - 14.5
PT (CONTROL) by PHOTO OPTICAL CLOT DETECTION	12	SECS	
ISI by PHOTO OPTICAL CLOT DETECTION	1.1		
INTERNATIONAL NORMALISED RATIO (INR)	1.33 <sup>H</sup>		0.80 - 1.20

by PHOTO OPTICAL CLOT DETECTION

PT INDEX 77.42 % by PHOTO OPTICAL CLOT DETECTION

ADVICE KINDLY CORRELATE CLINICALLY

#### **INTERPRETATION:-**

- 1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropiate therapeutic range varies with the disease and treatment intensity.
- 2. Prolonged INR suggests potential bleeding disorder /bleeding complications
- 3. Results should be clinically correlated.
- 4. Test conducted on Citrated Plasma

RECOMMENDED THERAPEUTIC RANGE FOR ORAL ANTI-COAGULANT THERAPY (INR)					
INDICATION		INTERNATIONAL NORMALIZED RATIO (INR)			
Treatment of venous thrombosis					
Treatment of pulmonary embolism					
Prevention of systemic embolism in tissue heart valves					
Valvular heart disease	Low Intensity		2.0 - 3.0		
Acute myocardial infarction					
Atrial fibrillation					
Bileaflet mechanical valve in aortic position					
Recurrent embolism					
Mechanical heart valve	High Intensity		2.5 - 3.5		



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana



# **KOS Diagnostic Lab**

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mr. HARBANS LAL

AGE/ GENDER : 65 YRS/MALE PATIENT ID : 1698540

COLLECTED BY : REG. NO./LAB NO. : 012412130040

 REFERRED BY
 : 13/Dec/2024 05:50 PM

 BARCODE NO.
 : 01522415
 COLLECTION DATE
 : 13/Dec/2024 05:51 PM

**CLIENT CODE.** : KOS DIAGNOSTIC LAB **REPORTING DATE** : 13/Dec/2024 06:18PM

**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name	Value	Unit	Biological Reference interval
Antiphospholipid antibodies <sup>+</sup>			

#### **COMMENTS:**

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway. The common causes of prolonged prothrombin time are:

1. Oral Anticoagulant therapy.

2.Liver disease.

3. Vit K. deficiency.

4. Disseminated intra vascular coagulation.

5. Factor 5, 7, 10 or Prothrombin dificiency

\*\*\* End Of Report \*\*\*



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUĞAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana
KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana
0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com