



	Dr. Vinay Chopra MD (Pathology & Micr Chairman & Consultar	obiology)		(Pathology)
IAME	: Mr. ASHWANI GOEL			
AGE/ GENDER	: 60 YRS/MALE]	PATIENT ID	: 1709131
COLLECTED BY	: SURJESH]	REG. NO./LAB NO.	: 012412260023
REFERRED BY	:		REGISTRATION DATE	: 26/Dec/2024 10:51 AM
BARCODE NO.	: 01523030		COLLECTION DATE	: 26/Dec/2024 10:58AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	-	REPORTING DATE	: 26/Dec/2024 11:22AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB/	ALA CANTI		
Fest Name		Value	Unit	Biological Reference interval
	SWAST	HYA WEI	LNESS PANEL: 1.	n
			OOD COUNT (CBC)	
RED BLOOD CELLS	(RBCS) COUNT AND INDICES			
HAEMOGLOBIN (HI		13.5	gm/dL	12.0 - 17.0
by CALORIMETRIC RED BLOOD CELL (RBC) COUNT	4.92	Millions	/cmm 3.50 - 5.00
by HYDRO DYNAMIC F	OCUSING, ELECTRICAL IMPEDENCE			
PACKED CELL VOLU	JME (PCV) UTOMATED HEMATOLOGY ANALYZER	43.4	%	40.0 - 54.0
MEAN CORPUSCUL	AR VOLUME (MCV)	88.2	fL	80.0 - 100.0
MEAN CORPUSCUL	utomated hematology analyzer AR HAEMOGLOBIN (MCH)	27.4	pg	27.0 - 34.0
MEAN CORPUSCUL	UTOMATED HEMATOLOGY ANALYZER AR HEMOGLOBIN CONC. (MCHC)	31 ^L	g/dL	32.0 - 36.0
by CALCULATED BY A	UTOMATED HEMATOLOGY ANALYZER UTION WIDTH (RDW-CV)	15	%	
	UTION WIDTH (RDW-CV) UTOMATED HEMATOLOGY ANALYZER	15	70	11.00 - 16.00
	UTION WIDTH (RDW-SD) UTOMATED HEMATOLOGY ANALYZER	49.6	fL	35.0 - 56.0
MENTZERS INDEX		17.93	RATIO	BETA THALASSEMIA TRAIT: <
by CALCULATED				13.0 IRON DEFICIENCY ANEMIA:
				>13.0
GREEN & KING IND	DEX	26.85	RATIO	BETA THALASSEMIA TRAIT:<=
by CALCULATED				65.0 IRON DEFICIENCY ANEMIA: >
				65.0
WHITE BLOOD CE		7170		4000 11000
FOTAL LEUCOCYTE by flow cytometry	COUNT (TLC) Y BY SF CUBE & MICROSCOPY	7170	/cmm	4000 - 11000
	LOOD CELLS (nRBCS) RT HEMATOLOGY ANALYZER	NIL		0.00 - 20.00
SY AUTOWATED O PAR		NIL	%	< 10 %
NUCLEATED RED B	LOOD CLLLS (IIICDCS) /0	IIII		10/0

KOS Diagnostic Lab (A Unit of KOS Healthcare)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







Dr. Vinay Chopra Dr. Yugam Chopra MD (Pathology & Microbiology) MD (Pathology) Chairman & Consultant Pathologist **CEO & Consultant Pathologist** : Mr. ASHWANI GOEL NAME AGE/ GENDER : 60 YRS/MALE **PATIENT ID** :1709131 **COLLECTED BY** : SURJESH :012412260023 REG. NO./LAB NO. **REFERRED BY REGISTRATION DATE** : 26/Dec/2024 10:51 AM : **BARCODE NO.** :01523030 **COLLECTION DATE** : 26/Dec/2024 10:58AM CLIENT CODE. : KOS DIAGNOSTIC LAB **REPORTING DATE** : 26/Dec/2024 11:22AM **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value Unit **Biological Reference interval DIFFERENTIAL LEUCOCYTE COUNT (DLC) NEUTROPHILS** 66 % 50 - 70 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY LYMPHOCYTES 24% 20 - 40 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY EOSINOPHILS 5 % 1 - 6 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY MONOCYTES 5 % 2 - 12by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY BASOPHILS 0 % 0 - 1 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY **ABSOLUTE LEUKOCYTES (WBC) COUNT** ABSOLUTE NEUTROPHIL COUNT 4732 2000 - 7500 /cmm by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE LYMPHOCYTE COUNT 1721 800 - 4900 /cmm by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE EOSINOPHIL COUNT 358 /cmm 40 - 440 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE MONOCYTE COUNT 358 /cmm 80 - 880 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE BASOPHIL COUNT 0 /cmm 0 - 110 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY PLATELETS AND OTHER PLATELET PREDICTIVE MARKERS. PLATELET COUNT (PLT) 150000 - 450000 182000 /cmm by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PLATELETCRIT (PCT) 0.23 % 0.10 - 0.36 by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE MEAN PLATELET VOLUME (MPV) fL 13^H 6.50 - 12.0 by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE 30000 - 90000 PLATELET LARGE CELL COUNT (P-LCC) 84000 /cmm by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PLATELET LARGE CELL RATIO (P-LCR) 46.1^H % 11.0 - 45.0 by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PLATELET DISTRIBUTION WIDTH (PDW) 15.0 - 17.0 16.2% by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Chopra MD (Pathology & Microbiolog Chairman & Consultant Patho		(Pathology)
NAME	: Mr. ASHWANI GOEL		
AGE/ GENDER	: 60 YRS/MALE	PATIENT ID	: 1709131
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012412260023
REFERRED BY	:	REGISTRATION DATE	: 26/Dec/2024 10:51 AM
BARCODE NO.	: 01523030	COLLECTION DATE	: 26/Dec/2024 10:58AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 26/Dec/2024 11:22AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CA	NTT	
Test Name	Value	e Unit	Biological Reference interval





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



	Dr. Vinay Chop MD (Pathology & M Chairman & Consul	licrobiology)	Dr. Yugam Chopra MD (Pathology) t CEO & Consultant Pathologist	
AME	: Mr. ASHWANI GOEL			
GE/ GENDER	: 60 YRS/MALE	P	ATIENT ID	: 1709131
OLLECTED BY	: SURJESH	R	EG. NO./LAB NO.	: 012412260023
EFERRED BY	:	R	EGISTRATION DATE	: 26/Dec/2024 10:51 AM
ARCODE NO.	: 01523030	C	OLLECTION DATE	: 26/Dec/2024 10:58AM
LIENT CODE.	: KOS DIAGNOSTIC LAB	R	EPORTING DATE	: 26/Dec/2024 12:04PM
LIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	MBALA CANTT		
'est Name		Value	Unit	Biological Reference interval
vstemic lupus erythe ONDITION WITH LOV low ESR can be see oolycythaemia), sigr s sickle cells in sickl OTE: ESR and C - reactive Generally, ESR doe CRP is not affected If the ESR is elevat Women tend to ha Drugs such as dext	ematosus W ESR n with conditions that inhibit the n ificantly high white blood cell cour e cell anaemia) also lower the ESR e protein (C-RP) are both markers o is not change as rapidly as does CRI by as many other factors as is ESR , ed, it is typically a result of two typ ye a higher ESR, and menstruation.	ormal sedimenta nt (leucocytosis) of inflammation. P, either at the st making it a bette ves of proteins, g and pregnancy c	ation of red blood cells, s , and some protein abno cart of inflammation or a er marker of inflammation obulins or fibrinogen. an cause temporary eleva	ormalities. Šome changes in red cell shape (suc s it resolves. n.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







		hopra & Microbiology) nsultant Pathologist	Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mr. ASHWANI GOEL			
AGE/ GENDER	: 60 YRS/MALE	PA	TIENT ID	: 1709131
COLLECTED BY	: SURJESH	RI	EG. NO./LAB NO.	: 012412260023
REFERRED BY	:	RI	EGISTRATION DATE	: 26/Dec/2024 10:51 AM
BARCODE NO.	: 01523030	CC	DLLECTION DATE	: 26/Dec/2024 10:58AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RI	EPORTING DATE	: 26/Dec/2024 01:35PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	CLINI	CAL CHEMISTI GLUCOSE FA	RY/BIOCHEMIST ASTING (F)	'nRY
GLUCOSE FASTING by glucose oxidas	F (F): PLASMA E - PEROXIDASE (GOD-POD)	245.52 ^H	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0

KOS Diagnostic Lab (A Unit of KOS Healthcare)

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES: 1. A fasting plasma glucose level below 100 mg/dl is considered normal. 2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







	Dr. Vinay Cl MD (Pathology Chairman & Co		Dr. Yugam MD CEO & Consultant	(Pathology)
JAME	: Mr. ASHWANI GOEL			
AGE/ GENDER	: 60 YRS/MALE	РАТ	TENT ID	: 1709131
COLLECTED BY	: SURJESH	REG	. NO./LAB NO.	: 012412260023
REFERRED BY	:	REG	ISTRATION DATE	: 26/Dec/2024 10:51 AM
BARCODE NO.	: 01523030	COL	LECTION DATE	: 26/Dec/2024 10:58AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REP	ORTING DATE	: 26/Dec/2024 01:16PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		LIPID PROFII	LE : BASIC	
CHOLESTEROL TOT	TAL: SERUM	133.76	mg/dL	OPTIMAL: < 200.0
by CHOLESTEROL OX			0	BORDERLINE HIGH: 200.0 -
				239.0 HIGH CHOLESTEROL: > OR =
				240.0
RIGLYCERIDES: SI		186.01 ^H	mg/dL	OPTIMAL: < 150.0
by GLYCEROL PHOSP	HATE OXIDASE (ENZYMATIC)			BORDERLINE HIGH: 150.0 - 199.0
				HIGH: 200.0 - 499.0
				VERY HIGH: $> OR = 500.0$
IDL CHOLESTEROI by SELECTIVE INHIBITI	L (DIRECT): SERUM	41.78	mg/dL	LOW HDL: < 30.0
by SELECTIVE INHIBITI				BORDERLINE HIGH HDL: 30.0 60.0
				HIGH HDL: $> OR = 60.0$
DL CHOLESTEROL		54.78	mg/dL	OPTIMAL: < 100.0
by CALCULATED, SPE	CIROPHOTOMETRY			ABOVE OPTIMAL: 100.0 - 129. BORDERLINE HIGH: 130.0 -
				159.0
				HIGH: 160.0 - 189.0
NON HDL CHOLEST	FROL·SERUM	91.98	mg/dL	VERY HIGH: > OR = 190.0 OPTIMAL: < 130.0
by CALCULATED, SPE		51.50	ing/ uL	ABOVE OPTIMAL: 130.0 - 159.
				BORDERLINE HIGH: 160.0 -
				189.0 HIGH: 190.0 - 219.0
				VERY HIGH: $> OR = 220.0$
LDL CHOLESTERC		37.2	mg/dL	0.00 - 45.00
by CALCULATED, SPE FOTAL LIPIDS: SER		453.53	mg/dL	350.00 - 700.00
by CALCULATED, SPE	CTROPHOTOMETRY			
CHOLESTEROL/HD by CALCULATED, SPE		3.2	RATIO	LOW RISK: 3.30 - 4.40
				AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0
<i>b</i> , <i>c</i> , <u>c</u> , <i>c</i> , <u>c</u>				





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab:6349/1, Nicholson Road, Ambala Cantt -133 001, HaryanaKOS Molecular Lab:IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana0171-2643898, +91 99910 43898care@koshealthcare.comwww.koshealthcare.comwww.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





		hopra & Microbiology) nsultant Pathologist		(Pathology)
NAME	: Mr. ASHWANI GOEL			
AGE/ GENDER	: 60 YRS/MALE		PATIENT ID	: 1709131
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	: 012412260023
REFERRED BY	:		REGISTRATION DATE	: 26/Dec/2024 10:51 AM
BARCODE NO.	: 01523030		COLLECTION DATE	: 26/Dec/2024 10:58AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 26/Dec/2024 01:16PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
LDL/HDL RATIO: S by CALCULATED, SPE		1.31	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/H by CALCULATED, SPE	IDL RATIO: SERUM	4.45	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

 Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
 NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	Dr. Vinay Chop MD (Pathology & Mi Chairman & Consult	crobiology)		(Pathology)
NAME	: Mr. ASHWANI GOEL			
AGE/ GENDER	: 60 YRS/MALE		PATIENT ID	: 1709131
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	: 012412260023
REFERRED BY	:		REGISTRATION DATE	: 26/Dec/2024 10:51 AM
BARCODE NO.	: 01523030		COLLECTION DATE	: 26/Dec/2024 10:58AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 26/Dec/2024 01:50PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	BALA CANTT	,	
Test Name		Value	Unit	Biological Reference interval
BILIRUBIN DIRECT by DIAZO MODIFIED, S BILIRUBIN INDIRE by CALCULATED, SPE SGOT/AST: SERUM by IFCC, WITHOUT PY	PECTROPHOTOMETRY (CONJUGATED): SERUM SPECTROPHOTOMETRY CCT (UNCONJUGATED): SERUM ECTROPHOTOMETRY I <i>(ridoxal phosphate)</i>	0.27 0.1 0.17 16.9	mg/dL mg/dL mg/dL U/L	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20 0.00 - 0.40 0.10 - 1.00 7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PY	l /RIDOXAL PHOSPHATE	23.7	U/L	0.00 - 49.00
AST/ALT RATIO: S	ERUM ECTROPHOTOMETRY	0.71	RATIO	0.00 - 46.00
ALKALINE PHOSPI		139.11 ^H	U/L	40.0 - 130.0
GAMMA GLUTAMY by SZASZ, SPECTRO	L TRANSFERASE (GGT): SERUM PHTOMETRY	17.9	U/L	0.00 - 55.0
TOTAL PROTEINS: by BIURET, SPECTRO	SERUM	5.38 ^L	gm/dL	6.20 - 8.00
ALBUMIN: SERUM		3.95	gm/dL	3.50 - 5.50
GLOBULIN: SERUN	1	1.43 ^L	gm/dL	2.30 - 3.50
A : G RATIO: SERU	M ECTROPHOTOMETRY	2.76 ^H	RATIO	1.00 - 2.00

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

> 2
> 2 (Highly Suggestive)
1.4 - 2.0
> 1.5
> 1.3 (Slightly Increased)



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







	Dr. Vinay Chopra MD (Pathology & Microbi Chairman & Consultant P		(Pathology)
NAME	: Mr. ASHWANI GOEL		
AGE/ GENDER	: 60 YRS/MALE	PATIENT ID	: 1709131
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012412260023
REFERRED BY	:	REGISTRATION DATE	: 26/Dec/2024 10:51 AM
BARCODE NO.	: 01523030	COLLECTION DATE	: 26/Dec/2024 10:58AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 26/Dec/2024 01:50PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA	ACANTT	

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







	Dr. Vinay Cho MD (Pathology & N Chairman & Consu	1icrobiology)	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. ASHWANI GOEL			
AGE/ GENDER	: 60 YRS/MALE	PA	TIENT ID	: 1709131
COLLECTED BY	: SURJESH	RE	G. NO./LAB NO.	: 012412260023
REFERRED BY	:	RE	GISTRATION DATE	: 26/Dec/2024 10:51 AM
BARCODE NO.	:01523030	CO	LLECTION DATE	: 26/Dec/2024 10:58AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RE	PORTING DATE	: 26/Dec/2024 02:06PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AN	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	KIDNE	Y FUNCTION 1	FEST (COMPLETE)	
UREA: SERUM		97.97 ^H	mg/dL	10.00 - 50.00
by UREASE - GLUTAN	IATE DEHYDROGENASE (GLDH)		Ū	
CREATININE: SER by ENZYMATIC, SPEC		3.54 ^H	mg/dL	0.40 - 1.40
BLOOD UREA NITH	ROGEN (BUN): SERUM	45.78 ^H	mg/dL	7.0 - 25.0
	ECTROPHOTOMETRY ROGEN (BUN)/CREATININE	12.93	RATIO	10.0 - 20.0
RATIO: SERUM	OGEN (DUN)/ CREATININE	12.95	KATIO	10.0 - 20.0
	ECTROPHOTOMETRY			
UREA/CREATININ	E RATIO: SERUM ECTROPHOTOMETRY	27.68	RATIO	
URIC ACID: SERUM		3.6	mg/dL	3.60 - 7.70
by URICASE - OXIDAS	SE PEROXIDASE	10.45		0.50 10.00
CALCIUM: SERUM by ARSENAZO III, SPE	ECTROPHOTOMETRY	10.45	mg/dL	8.50 - 10.60
PHOSPHOROUS: SI	ERUM	5.96 ^H	mg/dL	2.30 - 4.70
by PHOSPHOMOLYBL ELECTROLYTES	DATE, SPECTROPHOTOMETRY			
SODIUM: SERUM		144.7	mmol/L	135.0 - 150.0
by ISE (ION SELECTIV	/E ELECTRODE)	144.7	IIIII01/ L	135.0 - 150.0
POTASSIUM: SERU		4.9	mmol/L	3.50 - 5.00
by ISE (ION SELECTIV CHLORIDE: SERUM		108.53	mmol/L	90.0 - 110.0
by ISE (ION SELECTIV		100.00		000 1100
	IERULAR FILTERATION RATE			
	ERULAR FILTERATION RATE	18.9		
(eGFR): SERUM				
INTERPRETATION:				
To differentiate betw	een pre- and post renal azotemia.			

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





		Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist			Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist			
NAME	: Mr. ASHWA	NI GOEL						
AGE/ GENDER	: 60 YRS/MAL	Е		PATIENT ID	: 1	709131		
COLLECTED BY	: SURJESH			REG. NO./LAB NO	. :0	1241226002	23	
REFERRED BY				REGISTRATION D		6/Dec/2024 1		
BARCODE NO.								
	: 01523030			COLLECTION DATE		: 26/Dec/2024 10:58AM		
CLIENT CODE.	: KOS DIAGNO			REPORTING DAT	E : 2	6/Dec/2024 0	02:06PM	
CLIENT ADDRESS	: 6349/1, NIC	HOLSON ROAD, AMB	ALA CANTT					
Test Name			Value	Un	uit	Biolog	jical Referen	ce interva
9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (< ⁻	tetracycline, glu 0:1) WITH ELEV/ (BUN rises disp superimposed o 0:1) WITH DECR	ATED CREATININE LEVI roportionately more to on renal disease.		ne) (e.g. obstructive	e uropathy).			
 Certain drugs (e.g., NCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia Prerenal azotemia DECREASED RATIO (<' Acute tubular necr Low protein diet ar Severe liver diseas Other causes of de Repeated dialysis (SIADH (syndrome of Pregnancy. DECREASED RATIO (Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Diabetic ketoacido Should produce an in Cephalosporin there ESTIMATED GLOMERI G1 	tetracycline, glu 0:1) WITH ELEV (BUN rises disp superimposed of 0:1) WITH DECR osis. Ind starvation. a starvation. creased urea sy urea rather tha monemias (urea of inappropiate a 0:1) WITH INCR py (accelerates eleases muscle who develop re sis (acetoacetat creased BUN/cr apy (interferes ULAR FILTERATIO Not	Icocorticoids) ATED CREATININE LEVI roportionately more to on renal disease. EASED BUN : In creatinine diffuses of a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine creatinine). nal failure. e causes false increass eatinine ratio). with creatinine measu N RATE: DESCRIPTION mal kidney function	han creatinir but of extrace blood). due to tubula e to creatinin e in creatinir rement).	ellular fluid). ar secretion of urea ne). he with certain met uL/min/1.73m2) >90	a. thodologies, ASSOCIA	TED FINDINGS proteinuria		nen dehydra
 Certain drugs (e.g., NCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia Prerenal azotemia DECREASED RATIO (<' Acute tubular necr Low protein diet and Severe liver diseas Other causes of de Repeated dialysis (SIADH (syndrome of Pregnancy. DECREASED RATIO (Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Diabetic ketoacido Should produce an in Cephalosporin there CKD STAGE 	tetracycline, glu 0:1) WITH ELEV (BUN rises disp superimposed of 0:1) WITH DECR osis. Ind starvation. a. creased urea sy urea rather tha monemias (urea of inappropiate a 0:1) WITH INCR py (accelerates eleases muscle who develop re sis (acetoacetat creased BUN/cr apy (interferes ULAR FILTERATIO Non Ki	Incocorticoids) ATED CREATININE LEVI In roportionately more to a renal disease. EASED BUN : In creatinine diffuses of a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine creatinine). nal failure. In causes false increase eatinine ratio). with creatinine measu N RATE: DESCRIPTION mal kidney function dney damage with	han creatinir but of extrace blood). due to tubula e to creatinin e in creatinir rement).	ellular fluid). ar secretion of urea ne). he with certain met	a. thodologies, ASSOCIA Presence	TED FINDINGS proteinuria ce of Protein ,		hen dehydra
 Certain drugs (e.g., NCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia Prerenal azotemia CECREASED RATIO (<' Acute tubular necr Low protein diet and Severe liver diseas Other causes of de Repeated dialysis (SIADH (syndrome of Pregnancy. PCEREASED RATIO (Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Diabetic ketoacido Should produce an in Cephalosporin there CENTIMATED GLOMERI G1 	tetracycline, glu 0:1) WITH ELEV (BUN rises disp superimposed of 0:1) WITH DECR osis. Ind starvation. a starvation. creased urea sy urea rather tha monemias (urea of inappropiate a 0:1) WITH INCR py (accelerates eleases muscle who develop re sis (acetoacetat creased BUN/cr apy (interferes JLAR FILTERATIO Non Ki Non	Icocorticoids) ATED CREATININE LEVI roportionately more to on renal disease. EASED BUN : In creatinine diffuses of a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine creatinine). nal failure. e causes false increass eatinine ratio). with creatinine measu N RATE: DESCRIPTION mal kidney function	han creatinir but of extrace blood). due to tubula e to creatinin e in creatinir rement).	ellular fluid). ar secretion of urea ne). he with certain met uL/min/1.73m2) >90	a. thodologies, ASSOCIA Presence	TED FINDINGS proteinuria		nen dehydra
 P. Certain drugs (e.g., INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (<' 1. Acute tubular necr 2. Low protein diet an 3. Severe liver diseas 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (<' 1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin there ESTIMATED GLOMERI G1 G2 	tetracycline, glu 0:1) WITH ELEV (BUN rises disp superimposed of 0:1) WITH DECR osis. Ind starvation. Creased urea sy urea rather tha monemias (urea f inappropiate a 0:1) WITH INCR py (accelerates eleases muscle who develop re sis (acetoacetat creased BUN/cr apy (interferes UAR FILTERATIO Non Ki Non Mod	accoorticoids) ATED CREATININE LEVI roportionately more to on renal disease. EASED BUN : A treatinine diffuses of a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine creatinine). nal failure. e causes false increase eatinine ratio). with creatinine measu N RATE: DESCRIPTION mal kidney function dney damage with ormal or high GFR lid decrease in GFR erate decrease in GFR	han creatinir but of extrace blood). due to tubula e to creatinin e in creatinir rement). GFR (m	ellular fluid). ar secretion of urea ne). he with certain met <u>L/min/1.73m2) >90 >90 60 -89 30-59</u>	a. thodologies, ASSOCIA Presence	TED FINDINGS proteinuria ce of Protein ,		nen dehydra
9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (< 1. Acute tubular necr 2. Low protein diet an 3. Severe liver diseas 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (< 1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther ESTIMATED GLOMERI G1 G2 G3a	tetracycline, glu 0:1) WITH ELEV (BUN rises disp superimposed of 0:1) WITH DECR osis. Ind starvation. Creased urea sy urea rather tha monemias (urea f inappropiate a 0:1) WITH INCR py (accelerates eleases muscle who develop re sis (acetoacetat creased BUN/cr apy (interferes UAR FILTERATIO Non Ki Non Mod	accoorticoids) ATED CREATININE LEVI roportionately more to on renal disease. EASED BUN : In creatinine diffuses of a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine creatinine). nal failure. e causes false increase eatinine ratio). with creatinine measu N RATE: DESCRIPTION mal kidney function dney damage with ormal or high GFR ild decrease in GFR	han creatinir but of extrace blood). due to tubula e to creatinin e in creatinir rement). GFR (m	ellular fluid). ar secretion of urea ne). he with certain met <u>L/min/1.73m2) >90 >90 60 -89</u>	a. thodologies, ASSOCIA Presence	TED FINDINGS proteinuria ce of Protein ,		hen dehydra





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)









	Dr. Vinay Chopr MD (Pathology & Micr Chairman & Consultar	robiology) MI	m Chopra D (Pathology) nt Pathologist
NAME	: Mr. ASHWANI GOEL		
AGE/ GENDER	: 60 YRS/MALE	PATIENT ID	: 1709131
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012412260023
REFERRED BY	:	REGISTRATION DATE	: 26/Dec/2024 10:51 AM
BARCODE NO.	: 01523030	COLLECTION DATE	: 26/Dec/2024 10:58AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 26/Dec/2024 02:06PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB	ALA CANTT	
Test Name		Value Unit	Biological Reference interva

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







		hopra & Microbiology) onsultant Pathologist		ugam Chopra MD (Pathology sultant Pathologis)		
NAME	: Mr. ASHWANI GOEL						
AGE/ GENDER	: 60 YRS/MALE		PATIENT ID	: 17091	31		
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	:0124	12260023		
REFERRED BY	:		REGISTRATION DA		c/2024 10:51 AM		
BARCODE NO.	: 01523030		COLLECTION DATE		c/2024 10:58AM		
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 26/De	c/2024 12:43PM		
CLIENT ADDRESS	CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT						
Test Name		Value	Uni	t	Biological Reference interval		
		CLINICAL	PATHOLOGY				
	URINE R	OUTINE & MIC	ROSCOPIC EXA	MINATION			
PHYSICAL EXAMIN	NATION						
QUANTITY RECIEV	ED TANCE SPECTROPHOTOMETRY	10	ml				
COLOUR		PALE YEL	LOW		PALE YELLOW		
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY TRANSPARANCY		HAZY			CLEAR		
by DIP STICK/REFLEC SPECIFIC GRAVITY	TANCE SPECTROPHOTOMETRY	1.02			1.002 - 1.030		
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY						
<u>CHEMICAL EXAMI</u> REACTION	NATION	ACIDIC					
	TANCE SPECTROPHOTOMETRY	ACIDIC					
PROTEIN by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	3+			NEGATIVE (-ve)		
SUGAR		2+			NEGATIVE (-ve)		
рН	TANCE SPECTROPHOTOMETRY	6.5			5.0 - 7.5		
BILIRUBIN		Negative			NEGATIVE (-ve)		
by DIP STICK/REFLEC NITRITE	TANCE SPECTROPHOTOMETRY	Negative			NEGATIVE (-ve)		
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY.	-					
UROBILINOGEN by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	Normal	EU	/dL	0.2 - 1.0		
KETONE BODIES by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	Negative			NEGATIVE (-ve)		
BLOOD		Negative			NEGATIVE (-ve)		
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY ASCORBIC ACID by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		NEGATIVI	E (-ve)		NEGATIVE (-ve)		
MICROSCOPIC EXA							
RED BLOOD CELLS	(RBCs) CENTRIFUGED URINARY SEDIMENT	NEGATIVI	E (-ve) /HI	PF	0 - 3		





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com

Page 13 of 14





Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist



Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mr. ASHWANI GOEL			
AGE/ GENDER	: 60 YRS/MALE		PATIENT ID	: 1709131
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	: 012412260023
REFERRED BY	:		REGISTRATION DATE	: 26/Dec/2024 10:51 AM
BARCODE NO.	: 01523030		COLLECTION DATE	: 26/Dec/2024 10:58AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 26/Dec/2024 12:43PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANT	Т	
Test Name		Value	Unit	Biological Reference interval
PUS CELLS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	2-4	/HPF	0 - 5
EPITHELIAL CELLS	5	1-2	/HPF	ABSENT

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	1-2	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA)	ABSENT		ABSENT

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

** End Of Report ***



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com

