



COLLECTED BY : REG. NO./LAB NO. : 012412290007 REFERRED BY : REGISTRATION DATE : 29/Dec/2024 08:29 AM BARCODE NO. : 01523148 COLLECTION DATE : 29/Dec/2024 08:38AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 29/Dec/2024 08:38AM CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT : 29/Dec/2024 04:48PM Test Name Value Unit Biological Reference CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE FASTING (F): PLASMA 91.96 mg/dL NORMAL: < 100.0 by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) 91.96 mg/dL NORMAL: < 100.0			Chopra y & Microbiology) Consultant Pathologist	crobiology) MD (Pathology)		
COLLECTED BY :	NAME	: Mrs. AVITAL KAJAL				
REFERRED BY :	AGE/ GENDER	: 33 YRS/FEMALE	PAT	ENT ID	: 1711246	
BARCODE NO. : 01523148 COLLECTION DATE : 29/Dec/2024 08:38AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 29/Dec/2024 04:48PM CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value Unit Biological Reference CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE FASTING (F): PLASMA 91.96 mg/dL NORMAL: < 100.0 preDIABETIC: 100.0 DIABETIC: > 0R = 12 GLUCOSE POST PRANDIAL (PP): PLASMA 109.07 mg/dL NORMAL: < 140.00	COLLECTED BY	:	REG.	NO./LAB NO.	: 012412290007	
CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 29/Dec/2024 04:48PM CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT Biological Reference Test Name Value Unit Biological Reference CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE FASTING (F) : PLASMA 91.96 mg/dL NORMAL: < 100.0 PREDIABETIC: 100.0 DIABETIC: > 0R = 12 GLUCOSE POST PRANDIAL (PP): PLASMA 109.07 mg/dL NORMAL: < 140.00	REFERRED BY	:	REGI	STRATION DATE	: 29/Dec/2024 08:29 AM	
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value Unit Biological Reference CLINICAL CHEMISTRY/BIOCHEMISTRY Biological Reference CLUCOSE FASTING (F): PLASMA 91.96 mg/dL NORMAL: < 100.0 by GLUCOSE FASTING (F): PLASMA 91.96 mg/dL NORMAL: < 100.0	BARCODE NO.	:01523148	COLI	ECTION DATE	: 29/Dec/2024 08:38AM	
Test NameValueUnitBiological ReferenceCLINICAL CHEMISTRY/BIOCHEMISTRYGLUCOSE FASTING (F) AND POST PRANDIAL (PP)GLUCOSE FASTING (F): PLASMA91.96mg/dLNORMAL: < 100.0	CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE		: 29/Dec/2024 04:48PM	
CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE FASTING (F) AND POST PRANDIAL (PP) GLUCOSE FASTING (F): PLASMA 91.96 mg/dL NORMAL: < 100.0 by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) 91.96 mg/dL NORMAL: < 100.0 GLUCOSE POST PRANDIAL (PP): PLASMA 109.07 mg/dL NORMAL: < 140.00	CLIENT ADDRESS	: 6349/1, NICHOLSON ROA	D, AMBALA CANTT			
GLUCOSE FASTING (F) AND POST PRANDIAL (PP) GLUCOSE FASTING (F): PLASMA 91.96 mg/dL NORMAL: < 100.0 by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) 91.96 mg/dL NORMAL: < 100.0 GLUCOSE POST PRANDIAL (PP): PLASMA 109.07 mg/dL NORMAL: < 140.00	Test Name		Value	Unit	Biological Reference interva	
GLUCOSE FASTING (F): PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)91.96mg/dLNORMAL: < 100.0 PREDIABETIC: 100.0 DIABETIC: > 0R = 12GLUCOSE POST PRANDIAL (PP): PLASMA109.07mg/dLNORMAL: < 140.00		CLIN	ICAL CHEMISTRY	/BIOCHEMIST	RY	
by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) GLUCOSE POST PRANDIAL (PP): PLASMA 109.07 mg/dL PREDIABETIC: 100.0 DIABETIC: > 0R = 12 NORMAL: < 140.00			E FACTING (E) AND	DOCT DDANDIA	I (DD)	
		GLUCOS	E FASTING (F) AND	PUSI PRANDIA	L (PP)	
DIABETIC: > 0R = 20		G (F): PLASMA				

KOS Diagnostic Lab

(A Unit of KOS Healthcare)

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A fasting plasma glucose below 100 mg/dL and post-prandial plasma glucose level below 140 mg/dl is considered normal.

2. A fasting plasma glucose level between 100 - 125 mg/dl and post-prandial plasma glucose level between 140 – 200 mg/dL is considered as glucose intolerant or pre diabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients

3. A fasting plasma glucose level of above 125 mg/dL and post-prandial plasma glucose level above 200 mg/dL is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB. AMBALA CANTT

INTERPRETATION: