

**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. AKANKSHA                        | <b>PATIENT ID</b>        | : 1711329              |
| <b>AGE/ GENDER</b>    | : 32 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012412290032         |
| <b>COLLECTED BY</b>   | :                                      | <b>REGISTRATION DATE</b> | : 29/Dec/2024 12:07 PM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 29/Dec/2024 12:10PM  |
| <b>BARCODE NO.</b>    | : 01523173                             | <b>REPORTING DATE</b>    | : 29/Dec/2024 01:20PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

**IMMUNOPATHOLOGY/SEROLOGY**  
**URINE PREGNANCY TEST (UPT)**

|   |                |              |
|---|----------------|--------------|
| URINE PREGNANCY TEST (UPT)<br>by IMMUNOCHROMATOGRAPHY | NEGATIVE (-ve) | NEGATIVE (-) |
|---|----------------|--------------|

**INTERPRETATION:-**

Urine Pregnancy test have 99% sensitivity, hence the result must be co-related with clinical findings and ultrasound report.

**COMMENTS:**

1. In addition to pregnancy elevated hCG levels have been reported with gestation and non-gestational trophoblastic disease.
2. Very early pregnancy containing low concentration of hormone in urine can give a negative result. In such cases urine should be retested after proper interval.
3. HCG level remain detectable for several weeks after normal delivery after casearean, spontaneous abortion or therapeutic abortion.
4. Even very high levels of hCG give test results as weak positive or negative. Ectopic pregnancy may also give weak positive results.
5. Urine sample with infections and samples with low specific gravity may not give satisfactory results.

\*\*\* End Of Report \*\*\*



  
**DR.VINAY CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
**DR.YUGAM CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)

