



	Dr. Vinay Chopr MD (Pathology & Micr Chairman & Consultar	obiology)		(Pathology)	
NAME	: Mr. R.S BAWA				
AGE/ GENDER	: 68 YRS/MALE		PATIENT ID	: 1713926	
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	:0125010200)18
REFERRED BY	:		REGISTRATION DATE	:02/Jan/2025()9:59 AM
BARCODE NO.	: 01523324		COLLECTION DATE	:02/Jan/20251	0:20AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	:02/Jan/20251	0:39AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB.	ALA CANTT			
Test Name		Value	Unit	Biolog	gical Reference interval
DED BLOOD CELLS	COMP		LLNESS PANEL: 1.0 OOD COUNT (CBC))	
HAEMOGLOBIN (HI	(RBCS) COUNT AND INDICES	14.2	gm/dL	12.0	- 17.0
by CALORIMETRIC		14.2	giii/ uL	12.0	- 17.0
RED BLOOD CELL (I	RBC) COUNT	4.68	Millions	cmm 3.50 -	- 5.00
PACKED CELL VOLU		45	%	40.0	- 54.0
MEAN CORPUSCULA		96.1	fL	80.0	- 100.0
MEAN CORPUSCUL	AR HAEMOGLOBIN (MCH) UTOMATED HEMATOLOGY ANALYZER	30.3	pg	27.0	- 34.0
MEAN CORPUSCUL	AR HEMOGLOBIN CONC. (MCHC) UTOMATED HEMATOLOGY ANALYZER	31.6 ^L	g/dL	32.0	- 36.0
RED CELL DISTRIBU	JTION WIDTH (RDW-CV) UTOMATED HEMATOLOGY ANALYZER	12.6	%	11.00) - 16.00
RED CELL DISTRIBU	JTION WIDTH (RDW-SD) UTOMATED HEMATOLOGY ANALYZER	45.3	fL	35.0 -	- 56.0
MENTZERS INDEX by CALCULATED		20.53	RATIO	13.0	THALASSEMIA TRAIT: < DEFICIENCY ANEMIA:
GREEN & KING IND by CALCULATED	EX	25.84	RATIO	65.0	THALASSEMIA TRAIT:<= DEFICIENCY ANEMIA: >
WHITE BLOOD CEI	LLS (WBCS)			00.0	
TOTAL LEUCOCYTE	COUNT (TLC) By SF CUBE & MICROSCOPY	7500	/cmm	4000	- 11000
NUCLEATED RED B	LOOD CELLS (nRBCS) THEMATOLOGY ANALYZER	NIL		0.00	- 20.00
	LOOD CELLS (nRBCS) % utomated hematology analyzer	NIL	%	< 10 9	%
สมอรรมสาวเส			0		





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt - 133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Vinay Chopra



Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mr. R.S BAWA		
AGE/ GENDER	: 68 YRS/MALE	PATIENT ID	: 1713926
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012501020018
REFERRED BY	:	REGISTRATION DATE	: 02/Jan/2025 09:59 AM
BARCODE NO.	: 01523324	COLLECTION DATE	: 02/Jan/2025 10:20AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 02/Jan/2025 10:39AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name		Value	Unit	Biological Reference interval
DIFFERENTIAL LEUCOCYT	TE COUNT (DLC)			
NEUTROPHILS by FLOW CYTOMETRY BY SF CL	IBE & MICROSCOPY	53	%	50 - 70
LYMPHOCYTES by FLOW CYTOMETRY BY SF CL	IBE & MICROSCOPY	39	%	20 - 40
EOSINOPHILS by FLOW CYTOMETRY BY SF CL	IBE & MICROSCOPY	2	%	1 - 6
MONOCYTES by FLOW CYTOMETRY BY SF CL	IBE & MICROSCOPY	6	%	2 - 12
BASOPHILS by FLOW CYTOMETRY BY SF CL		0	%	0 - 1
ABSOLUTE LEUKOCYTES (<u>WBC) COUNT</u>			
ABSOLUTE NEUTROPHIL C by FLOW CYTOMETRY BY SF CL		3975	/cmm	2000 - 7500
ABSOLUTE LYMPHOCYTE C by FLOW CYTOMETRY BY SF CU		2925	/cmm	800 - 4900
ABSOLUTE EOSINOPHIL CO by FLOW CYTOMETRY BY SF CU		150	/cmm	40 - 440
ABSOLUTE MONOCYTE COU by FLOW CYTOMETRY BY SF CU		450	/cmm	80 - 880
ABSOLUTE BASOPHIL COU by FLOW CYTOMETRY BY SF CU		0	/cmm	0 - 110
PLATELETS AND OTHER P	PLATELET PREDICTIVE	<u>MARKERS.</u>		
PLATELET COUNT (PLT) by HYDRO DYNAMIC FOCUSING,	ELECTRICAL IMPEDENCE	150000	/cmm	150000 - 450000
PLATELETCRIT (PCT) by HYDRO DYNAMIC FOCUSING,		0.2	%	0.10 - 0.36
MEAN PLATELET VOLUME by HYDRO DYNAMIC FOCUSING,	ELECTRICAL IMPEDENCE	13 ^H	fL	6.50 - 12.0
PLATELET LARGE CELL CO by HYDRO DYNAMIC FOCUSING,		74000	/cmm	30000 - 90000
PLATELET LARGE CELL RA by HYDRO DYNAMIC FOCUSING,	ELECTRICAL IMPEDENCE	49 ^H	%	11.0 - 45.0
PLATELET DISTRIBUTION by hydro dynamic focusing, NOTE: TEST CONDUCTED ON	ELECTRICAL IMPEDENCE	16.7	%	15.0 - 17.0





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Chopra MD (Pathology & Microbic Chairman & Consultant Pa		(Pathology)
NAME	: Mr. R.S BAWA		
AGE/ GENDER	: 68 YRS/MALE	PATIENT ID	: 1713926
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012501020018
REFERRED BY	:	REGISTRATION DATE	: 02/Jan/2025 09:59 AM
BARCODE NO.	:01523324	COLLECTION DATE	: 02/Jan/2025 10:20AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 02/Jan/2025 10:39AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA	CANTT	
Test Name	Va	hue Unit	Biological Reference interval





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







	MD (Pathol	y Chopra logy & Microbiology) & Consultant Pathologist	Dr. Yugan MD CEO & Consultant	(Pathology)
AME	: Mr. R.S BAWA			
GE/ GENDER	: 68 YRS/MALE	PATI	ENT ID	: 1713926
OLLECTED BY	: SURJESH	REG. 1	NO./LAB NO.	: 012501020018
EFERRED BY	:	REGIS	STRATION DATE	: 02/Jan/2025 09:59 AM
ARCODE NO.	:01523324	COLL	ECTION DATE	: 02/Jan/2025 10:20AM
LIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	RTING DATE	: 02/Jan/2025 11:35AM
LIENT ADDRESS	: 6349/1, NICHOLSON R0	OAD, AMBALA CANTT		
est Name		Value	Unit	Biological Reference interval
s C-reactive protein . This test may also ystemic lupus eryth ONDITION WITH LO low ESR can be see polycythaemia), sigr s sickle cells in sickl OTE: . ESR and C - reactiv . Generally, ESR doe	be used to monitor disease ematosus W ESR n with conditions that inhib nificantly high white blood of e cell anaemia) also lower e protein (C-RP) are both m es not change as rapidly as c	e activity and response to the bit the normal sedimentation cell count (leucocytosis) , and the ESR.	rapy in both of the a of red blood cells, s I some protein abno	pically used in conjunction with other test such above diseases as well as some others, such as such as a high red blood cell count ormalities. Some changes in red cell shape (suc is it resolves. n.
If the ESR is elevat Women tend to ha Drugs such as dext	ed, it is typically a result of ve a higher ESR, and menstr	two types of proteins, globul ruation and pregnancy can ca	ins or fibrinogen. use temporary eleva	





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







	M		opra Microbiology) sultant Pathologist		(Pathology)
NAME	: Mr. R.S BAWA				
AGE/ GENDER	: 68 YRS/MALE		1	PATIENT ID	: 1713926
COLLECTED BY	: SURJESH]	REG. NO./LAB NO.	: 012501020018
REFERRED BY	:]	REGISTRATION DATE	: 02/Jan/2025 09:59 AM
BARCODE NO.	:01523324			COLLECTION DATE	: 02/Jan/2025 10:20AM
CLIENT CODE.	: KOS DIAGNOST	'IC LAB]	REPORTING DATE	:02/Jan/202511:11AM
CLIENT ADDRESS	: 6349/1, NICHO	LSON ROAD,	AMBALA CANTT		
Test Name			Value	Unit	Biological Reference interval
		CLINIC	AL CHEMIST	RY/BIOCHEMIST	'RY
			GLUCOSE 1	FASTING (F)	
GLUCOSE FASTING	G (F): PLASMA Se - peroxidase (go	D-POD)	99.45	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0

KOS Diagnostic Lab (A Unit of KOS Healthcare)

IN ACCRDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES: 1. A fasting plasma glucose level below 100 mg/dl is considered normal. 2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood

test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



Page 5 of 14





		hopra & Microbiology) nsultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. R.S BAWA			
AGE/ GENDER	: 68 YRS/MALE	PA	FIENT ID	: 1713926
COLLECTED BY	: SURJESH	RE	G. NO./LAB NO.	: 012501020018
REFERRED BY	:	RE	GISTRATION DATE	: 02/Jan/2025 09:59 AM
BARCODE NO.	:01523324	CO	LLECTION DATE	: 02/Jan/2025 10:20AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RE	PORTING DATE	: 02/Jan/2025 11:11AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		LIPID PROFI	LE . DASIC	
CHOLESTEROL TO by CHOLESTEROL OX		187.53	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: S by GLYCEROL PHOSP	ERUM PHATE OXIDASE (ENZYMATIC)	205.25 ^H	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTERO	L (DIRECT): SERUM ION	49.37	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROI by CALCULATED, SPE		97.11	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLEST by calculated, spe		138.16 ^H	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTER(41.05	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SER by CALCULATED, SPE	CUM	580.31	mg/dL	350.00 - 700.00
CHOLESTEROL/HD by CALCULATED, SPE	DL RATIO: SERUM	3.8	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0

KOS Diagnostic Lab (A Unit of KOS Healthcare)



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





	Dr. Vinay Ch MD (Pathology & Chairman & Cons		Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. R.S BAWA			
AGE/ GENDER	: 68 YRS/MALE	P	ATIENT ID	: 1713926
COLLECTED BY	: SURJESH	F	REG. NO./LAB NO.	: 012501020018
REFERRED BY	:	F	REGISTRATION DATE	: 02/Jan/2025 09:59 AM
BARCODE NO.	: 01523324	C	COLLECTION DATE	: 02/Jan/2025 10:20AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	R	REPORTING DATE	: 02/Jan/2025 11:11AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
LDL/HDL RATIO: S by CALCULATED, SPE		1.97	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/H by CALCULATED, SPE	IDL RATIO: SERUM	4.16	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

 Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
 NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	Dr. Vinay Chop MD (Pathology & Mic Chairman & Consulta	crobiology)	Dr. Yugam MD (CEO & Consultant	Pathology)
NAME	: Mr. R.S BAWA			
AGE/ GENDER	: 68 YRS/MALE	P	ATIENT ID	: 1713926
COLLECTED BY	: SURJESH	R	EG. NO./LAB NO.	: 012501020018
REFERRED BY	:	R	EGISTRATION DATE	: 02/Jan/2025 09:59 AM
BARCODE NO.	: 01523324	C	OLLECTION DATE	: 02/Jan/2025 10:20AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	R	EPORTING DATE	: 02/Jan/2025 11:11AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	BALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	LIVER	FUNCTION 7	FEST (COMPLETE)	
BILIRUBIN TOTAL by DIAZOTIZATION, S	: SERUM PECTROPHOTOMETRY	0.72	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	Г (CONJUGATED): SERUM spectrophotometry	0.21	mg/dL	0.00 - 0.40
	ECT (UNCONJUGATED): SERUM	0.51	mg/dL	0.10 - 1.00
SGOT/AST: SERUM	I (RIDOXAL PHOSPHATE	25.8	U/L	7.00 - 45.00
SGPT/ALT: SERUN by IFCC, WITHOUT P	[/RIDOXAL PHOSPHATE	26.5	U/L	0.00 - 49.00
AST/ALT RATIO: S	ERUM ECTROPHOTOMETRY	0.97	RATIO	0.00 - 46.00
ALKALINE PHOSP by PARA NITROPHEN PROPANOL	HATASE: SERUM IYL PHOSPHATASE BY AMINO METHYL	90.38	U/L	40.0 - 130.0
GAMMA GLUTAMY by SZASZ, SPECTRO	L TRANSFERASE (GGT): SERUM	131.91 ^H	U/L	0.00 - 55.0
TOTAL PROTEINS: by BIURET, SPECTRO		6.92	gm/dL	6.20 - 8.00
ALBUMIN: SERUM		4.38	gm/dL	3.50 - 5.50

Dr. Vinav

by CALCULATED, SPECTROPHOTOMETRY A : G RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY INTERPRETATION

NOTE: To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

by BROMOCRESOL GREEN

GLOBULIN: SERUM

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)

2.54

1.72



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

gm/dL

RATIO

2.30 - 3.50

1.00 - 2.00

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com

Page 8 of 14





	Dr. Vinay Chopra MD (Pathology & Microbio Chairman & Consultant Pat		(Pathology)
NAME	: Mr. R.S BAWA		
AGE/ GENDER	: 68 YRS/MALE	PATIENT ID	: 1713926
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012501020018
REFERRED BY	:	REGISTRATION DATE	: 02/Jan/2025 09:59 AM
BARCODE NO.	: 01523324	COLLECTION DATE	: 02/Jan/2025 10:20AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 02/Jan/2025 11:11AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA	CANTT	
Test Name	Val	ue Unit	Biological Reference interv

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







Dr. Vinay Cho MD (Pathology & Chairman & Cons				(Pathology)		
NAME	: Mr. R.S BAWA					
AGE/ GENDER	: 68 YRS/MALE	PATIENT ID REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE REPORTING DATE		: 1713926 : 012501020018 : 02/Jan/2025 09:59 AM : 02/Jan/2025 10:20AM : 02/Jan/2025 11:11AM		
COLLECTED BY	: SURJESH					
REFERRED BY	:					
BARCODE NO.	: 01523324					
CLIENT CODE.	: KOS DIAGNOSTIC LAB					
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	MBALA CANTT				
Test Name		Value	Unit	Biological Reference interv		
	KIDNE	Y FUNCTIO	N TEST (COMPLETE)			
UREA: SERUM		28.7	mg/dL	10.00 - 50.00		
	IATE DEHYDROGENASE (GLDH)		Ũ			
CREATININE: SERU		1	mg/dL	0.40 - 1.40		
BLOOD UREA NITE	BLOOD UREA NITROGEN (BUN): SERUM		mg/dL	7.0 - 25.0		
by CALCULATED, SPE	ECTROPHOTOMETRY ROGEN (BUN)/CREATININE	13.41	RATIO	10.0 - 20.0		
RATIO: SERUM	(DOR)/ CREATININE	13.41	KAHO	10.0 - 20.0		
by CALCULATED, SPE						
UREA/CREATININ by CALCULATED, SPE		28.7	RATIO			
URIC ACID: SERUM	1	6.12	mg/dL	3.60 - 7.70		
by URICASE - OXIDAS CALCIUM: SERUM	by URICASE - OXIDASE PEROXIDASE		mg/dL	8.50 - 10.60		
by ARSENAZO III, SPE	CTROPHOTOMETRY	10.24	IIIg/ UL	8.30 - 10.00		
PHOSPHOROUS: SE		3.47	mg/dL	2.30 - 4.70		
ELECTROLYTES	DATE, SPECTROPHOTOMETRY					
SODIUM: SERUM		137.8	mmol/L	135.0 - 150.0		
by ISE (ION SELECTIV						
POTASSIUM: SERU		4.2	mmol/L	3.50 - 5.00		
by ISE (ION SELECTIVE ELECTRODE) CHLORIDE: SERUM		103.35	mmol/L	90.0 - 110.0		
by ISE (ION SELECTIV						
	1ERULAR FILTERATION RATE	0.0				
ESTIMATED GLOM (eGFR): SERUM	ERULAR FILTERATION RATE	82				
by CALCULATED						
INTERPRETATION:						

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt - 133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT





	M	Dr. Vinay ChopraDr. Yugam ChopraMD (Pathology & Microbiology)MD (Pathology)Chairman & Consultant PathologistCEO & Consultant Pathologist				
NAME	: Mr. R.S BAWA	L				
AGE/ GENDER	: 68 YRS/MALE		PATIENT II)	: 1713926	
COLLECTED BY	: SURJESH		REG. NO./L	AR NO	: 012501020018	
	·				: 02/Jan/2025 09:59 AM	
REFERRED BY			REGISTRAT			
BARCODE NO.	:01523324		COLLECTIO		: 02/Jan/2025 10:20AM	
CLIENT CODE.	: KOS DIAGNOS	TIC LAB	REPORTING	G DATE	: 02/Jan/2025 11:11AM	
CLIENT ADDRESS	: 6349/1, NICH	OLSON ROAD, AMB	ALA CANTT			
Test Name			Value	Unit	Biological Reference in	nterval
9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia	tetracycline, gluc 20:1) WITH ELEVAT a (BUN rises dispro superimposed on	ED CREATININE LEVI oportionately more renal disease.		ructive uropa	thy).	
 P. Certain drugs (e.g., INCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia DECREASED RATIO (< Acute tubular necr Low protein diet an Severe liver diseas Other causes of de Repeated dialysis Inherited hyperam SIADH (syndrome of Pregnancy. DECREASED RATIO (Rhabdomyolysis (r Muscular patients INAPPROPIATE RATIO Diabetic ketoacido Should produce an in Cephalosporin their ESTIMATED GLOMERI CKD STAGE 	tetracycline, gluc 20:1) WITH ELEVAT a (BUN rises dispro superimposed on 10:1) WITH DECREA osis. Ind starvation. e. creased urea synt (urea rather than monemias (urea i of inappropiate an 10:1) WITH INCREA upy (accelerates co eleases muscle cr who develop rena ci sis (acetoacetate creased BUN/crea rapy (interferes wi JLAR FILTERATION	ocorticoids) ED CREATININE LEVI oportionately more - renal disease. ASED BUN : ASED BUN : ASED BUN : ASED CREATININE: onversion of creating eatinine). al failure. causes false increase atinine ratio). th creatinine measu RATE: DESCRIPTION	ELS: than creatinine) (e.g. obst but of extracellular fluid). blood). due to tubular secretion e to creatinine). e in creatinine with certa rement). GFR (mL/min/1.73r	of urea. in methodolo	gies,resulting in normal ratio when d	dehydrati
Certain drugs (e.g. NCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia DECREASED RATIO (< Acute tubular necr Low protein diet al Severe liver diseas Other causes of de Nepeated dialysis Inherited hyperam SIADH (syndrome of Pregnancy. Pregnancy. Phenacimide thera Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Diabetic ketoacido hould produce an in Cephalosporin thei STADE GLOMERI STAGE	tetracycline, gluc 20:1) WITH ELEVAT a (BUN rises dispro superimposed on 10:1) WITH DECREA rosis. Ind starvation. e. creased urea synt (urea rather than monemias (urea i finappropiate an 10:1) WITH INCREA py (accelerates co eleases muscle cr who develop rena creased BUN/crea rapy (interferes wi JLAR FILTERATION	ocorticoids) ED CREATININE LEVI oportionately more - renal disease. ASED BUN : ASED BUN : ASED BUN : ASED CREATININE: onversion of creating eatinine). al failure. causes false increase atinine ratio). th creatinine measu RATE: DESCRIPTION mal kidney function	ELS: than creatinine) (e.g. obst but of extracellular fluid). blood). due to tubular secretion e to creatinine). e in creatinine with certa rement). GFR (mL/min/1.73r 90	of urea. in methodolo	gies,resulting in normal ratio when d SOCIATED FINDINGS No proteinuria	dehydrati
 Certain drugs (e.g. NCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia PecREASED RATIO (< Acute tubular necr Low protein diet and Severe liver diseas Other causes of definition of the second dialysis Shepeated dialysis SIADH (syndrome of the second dialysis) Pregnancy. PecREASED RATIO (Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Diabetic ketoacido cephalosporin the second dialysis CENTIMATED GLOMERI G1 	tetracycline, gluc 20:1) WITH ELEVAT a (BUN rises dispro superimposed on 10:1) WITH DECREM rosis. Ind starvation. e. creased urea synt (urea rather than monemias (urea i of inappropiate an 10:1) WITH INCREM py (accelerates co releases muscle cr who develop rena creased BUN/crea rapy (interferes wi JLAR FILTERATION Norm Kidu nor	ocorticoids) ED CREATININE LEVI oportionately more - renal disease. ASED BUN : ASED BUN : ASED BUN : ASED CREATININE: onversion of creating eatinine). al failure. causes false increase atinine ratio). th creatinine measu RATE: DESCRIPTION mal kidney function ney damage with mal or high GFR_	ELS: than creatinine) (e.g. obst but of extracellular fluid). blood). due to tubular secretion e to creatinine). e in creatinine with certa rement). GFR (mL/min/1.73r	of urea. in methodolo	gies,resulting in normal ratio when d	dehydrati
 A. Certain drugs (e.g., NCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia DECREASED RATIO (Acute tubular necr Low protein diet and Severe liver diseas Other causes of defined and the severe diseas Other causes of defined and the severe diseas Other causes of defined and the severe diseas StadDH (syndrome of the severe diseas) Pregnancy. DECREASED RATIO (Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Cephalosporin the severe diseas G1 G2 	tetracycline, gluc 20:1) WITH ELEVAT a (BUN rises dispro superimposed on 10:1) WITH DECREA rosis. and starvation. e. creased urea synt (urea rather than monemias (urea i of inappropiate an 10:1) WITH INCREA upy (accelerates co releases muscle cr who develop rena creased BUN/crea rapy (interferes wi JLAR FILTERATION Norm Kidu nor	ocorticoids) ED CREATININE LEVI oportionately more - renal disease. ASED BUN : ASED BUN : ASED BUN : ASED CREATININE: onversion of creating eatinine). al failure. Causes false increase atinine ratio). th creatinine measu RATE: DESCRIPTION nal kidney function ney damage with mal or high GFR I decrease in GFR	ELS: than creatinine) (e.g. obst but of extracellular fluid). blood). due to tubular secretion e to creatinine). e in creatinine with certa rement). GFR (mL/min/1.73r >90 >90 60 -89	of urea. in methodolo	gies,resulting in normal ratio when d SOCIATED FINDINGS No proteinuria resence of Protein ,	dehydrati
 P. Certain drugs (e.g., INCREASED RATIO (>2 Prerenal azotemia DECREASED RATIO (Acute tubular necr Low protein diet and Severe liver diseas Other causes of decision Repeated dialysis Inherited hyperam SIADH (syndrome of the second second	tetracycline, gluc 20:1) WITH ELEVAT a (BUN rises dispro- superimposed on 10:1) WITH DECREA rosis. and starvation. e. creased urea synt (urea rather than monemias (urea i of inappropiate an 10:1) WITH INCREA upy (accelerates co releases muscle cr who develop rena creased BUN/crea rapy (interferes wi JLAR FILTERATION Norm Kidu nor Moder	ocorticoids) ED CREATININE LEVI oportionately more - renal disease. ASED BUN : ASED BUN : ASED BUN : ASED CREATININE: onversion of creating eatinine). al failure. Causes false increase atinine ratio). th creatinine measu RATE: DESCRIPTION nel kidney function ney damage with mal or high GFR ate decrease in GFR ate decrease in GFR	ELS: than creatinine) (e.g. obstitution of extracellular fluid). blood). due to tubular secretion e to creatinine). e in creatinine with certa rement). GFR (mL/min/1.73r >90 >90 60 -89 30-59	of urea. in methodolo	gies,resulting in normal ratio when d SOCIATED FINDINGS No proteinuria resence of Protein ,	dehydrati
 A. Certain drugs (e.g., NCREASED RATIO (>2 Postrenal azotemia DECREASED RATIO (Acute tubular necr Low protein diet and Severe liver diseas Other causes of definition of the second dialysis Severe liver diseas Other causes of definition of the second dialysis Repeated dialysis SIADH (syndrome of the second dialysis) Pregnancy. DECREASED RATIO (Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Cephalosporin the second dialysis CENTIMATED GLOMERI G1 G2 	tetracycline, gluc 20:1) WITH ELEVAT a (BUN rises dispro- superimposed on 10:1) WITH DECREA rosis. and starvation. e. creased urea synt (urea rather than monemias (urea i of inappropiate an 10:1) WITH INCREA upy (accelerates co releases muscle cr who develop rena creased BUN/crea rapy (interferes wi JLAR FILTERATION Norm Kidu nor Seve	ocorticoids) ED CREATININE LEVI oportionately more - renal disease. ASED BUN : ASED BUN : ASED BUN : ASED CREATININE: onversion of creating eatinine). al failure. Causes false increase atinine ratio). th creatinine measu RATE: DESCRIPTION nal kidney function ney damage with mal or high GFR I decrease in GFR	ELS: than creatinine) (e.g. obst but of extracellular fluid). blood). due to tubular secretion e to creatinine). e in creatinine with certa rement). GFR (mL/min/1.73r >90 >90 60 -89	of urea. in methodolo	gies,resulting in normal ratio when d SOCIATED FINDINGS No proteinuria resence of Protein ,	dehydrati





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







	Dr. Vinay Chopra MD (Pathology & Microb Chairman & Consultant F	iology) MD	n Chopra D (Pathology) ht Pathologist
NAME	: Mr. R.S BAWA		
AGE/ GENDER	: 68 YRS/MALE	PATIENT ID	: 1713926
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012501020018
REFERRED BY	:	REGISTRATION DATE	: 02/Jan/2025 09:59 AM
BARCODE NO.	: 01523324	COLLECTION DATE	: 02/Jan/2025 10:20AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 02/Jan/2025 11:11AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBAL	A CANTT	
Test Name	v	alue Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	Dr. Vinay Ch MD (Pathology & Chairman & Con	$\mathbf{\Theta}$					
NAME : Mr.	R.S BAWA						
AGE/ GENDER : 68 Y	RS/MALE	РАТ	TENT ID	: 1713926			
COLLECTED BY : SURJ	IESH	REG	. NO./LAB NO.	: 012501020018			
REFERRED BY :		REG	ISTRATION DATE	: 02/Jan/2025 09:59 AM			
BARCODE NO. : 0152	23324	COL	LECTION DATE	: 02/Jan/2025 10:20AM			
CLIENT CODE. : KOS	DIAGNOSTIC LAB	REP	ORTING DATE	: 02/Jan/2025 10:32AM			
CLIENT ADDRESS : 634	LIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT						
Test Name		Value	Unit	Biological Reference interval			
		CLINICAL PA	THOLOGY				
	URINE RO	OUTINE & MICRO	SCOPIC EXAMINA	ATION			
PHYSICAL EXAMINATION	N						
QUANTITY RECIEVED by DIP STICK/REFLECTANCE S	PECTROPHOTOMETRY	10	ml				
COLOUR by DIP STICK/REFLECTANCE S		PALE YELLOW	V	PALE YELLOW			
TRANSPARANCY by DIP STICK/REFLECTANCE S		CLEAR		CLEAR			
SPECIFIC GRAVITY by DIP STICK/REFLECTANCE S		1.02		1.002 - 1.030			
CHEMICAL EXAMINATIO							
REACTION by DIP STICK/REFLECTANCE S	PECTROPHOTOMETRY	ACIDIC					
PROTEIN by DIP STICK/REFLECTANCE S		Negative		NEGATIVE (-ve)			
SUGAR by DIP STICK/REFLECTANCE S		Negative		NEGATIVE (-ve)			
pH by DIP STICK/REFLECTANCE S		<=5.0		5.0 - 7.5			
BILIRUBIN by DIP STICK/REFLECTANCE S		Negative		NEGATIVE (-ve)			
NITRITE by DIP STICK/REFLECTANCE S		Negative		NEGATIVE (-ve)			
UROBILINOGEN by DIP STICK/REFLECTANCE S		Normal	EU/dL	0.2 - 1.0			
KETONE BODIES by DIP STICK/REFLECTANCE S		Negative		NEGATIVE (-ve)			
BLOOD		Negative		NEGATIVE (-ve)			
by DIP STICK/REFLECTANCE S ASCORBIC ACID by DIP STICK/REFLECTANCE S	SPECTROPHOTOMETRY	NEGATIVE (-v	re)	NEGATIVE (-ve)			
MICROSCOPIC EXAMINA RED BLOOD CELLS (RBCs)		NEGATIVE (-v	ve) /HPF	0 - 3			





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist



Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mr. R.S BAWA			
AGE/ GENDER	: 68 YRS/MALE		PATIENT ID	: 1713926
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	: 012501020018
REFERRED BY	:		REGISTRATION DATE	: 02/Jan/2025 09:59 AM
BARCODE NO.	: 01523324		COLLECTION DATE	: 02/Jan/2025 10:20AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 02/Jan/2025 10:32AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AN	/IBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
by MICROSCOPY ON (CENTRIFUGED URINARY SEDIMENT			
PUS CELLS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	3-4	/HPF	0 - 5
			(777777	

EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	1-3	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	ABSENT		ABSENT

*** End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com

