



| | | & Microbiology) onsultant Pathologist | Dr. Yugarr MD CEO & Consultant | (Pathology) |
|----------------|--------------------------|--|--------------------------------------|-------------------------------|
| NAME | : Mr. OM PARKASH | | | |
| AGE/ GENDER | : 70 YRS/MALE | PATI | ENT ID | : 1714657 |
| COLLECTED BY | : | REG. | NO./LAB NO. | : 012501030001 |
| REFERRED BY | : | REGI | STRATION DATE | : 03/Jan/2025 07:37 AM |
| BARCODE NO. | : 01523357 | COLL | ECTION DATE | : 03/Jan/2025 07:53AM |
| CLIENT CODE. | : KOS DIAGNOSTIC LAB | REPO | DRTING DATE | : 03/Jan/2025 10:19AM |
| CLIENT ADDRESS | : 6349/1, NICHOLSON ROAL | D, AMBALA CANTT | | |
| Test Name | | Value | Unit | Biological Reference interval |
| | CLIN | ICAL CHEMISTRY | /BIOCHEMIST | 'RY |
| | | CLUCOCE FAC | FING (F) | |
| | | GLUCOSE FAS | | |

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

A fasting plasma glucose level below 100 mg/dl is considered normal.
A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com



Page 1 of 5





| | MD (Pathology | Dr. Vinay ChopraDr. Yugam ChopraMD (Pathology & Microbiology)MD (Pathology)Chairman & Consultant PathologistCEO & Consultant Pathologist | | | |
|---|--|--|--|--|--|
| NAME | : Mr. OM PARKASH | | | | |
| AGE/ GENDER | : 70 YRS/MALE | | PATIENT ID | : 1714657 | |
| COLLECTED BY | : | | REG. NO./LAB NO. | : 012501030001 | |
| REFERRED BY | : | | REGISTRATION DATE | : 03/Jan/2025 07:37 AM | |
| BARCODE NO. | : 01523357 | | COLLECTION DATE | : 03/Jan/2025 07:53AM | |
| CLIENT CODE. | : KOS DIAGNOSTIC LAB | | REPORTING DATE | : 03/Jan/2025 10:32AM | |
| CLIENT ADDRESS | : 6349/1, NICHOLSON ROAD | , AMBALA CANT | Т | | |
| Test Name | | Value | Unit | Biological Reference interval | |
| | | TTIS C VIRUS | (HCV) ANTIBODY: TO | | |
| HEPATITIS C ANTIBODY (HCV) TOTAL: SERUM by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY) | | | S/CO | NEGATIVE: < 1.00 POSITIVE: > 1.00 | |
| RESULT | BODY (HCV) TOTAL | | REACTIVE | | |
| RESULT (INDEX) | | | REMARKS | | |
| | < 1.00 | | NON - REACTIVE/NOT - DETECTED | | |
| | > = 1.00 | | IVE/ASYMPTOMATIC/INFECTIVE STATE/CARRIER STATE. via blood transfusions, transplantation, injection drug abusers, accidental | | |
| needle punctures in compared to HAV & I HCV for HCV infectio | healthcare workers, dialysis pat HBV , chronic infection with HCV | ients and rarely | from mother to infant. 10 % of infected individuals. In hig | of new cases show sexual transmission. As h risk population, the predictive value of Anti | |

1. Indicator of past or present infection, but does not differentiate between Acute/ Chronic/Resolved Infection. 2. Routine screening of low and high prevelance population including blood donors.

NOTE:

1. False positive results are seen in Auto-immune disease, Rheumatoid Factor, HYpergammaglobulinemia, Paraproteinemia, Passive antibody transfer, Anti-idiotypes and Anti-superoxide dismutase.

2. False negative results are seen in early Acute infection, Immunosuppression and Immuno-incompetence.

3. HCV-RNA PCR recommended in all reactive results to differentiate between past and present infection.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







| | Dr. Vinay Ch MD (Pathology & Chairman & Cons | | Dr. Yugan MD CEO & Consultant | (Pathology) |
|---|--|---|--|---|
| NAME | : Mr. OM PARKASH | | | |
| AGE/ GENDER | : 70 YRS/MALE | P | ATIENT ID | : 1714657 |
| COLLECTED BY | : | R | EG. NO./LAB NO. | : 012501030001 |
| REFERRED BY | : | R | EGISTRATION DATE | : 03/Jan/2025 07:37 AM |
| BARCODE NO. | : 01523357 | C | OLLECTION DATE | : 03/Jan/2025 07:53AM |
| CLIENT CODE. | : KOS DIAGNOSTIC LAB | R | EPORTING DATE | : 03/Jan/2025 10:32AM |
| CLIENT ADDRESS | : 6349/1, NICHOLSON ROAD, A | AMBALA CANTT | | |
| | | | | |
| Test Name | | Value | Unit | Biological Reference interval |
| | MAN IMMUNODEFICIENC | | | Biological Reference interval I (P-24 ANTIGEN DETECTION) |
| ANTI HUI HIV 1/2 AND P24 / | | Y VIRUS (HIV) 0.07 | | |
| ANTI HUI HIV 1/2 AND P24 A by CMIA (CHEMILUMIN HIV 1/2 AND P24 A by CMIA (CHEMILUMIN | ANTIGEN: SERUM | Y VIRUS (HIV) 0.07 SSAY) NON - REA | DUO ULTRA WITH S/CO | I (P-24 ANTIGEN DETECTION) NEGATIVE: < 1.00 |
| ANTI HUI HIV 1/2 AND P24 A by CMIA (CHEMILUMIN HIV 1/2 AND P24 A by CMIA (CHEMILUMIN INTERPRETATION:- | ANTIGEN: SERUM IESCENT MICROPARTICLE IMMUNOAS ANTIGEN RESULT IESCENT MICROPARTICLE IMMUNOAS | Y VIRUS (HIV) 0.07 SSAY) NON - REA | DUO ULTRA WITH S/CO CTIVE | I (P-24 ANTIGEN DETECTION) NEGATIVE: < 1.00 |
| ANTI HUI HIV 1/2 AND P24 A by CMIA (CHEMILUMIN HIV 1/2 AND P24 A by CMIA (CHEMILUMIN INTERPRETATION:- RESUL | ANTIGEN: SERUM iescent microparticle immunoas ANTIGEN RESULT | Y VIRUS (HIV) 0.07 SSAY) NON - REA | DUO ULTRA WITH S/CO | I (P-24 ANTIGEN DETECTION) NEGATIVE: < 1.00 |

exposed to HIV 1/2 infection or the sample has been tested during the "window phase" i.e. before the development of detectable levels of antibodies. Hence a Non Reactive result does not exclude the possibility of exposure or infection with HIV 1/2. **RECOMMENDATIONS:** 1. Results to be clinically correlated

2. Rarely falsenegativity/positivity may occur.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





| | Dr. Vinay Ch MD (Pathology & Chairman & Cons | Microbiology) | Dr. Yugam (MD (Pa & Consultant Pa | athology) |
|--|--|-----------------------|--|--------------------------------------|
| NAME | : Mr. OM PARKASH | | | |
| AGE/ GENDER | : 70 YRS/MALE | PATIENT ID | | : 1714657 |
| COLLECTED BY | : | REG. NO./LA | B NO. | : 012501030001 |
| REFERRED BY | : | REGISTRATI | ON DATE | : 03/Jan/2025 07:37 AM |
| BARCODE NO. | : 01523357 | COLLECTION | DATE | : 03/Jan/2025 07:53AM |
| CLIENT CODE. | : KOS DIAGNOSTIC LAB | REPORTING | DATE | : 03/Jan/2025 10:32AM |
| CLIENT ADDRESS | : 6349/1, NICHOLSON ROAD, A | AMBALA CANTT | | |
| Test Name | | Value | Unit | Biological Reference interval |
| | HEPATITI | S B SURFACE ANTIGEN (| (HBsAg) UL | TRA |
| HEPATITIS B SURFACE ANTIGEN (HBsAg): SERUM by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASS | | 0.34 SSAY) | S/CO | NEGATIVE: < 1.0 POSITIVE: > 1.0 |
| RESULT | FACE ANTIGEN (HBsAg) | NON REACTIVE | | |
| INTERPRETATION: | LOGENT WIGHTON ANTIGLE WIWONOAC | | | |
| <u>IINTERPRETATIO</u> N. | RESULT IN INDEX VALUE | | REMARKS | |
| | | NEGATIVE (-ve) | | |
| RESU | .30 | | GATIVE (-ve) | |

KOS Diagnostic Lab (A Unit of KOS Healthcare)

Hepatitis B Virus (HBV) is a member of the Hepadna virus family causing infection of the liver with extremely variable clinical features. Hepatitis B is transmitted primarily by body fluids especially serum and also spread effectively sexually and from mother to baby. In most individuals HBV hepatitis is self limiting, but 1-2 % normal adolescent and adults develop Chronic Hepatitis. Frequency of chronic HBV infection is 5-10% in immunocompromised patients and 80 % neonates. The initial serological marker of acute infection is HBsAg which typically appears 2-3 months after infection and disappears 12-20 weeks after onset of symtoms. Persistence of HBsAg for more than 6 months indicates carrier state or Chronic Liver disease.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) UR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







| ISO 9001 : 2008 CERTI | FIED LAB | | EXCELLENCE IN HEALTHCARE | & DIAGNOSTICS | | | |
|--|--|--|---|--|--|--|--|
| | Dr. Vinay Cl MD (Pathology & Chairman & Cor | | Dr. Yugam MD CEO & Consultant | (Pathology) | | | |
| NAME AGE/ GENDER COLLECTED BY REFERRED BY BARCODE NO. CLIENT CODE. CLIENT ADDRESS | : Mr. OM PARKASH : 70 YRS/MALE : : : 01523357 : KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD, | REG. 1 REGIS COLLI REPO | ENT ID NO./LAB NO. STRATION DATE ECTION DATE RTING DATE | : 1714657 : 012501030001 : 03/Jan/2025 07:37 AM : 03/Jan/2025 07:53AM : 03/Jan/2025 11:50AM | | | |
| Test Name | | Value | Unit | Biological Reference interval | | | |
| Test Name Value Unit Biological Reference interval VDRL VDRL VDRL VDRL VIRL NON REACTIVE NOTE: Just titer (<1:0) - active disease. Just titer (<1:2) - active disease. Just titer (<1:3) - biological falsepositive test in 90% cases or due to late or late latent syphillis. Just titer (<1:3) - biological falsepositive test or freatment. Alter (4X) i | | | | | | | |
| 回形湖家和回 | , | *** End Of Report | * * * | | | | |
| | DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICRO | DR.YUGAM CH CONSULTANT H DBIOLOGY) MBBS , MD (PA | PATHOLOGIST | | | | |



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.