



	Dr. Vinay Cho MD (Pathology & Chairman & Cons	Microbiology)	Dr. Yugam MD (I CEO & Consultant F	Pathology)	
NAME	: Mrs. SAVNEET KAUR				
AGE/ GENDER	: 37 YRS/FEMALE	PA	ATIENT ID	: 1719851	
COLLECTED BY	:	R	EG. NO./LAB NO.	: 012501090038	
REFERRED BY	•	R	EGISTRATION DATE	: 09/Jan/2025 11:58 AM	
BARCODE NO.	: 01523680		OLLECTION DATE	: 09/Jan/2025 12:01PM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB		EPORTING DATE	: 09/Jan/2025 01:19PM	
			EPUKIING DATE	. 09/ Jan/ 2023 01.19PM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTI			
Test Name		Value	Unit	Biological Referenc	e interval
SERUM	BETA HCG PREGNANCY MATERNAL:	ENDOCRI - TOTAL (QUA) 5625.83 ^H	NTITATIVE): MATE mIU/mL	RNAL < 5.0	
	ESCENCE IMMUNOASSAY)				
INTERPRETATION:	MEN:		mIU/ml	< 2.0	
INTERPRETATION:	MEN: DN PREGNANT PRE-MENOPAUSAL	WOMEN:	mIU/mI	< 5.0	
INTERPRETATION:	MEN: DN PREGNANT PRE-MENOPAUSAL MENOPAUSAL WOMEN:		mIU/mI mIU/mI	< 5.0 < 7.0	
NTERPRETATION:	MEN: DN PREGNANT PRE-MENOPAUSAL MENOPAUSAL WOMEN: BETA HCG EXPECTED VALUES IN		mIU/mI mIU/mI WEEKS OF GESTATIONAL /	< 5.0 < 7.0 AGE	
INTERPRETATION:	MEN: DN PREGNANT PRE-MENOPAUSAL MENOPAUSAL WOMEN:		mIU/mI mIU/mI WEEKS OF GESTATIONAL / Unit	< 5.0 < 7.0 AGE Value	
NTERPRETATION:	MEN: ON PREGNANT PRE-MENOPAUSAL MENOPAUSAL WOMEN: BETA HCG EXPECTED VALUES IN WEEKS OF GESTATION 4-5		mIU/mI mIU/mI WEEKS OF GESTATIONAL / Unit mIU/mI	< 5.0 < 7.0 AGE Value 1500 -23000	
INTERPRETATION:	MEN: ON PREGNANT PRE-MENOPAUSAL MENOPAUSAL WOMEN: BETA HCG EXPECTED VALUES IN WEEKS OF GESTATION 4-5 5-6		mIU/ml mIU/ml weeks of gestational / Unit mIU/ml mIU/ml	< 5.0 < 7.0 AGE Value 1500 -23000 3400 - 135300	
INTERPRETATION:	MEN: ON PREGNANT PRE-MENOPAUSAL MENOPAUSAL WOMEN: BETA HCG EXPECTED VALUES IN WEEKS OF GESTATION 4-5 5-6 6-7		mIU/ml mIU/ml weeks of gestational / Unit mIU/ml mIU/ml mIU/ml	< 5.0 < 7.0 AGE Value 1500 - 23000 3400 - 135300 10500 - 161000	
INTERPRETATION:	MEN: ON PREGNANT PRE-MENOPAUSAL MENOPAUSAL WOMEN: BETA HCG EXPECTED VALUES IN WEEKS OF GESTATION 4-5 5-6 6-7 7-8		mIU/ml mIU/ml WEEKS OF GESTATIONAL / Unit mIU/ml mIU/ml mIU/ml mIU/ml mIU/ml	< 5.0 < 7.0 AGE Value 1500 - 23000 3400 - 135300 10500 - 161000 18000 - 209000	
INTERPRETATION:	MEN: DN PREGNANT PRE-MENOPAUSAL MENOPAUSAL WOMEN: BETA HCG EXPECTED VALUES IN WEEKS OF GESTATION 4-5 5-6 6-7 7-8 8-9		mIU/ml mIU/ml weeks of gestational / Unit mIU/ml mIU/ml mIU/ml mIU/ml mIU/ml mIU/ml mIU/ml mIU/ml	< 5.0 < 7.0 AGE Value 1500 -23000 3400 - 135300 10500 - 161000 18000 - 209000 37500 - 219000	
INTERPRETATION:	MEN: ON PREGNANT PRE-MENOPAUSAL MENOPAUSAL WOMEN: BETA HCG EXPECTED VALUES IN WEEKS OF GESTATION 4-5 5-6 6-7 7-8 8-9 9-10		mIU/ml mIU/ml weeks of gestational / Unit mIU/ml	< 5.0 < 7.0 AGE Value 1500 - 23000 3400 - 135300 10500 - 161000 18000 - 209000 37500 - 219000 42800 - 218000	
NTERPRETATION:	MEN:ON PREGNANT PRE-MENOPAUSALMENOPAUSAL WOMEN:BETA HCG EXPECTED VALUES INWEEKS OF GESTATION4-55-66-77-88-99-1010-11		mIU/ml mIU/ml weeks of gestational / unit mIU/ml	< 5.0 < 7.0 AGE Value 1500 -23000 3400 - 135300 10500 - 161000 18000 - 209000 37500 - 219000	
INTERPRETATION:	MEN: DN PREGNANT PRE-MENOPAUSAL MENOPAUSAL WOMEN: BETA HCG EXPECTED VALUES IN WEEKS OF GESTATION 4-5 5-6 6-7 7-8 8-9 9-10 10-11 11-12		mIU/ml mIU/ml weeks of gestational / Unit mIU/ml	< 5.0 < 7.0 AGE Value 1500 - 23000 3400 - 135300 10500 - 161000 18000 - 209000 37500 - 219000 42800 - 218000	
INTERPRETATION:	MEN:ON PREGNANT PRE-MENOPAUSALMENOPAUSAL WOMEN:BETA HCG EXPECTED VALUES INWEEKS OF GESTATION4-55-66-77-88-99-1010-11		mIU/ml mIU/ml weeks of gestational / unit mIU/ml	< 5.0 < 7.0 AGE Value 1500 - 23000 3400 - 135300 10500 - 161000 18000 - 209000 37500 - 219000 42800 - 218000 33700 - 218700	
INTERPRETATION:	MEN: DN PREGNANT PRE-MENOPAUSAL MENOPAUSAL WOMEN: BETA HCG EXPECTED VALUES IN WEEKS OF GESTATION 4-5 5-6 6-7 7-8 8-9 9-10 10-11 11-12		mIU/ml mIU/ml weeks of gestational / Unit mIU/ml	< 5.0 < 7.0 AGE Value 1500 - 23000 3400 - 135300 10500 - 161000 18000 - 209000 37500 - 219000 42800 - 218000 33700 - 218700 21800 - 193200	
INTERPRETATION:	MEN:ON PREGNANT PRE-MENOPAUSALMENOPAUSAL WOMEN:BETA HCG EXPECTED VALUES INWEEKS OF GESTATION4-55-66-77-88-99-1010-1111-1212-13		mIU/mI mIU/mI wreks of gestational / Unit mIU/mI mIU/mI	< 5.0 < 7.0 AGE Value 1500 -23000 3400 - 135300 10500 - 161000 18000 - 209000 37500 - 219000 42800 - 218000 33700 - 218700 21800 - 193200 20300 - 166100	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	IDALA CANTI		
CLIENT ADDRESS	· 6240/1 NICHOLSON DOAD AN			
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	:09/Jan/202501:19PM	
BARCODE NO.	: 01523680	COLLECTION DATE	: 09/Jan/2025 12:01PM	
REFERRED BY	:	REGISTRATION DATE	:09/Jan/2025 11:58 AM	
COLLECTED BY	:	REG. NO./LAB NO.	: 012501090038	
AGE/ GENDER	: 37 YRS/FEMALE	PATIENT ID	: 1719851	
NAME	: Mrs. SAVNEET KAUR			
	MD (Pathology & Microbiology) Chairman & Consultant Pathologist CEO & Consultant Pathologist			
	Dr. Vinay Chor	ora I Dr. Yuga	m Chopra	

1.hCG is a Glycoprotein with alpha and beta chains. Beta subunit is specific to hCG.

2.1t is largely secreted by trophoblastic tissue. Small amounts may be secreted by fetal tissues and by the adult ant pituitary.

INCREASED :

1.Pregnancy

2.Gestationalsite & Non gestational trophoblastic neoplasia.

3.In mixed germ cell tumors

SIGNIFICANTLY HIGHER THAN EXPECTED LEVEL:

1.Multiple pregnancies & High risk molar pregnancies are usually associated with levels in excess of one lac mIU/mI. 2.Erythroblastosis fetalis & Downs syndrome.

DECREASED:

1. Ectopic pregnancy

2.Intra-uterine fetal death.

NOTE:

1. The test becomes positive 7-9 days after the midcycle surge that precedes ovulation (time of blastocyst implantation). Blood levels rise rapidly after this and double every 1.4 - 2 days. 2. Peak values are usually seen at 60-80 days of LMP. The levels then begin to taper and ebb out around the 20th week. These low levels are then

maintained throughout pregnancy.

3. Doubling time: In intra-uterine pregnancy, serum hCG levels increase by approximately 66% every 48 hrs. Inappropriately rising serum hCG levels are suggestive of dying or ectopic pregnancy.

CAUTION:

Spuriously high levels (Phantom hCG) may be seen in presence of heterophilic antibodies (found in some normal people). If persistently raised levels are seen in a non-pregnant patient with no evidence of other obvious causes for such an increase a urine hCG assay may help confirm presence of the heterophile antibodies.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







NAME	: Mrs. SAVNEET KAUR			
AGE/ GENDER	: 37 YRS/FEMALE		PATIENT ID	: 1719851
COLLECTED BY	:		REG. NO./LAB NO.	: 012501090038
REFERRED BY	:		REGISTRATION DATE	: 09/Jan/2025 11:58 AM
BARCODE NO.	: 01523680		COLLECTION DATE	: 09/Jan/2025 12:01PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 09/Jan/2025 12:30PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANT	Т	
Test Name		Value	Unit	Biological Reference interval

INTERPRETATION:-

Urine Pregnancy test have 99% sensitivity, hence the result must be co-related with clinical findings and ultrasound report.

COMMENTS:

1. In addition to pregnancy elevated hCG levels have been reported with gestation and non-gestational trophoblastic disease.

2. Very early pregnancy containing low concentration of hormone in urine can give a negative result. In such cases urine should be retested after proper interval.

3. HCG level remain detectable for several weeks after normal delivery after casearean, spontaneous abortion or therapeutic abortion.

4. Even very high levels of hCG give test results as weak positive or negative. Ectopic pregnancy may also give weak positive results.

5. Urine sample with infections and samples with low specific gravity may not give satisfactory results.

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT