

Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. MANJEET KAUR	PATIENT ID	: 1722264
AGE/ GENDER	: 85 YRS/FEMALE	REG. NO./LAB NO.	: 012501120013
COLLECTED BY	:	REGISTRATION DATE	: 12/Jan/2025 11:24 AM
REFERRED BY	:	COLLECTION DATE	: 12/Jan/2025 11:25AM
BARCODE NO.	: 01523780	REPORTING DATE	: 13/Jan/2025 11:52AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

CLINICAL PATHOLOGY

STOOL ROUTINE AND MICROSCOPIC EXAMINATION

PHYSICAL EXAMINATION

COLOUR / APPEARANCE	DARK BROWNISH	YELLOWISH BROWN
CONSISTENCY	SOFT	SEMI- FORMED/FORMED
PUS	ABSENT	ABSENT
MUCOUS	ABSENT	ABSENT
BLOOD	NEGATIVE (-ve)	NEGATIVE (-ve)
PARASITES	NOT SEEN	NOT SEEN

MICROSCOPIC EXAMINATION

PUS CELLS <i>by MICROSCOPY</i>	NEGATIVE (-ve)	/HPF	0 - 5
RED BLOOD CELLS (RBCs) <i>by MICROSCOPY</i>	NEGATIVE (-ve)	/HPF	0 - 3
OVA <i>by MICROSCOPY</i>	NOT SEEN		NOT SEEN
CYSTS <i>by MICROSCOPY</i>	NOT SEEN		NOT SEEN
STOOL FOR VIBRIO CHOLERA <i>by MICROSCOPY</i>	NO DARTING MOTILITY SEEN		
STOOL FOR FAT GLOBULES <i>by MICROSCOPY</i>	NOT SEEN		NOT SEEN




 DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. MANJEET KAUR	PATIENT ID	: 1722264
AGE/ GENDER	: 85 YRS/FEMALE	REG. NO./LAB NO.	: 012501120013
COLLECTED BY	:	REGISTRATION DATE	: 12/Jan/2025 11:24 AM
REFERRED BY	:	COLLECTION DATE	: 12/Jan/2025 11:25AM
BARCODE NO.	: 01523780	REPORTING DATE	: 13/Jan/2025 08:27AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

SPECIAL INVESTIGATIONS

CLOSTRIDIUM DIFFICILE TOXINS A AND B - STOOL

CLOSTRIDIUM DIFFICILE GDH (GLUTAMATE DEHYDROGENASE): STOOL by CLIA (CHEMILUMINESCENCE IMMUNOASSAY)	0.07	INDEX	NEGATIVE: 0.00 - 0.90 EQUIVOCAL: 0.91 - 1.10 POSITIVE: >=1.10
TOXIN A & B by CLIA (CHEMILUMINESCENCE IMMUNOASSAY)	NEGATIVE (-ve)		

*** End Of Report ***




DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)

