




	Dr. Vinay C MD (Pathology Chairman & Co	hopra & Microbiology) onsultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. KAVESH			
AGE/ GENDER	: 44 YRS/MALE	PATI	ENT ID	: 1734573
COLLECTED BY	:	REG.	NO./LAB NO.	: 012501250025
REFERRED BY	:	REGI	STRATION DATE	: 25/Jan/2025 11:20 AM
BARCODE NO.	: 01524404	COLL	ECTION DATE	: 25/Jan/2025 11:27AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	RTING DATE	: 25/Jan/2025 11:32AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAI	D, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	ein molecule in red blood cel	14.4	IN (HB) gm/dL m the lungs to the bo	12.0 - 17.0 odys tissues and returns carbon dioxide from th
by CALORIMETRIC <u>NTERPRETATION:-</u> Hemoglobin is the prote issues back to the lung A low hemoglobin level ANEMIA (DECRESED HA) Loss of blood (traum 2) Nutritional deficienc; 3) Bone marrow probler 4) Suppression by red b 5) Kidney failure	ein molecule in red blood cel js. is referred to as ANEMIA or I EMOGLOBIN): atic injury, surgery, bleeding y (iron, vitamin B12, folate) ms (replacement of bone ma blood cell synthesis by chemo in structure (sickle cell anem	14.4 Ils that carries oxygen from low red blood count. g, colon cancer or stomach rrow by cancer) otherapy drugs	gm/dL	

KOS Diagnostic Lab (A Unit of KOS Healthcare)







DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



Page 1 of 10



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



TM

		y Chopra logy & Microbiology) & Consultant Pathologist	Dr. Yugan MD CEO & Consultant	(Pathology)
AME GE/ GENDER	: Mr. KAVESH : 44 YRS/MALE	P	ATIENT ID	: 1734573
OLLECTED BY	:		EG. NO./LAB NO.	: 012501250025
EFERRED BY	:		EGISTRATION DATE	: 25/Jan/2025 11:20 AM
ARCODE NO.	: 01524404		DLLECTION DATE	: 25/Jan/2025 11:27AM
LIENT CODE.	: KOS DIAGNOSTIC LAB		EPORTING DATE	: 25/Jan/2025 11:32AM
LIENT ADDRESS	: 6349/1, NICHOLSON RO	OAD, AMBALA CANTT		
'est Name		Value	Unit	Biological Reference interv
		TOTAL LEUCOCY	TE COUNT (TLC)	
	Y BY SF CUBE & MICROSCOPY TED ON EDTA WHOLE BLOOD		/cmm	4000 - 11000
		Λ.		
	ł.		oprov	
	DR.VINAY CHOPRA	J.	ofra-	

0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







	Dr. Vinay Che MD (Pathology & Chairman & Cons		Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mr. KAVESH			
AGE/ GENDER	: 44 YRS/MALE	PA	FIENT ID	: 1734573
COLLECTED BY	:	REG	G. NO./LAB NO.	: 012501250025
REFERRED BY	:	REG	GISTRATION DATE	: 25/Jan/2025 11:20 AM
BARCODE NO.	:01524404	CO	LECTION DATE	: 25/Jan/2025 11:27AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RE	PORTING DATE	: 25/Jan/2025 11:32AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	DIFFE	RENTIAL LEUCO	CYTE COUNT (DI	LC)
NEUTROPHILS by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	66	%	50 - 70
LYMPHOCYTES by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	24	%	20 - 40
EOSINOPHILS by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	3	%	1 - 6
MONOCYTES by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	7	%	2 - 12
	Y BY SF CUBE & MICROSCOPY TED ON EDTA WHOLE BLOOD	0	%	0 - 1



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







		Chopra bgy & Microbiology) Consultant Pathologist	Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist	
IAME	: Mr. KAVESH			
GE/ GENDER	: 44 YRS/MALE	PATIE	NT ID	: 1734573
OLLECTED BY	:	REG. N	O./LAB NO.	: 012501250025
EFERRED BY	:	REGIS	FRATION DATE	: 25/Jan/2025 11:20 AM
ARCODE NO.	:01524404	COLLE	CTION DATE	: 25/Jan/2025 11:27AM
LIENT CODE.	: KOS DIAGNOSTIC LAB	REPOR	RTING DATE	: 25/Jan/2025 11:55AM
LIENT ADDRESS	: 6349/1, NICHOLSON RO	AD, AMBALA CANTT		
'est Name		Value	Unit	Biological Reference interval
C roactive protein				, , , , , , , , , , , , , , , , , , ,
S C-reactive protein This test may also Astemic lupus eryth DNDITION WITH LO low ESR can be see polycythaemia), sigus s sickle cells in sick OTE: ESR and C - reactive Generally, ESR door	be used to monitor disease a ematosus W ESR en with conditions that inhibit nificantly high white blood of le cell anaemia) also lower the re protein (C-RP) are both mate as not change as rapidly as de	it the normal sedimentation c ell count (leucocytosis) , and he ESR.	of red blood cells, suc some protein abnorr inflammation or as	icallý used in conjunction with other test such ove diseases as well as some others, such as ch as a high red blood cell count malities. Some changes in red cell shape (such it resolves.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







	MD (Pa	i nay Chopra ithology & Microbiology) an & Consultant Pathologi		(Pathology)
NAME	: Mr. KAVESH			
AGE/ GENDER	: 44 YRS/MALE		PATIENT ID	: 1734573
COLLECTED BY	:		REG. NO./LAB NO.	: 012501250025
REFERRED BY	:		REGISTRATION DATE	: 25/Jan/2025 11:20 AM
BARCODE NO.	:01524404		COLLECTION DATE	: 25/Jan/2025 11:27AM
CLIENT CODE.	: KOS DIAGNOSTIC L	AB	REPORTING DATE	: 25/Jan/2025 12:38PM
CLIENT ADDRESS	: 6349/1, NICHOLSO	N ROAD, AMBALA CANTI	ſ	
Test Name		Value	Unit	Biological Reference interval
		CLINICAL CHEMIS	STRY/BIOCHEMIST	'RY
		GLUCOSI	E FASTING (F)	

KOS Diagnostic Lab (A Unit of KOS Healthcare)

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

 A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT





		hopra & Microbiology) onsultant Pathologist	Dr. Yugarr MD CEO & Consultant	(Pathology)
NAME	: Mr. KAVESH			
AGE/ GENDER	: 44 YRS/MALE	PA	TIENT ID	: 1734573
COLLECTED BY	:	R	EG. NO./LAB NO.	: 012501250025
REFERRED BY	:	R	EGISTRATION DATE	: 25/Jan/2025 11:20 AM
BARCODE NO.	:01524404	CO	DLLECTION DATE	: 25/Jan/2025 11:27AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	R	EPORTING DATE	: 25/Jan/2025 12:10PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD), AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		SGOT/SGP	F PROFILE	
SGOT/AST: SERUM	[/RIDOXAL PHOSPHATE	20.1	U/L	7.00 - 45.00
	[23.6	U/L	0.00 - 49.00
SGPT/ALT: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE			

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:-

DRUG HEPATOTOXICITY	>2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)

DECREASED:-

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTIC SIGNIFICANCE:-

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







		gy & Microbiology) Consultant Pathologist	MD CEO & Consultant	Chopra (Pathology) Pathologist	
NAME	: Mr. KAVESH				
AGE/ GENDER	: 44 YRS/MALE	P	ATIENT ID	: 1734573	
COLLECTED BY		R	EG. NO./LAB NO.	: 012501250025	
REFERRED BY			EGISTRATION DATE	: 25/Jan/2025 11:20 AM	
BARCODE NO.	: 01524404		OLLECTION DATE	: 25/Jan/2025 11:27AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	R	EPORTING DATE	: 25/Jan/2025 12:38PM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROA	AD, AMBALA CANTT			
		Value			
by CMIA (CHEMILUMIN 3rd GENERATION, ULT	ATING HORMONE (TSH): SI	ENDOCRI TROID STIMULATI ERUM 3.111	Unit INOLOGY ING HORMONE (T μIU/mL	Biological Reference interva SH) 0.35 - 5.50	
THYROID STIMULA by CMIA (CHEMILUMIN 3rd GENERATION, ULT	ATING HORMONE (TSH): SI iescent microparticle immun rasensitive	ENDOCRI TROID STIMULATI ERUM 3.111	INOLOGY ING HORMONE (TS µIU/mL	SH) 0.35 - 5.50	
THYROID STIMULA by CMIA (CHEMILUMIN	ATING HORMONE (TSH): SI iescent microparticle immun rasensitive AGE	ENDOCRI TROID STIMULATI ERUM 3.111	INOLOGY ING HORMONE (TS µIU/mL REFFERENCE RANGE	SH) 0.35 - 5.50 (μlU/mL)	
THYROID STIMULA by CMIA (CHEMILUMIN 3rd GENERATION, ULT	ATING HORMONE (TSH): SI IESCENT MICROPARTICLE IMMUN RASENSITIVE AGE 0 – 5 DAYS	ENDOCRI TROID STIMULATI ERUM 3.111	INOLOGY ING HORMONE (T μIU/mL REFFERENCE RANGE 0.70 – 15.20	SH) 0.35 - 5.50 (µlU/mL)	
THYROID STIMULA by CMIA (CHEMILUMIN 3rd GENERATION, ULT	ATING HORMONE (TSH): SI IESCENT MICROPARTICLE IMMUN RASENSITIVE AGE 0 – 5 DAYS 6 Days – 2 Months	ENDOCRI TROID STIMULATI ERUM 3.111	INOLOGY ING HORMONE (T μIU/mL <u>REFFERENCE RANGE</u> 0.70 – 15.20 0.70 – 11.00	SH) 0.35 - 5.50 (µU/mL)	
THYROID STIMULA by CMIA (CHEMILUMIN 3rd GENERATION, ULT	ATING HORMONE (TSH): SI IESCENT MICROPARTICLE IMMUN RASENSITIVE AGE 0 – 5 DAYS 6 Days – 2 Months 3 – 11 Months	ENDOCRI TROID STIMULATI ERUM 3.111	INOLOGY ING HORMONE (T μIU/mL REFFERENCE RANGE 0.70 – 15.20 0.70 – 11.00 0.70 – 8.40	SH) 0.35 - 5.50 (µU/mL) 0	
THYROID STIMULA by CMIA (CHEMILUMIN 3rd GENERATION, ULT	ATING HORMONE (TSH): SI IESCENT MICROPARTICLE IMMUN RASENSITIVE AGE 0 – 5 DAYS 6 Days – 2 Months 3 – 11 Months 1 – 5 Years	ENDOCRI TROID STIMULATI ERUM 3.111	INOLOGY ING HORMONE (TS μIU/mL REFFERENCE RANGE 0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00	SH) 0.35 - 5.50 (µU/mL) 0	
THYROID STIMULA by CMIA (CHEMILUMIN 3rd GENERATION, ULT	ATING HORMONE (TSH): SI IESCENT MICROPARTICLE IMMUN RASENSITIVE AGE 0 – 5 DAYS 6 Days – 2 Months 3 – 11 Months	ENDOCRI TROID STIMULATI ERUM 3.111	INOLOGY ING HORMONE (T μIU/mL REFFERENCE RANGE 0.70 – 15.20 0.70 – 11.00 0.70 – 8.40	SH) 0.35 - 5.50 (µU/mL) 0 0	
THYROID STIMULA by CMIA (CHEMILUMIN 3rd GENERATION, ULT	ATING HORMONE (TSH): SI IESCENT MICROPARTICLE IMMUN RASENSITIVE AGE 0 – 5 DAYS 6 Days – 2 Months 3 – 11 Months 1 – 5 Years 6 – 10 Years	ENDOCRI TROID STIMULAT ERUM 3.111 VOASSAY)	INOLOGY ING HORMONE (TS μIU/mL REFFERENCE RANGE 0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00 0.60 – 5.50	SH) 0.35 - 5.50 (µU/mL) 0	
THYROID STIMULA by CMIA (CHEMILUMIN 3rd GENERATION, ULT	ATING HORMONE (TSH): SI JESCENT MICROPARTICLE IMMUN RASENSITIVE AGE 0 – 5 DAYS 6 Days – 2 Months 3 – 11 Months 1 – 5 Years 6 – 10 Years 11 - 15 > 20 Years (Adults)	ENDOCRI TROID STIMULATI ERUM 3.111	INOLOGY ING HORMONE (TS μIU/mL REFFERENCE RANGE 0.70 – 15.20 0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00 0.60 – 5.50 0.50 – 5.50 0.27 – 5.50	SH) 0.35 - 5.50 (µU/mL) 0 0	
THYROID STIMULA by CMIA (CHEMILUMIN 3rd GENERATION, ULT	ATING HORMONE (TSH): SI VESCENT MICROPARTICLE IMMUN RASENSITIVE AGE 0-5 DAYS 6 Days - 2 Months 3 - 11 Months 1 - 5 Years 6 - 10 Years 11 - 15 > 20 Years (Adults) 1st Trimester	ENDOCRI TROID STIMULAT ERUM 3.111 VOASSAY)	INOLOGY ING HORMONE (TS μIU/mL REFFERENCE RANGE 0.70 – 15.20 0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00 0.60 – 5.50 0.50 – 5.50 0.27 – 5.50 0.10 - 3.00	SH) 0.35 - 5.50 (µlU/mL)	
THYROID STIMULA by CMIA (CHEMILUMIN 3rd GENERATION, ULT	ATING HORMONE (TSH): SI JESCENT MICROPARTICLE IMMUN RASENSITIVE AGE 0 – 5 DAYS 6 Days – 2 Months 3 – 11 Months 1 – 5 Years 6 – 10 Years 11 - 15 > 20 Years (Adults)	ENDOCRI TROID STIMULAT ERUM 3.111 VOASSAY)	INOLOGY ING HORMONE (TS μIU/mL REFFERENCE RANGE 0.70 – 15.20 0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00 0.60 – 5.50 0.50 – 5.50 0.27 – 5.50	SH) 0.35 - 5.50	

1. Primary or untreated hypothyroidism, may vary from 3 times to more than 100 times normal depending on degree of hypofunction.

2.Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis.

4.DRUGS: Amphetamines, Iodine containing agents and dopamine antagonist.

5. Neonatal period, increase in 1st 2-3 days of life due to post-natal surge.

DECREASED LEVELS:

1. Toxic multi-nodular goitre & Thyroiditis.

2. Over replacement of thyroid harmone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4. Secondary pituatary or hypothalmic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



Page 7 of 10





	Dr. Vinay Chopra MD (Pathology & Micr Chairman & Consultan	obiology) MD	(Pathology)
NAME	: Mr. KAVESH		
AGE/ GENDER	: 44 YRS/MALE	PATIENT ID	: 1734573
COLLECTED BY	:	REG. NO./LAB NO.	: 012501250025
REFERRED BY	:	REGISTRATION DATE	: 25/Jan/2025 11:20 AM
BARCODE NO.	:01524404	COLLECTION DATE	: 25/Jan/2025 11:27AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 25/Jan/2025 12:38PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBA	ALA CANTT	
Test Name		Value Unit	Biological Reference interval

Test Name	Value	Unit	Biological Reference interval

8.Pregnancy: 1st and 2nd Trimester

LIMITATIONS:

1.TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothyroidism, pregnancy, phenytoin therapy. 2.Autoimmune disorders may produce spurious results.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



CLINICAL PATHOLOGY URINE ROUTINE & MICROSCOPIC EXAMINATION PHYSICAL EXAMINATION QUANTITY RECIEVED 10 ml by DIP STICKREFLECTANCE SPECTROPHOTOMETRY PALE YELLOW PALE YELLOW TRANSPARANCY HAZY CLEAR by DIP STICKREFLECTANCE SPECTROPHOTOMETRY 1.02 1.002 - 1.030 SPECIFIC GRAVITY NERANORY HAZY CLEAR by DIP STICKREFLECTANCE SPECTROPHOTOMETRY 1.02 1.002 - 1.030 by DIP STICKREFLECTANCE SPECTROPHOTOMETRY Negative NEGATIVE (-ve) by DIP STICKREFLECTANCE SPECTROPHOTOMETRY Normal EU/dL 0.2 - 1.0 by DIP STICKREFLECTANCE SPECTROPHOTOMETRY Negative		Dr. Vinay Ch MD (Pathology & Chairman & Con			
COLLECTED BYE.G. NO./LAB NO.:: 012501250025REFERRED BY::REGISTRATION DATE:: 25/Jan/2025 11:20 AMBARCODE NO.:: 01524404COLLECTION DATE:: 25/Jan/2025 11:27AMCLIENT CODE:: 0349/1. NICHOLSON ROAD. AMBALA CANTT:::::::::::::::::::::::::::::::::	NAME	: Mr. KAVESH			
REFERENDE YY II. ISA ALA INTO NOATE II. 25/Jan/2025 11:23 AM BARCODE NO. II. 1524404 COLLECTION DATE II. 25/Jan/2025 12:31 PM CLENT ADDRESS II. 25 AM CLENT ADDRESS II. 25 AM CLEAT ADDRESS II.	AGE/ GENDER	: 44 YRS/MALE	PATIE	NT ID	: 1734573
BARCODE NO. :: 01524404 COLLECTION DATE :: 25/Jan/2025 11:27AM CLENT CODE :: KOS DIAGNOSTIC LAB REPORTING DATE :: 25/Jan/2025 12:31PM CLENT ADDRESS :: 8349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value Unit Biological Reference in CLENICAL PATHOLOCY URINE ROUTINE & MICROSCOPIC EXAMINATION PHYSICAL EXAMINATION QUANITTY RECIEVED 10 ml by DiP STOCKREFLECTANCE SPECTROPHOTOMETRY PALE YELLOW PALE YELLOW PALE YELLOW DIP STOCKREFLECTANCE SPECTROPHOTOMETRY by DIP STOCKREFLECTANCE SPECTROPH	COLLECTED BY	:	REG. N	0./LAB NO.	: 012501250025
CIENT CODE KOS DIAGNOSTIC LAB REPORTING DATE :25/Jan/2025 12:31PM CIENT ADDRESS :6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value Unit Biological Reference in CLINICAL PATHOLOCY Unit Biological Reference in CLINICAL PATHOLOCY Unit Biological Reference in PUSICAL EXAMINATION UNIT RECOVENCE EXAMINATION QUANTITY RECIEVED 10 ml op los StickREFLECTANCE SPECTROPHOTOMETRY PALE YELLOW PALE YELLOW PUSICAL EXAMINATION HAZY CLEAR op los StickREFLECTANCE SPECTROPHOTOMETRY 1.02 1.002 - 1.030 op los StickREFLECTANCE SPECTROPHOTOMETRY Negative NEGATIVE (-ve) op los StickREFLECTANCE SPECTROPHOTOMETRY Negative NEGATIVE (-ve) op los StickREFLECTANCE SPECTROPHOTOMETRY Negative NEGATIVE (-ve) NEGATIVE (-ve) op los StickREFLECTANCE SPECTROPHOTOMETRY Negative NEGATIVE (-ve) NEGATIVE (-		:			
CLENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANT! Test Name Value Unit Biological Reference in LINICAL PATHOLOCY UNITER COUTINE & MICROSCOPIC EXAMINATION PASE CALL					
URINE CLINICAL PATHOLOGY URINE ROUTINE & MICROSCOPIC EXAMINATION PHYSICAL EXAMINATION QUANTITY RECIEVED JO ml by DIP STICKREFLECTANCE SPECTROPHOTOMETRY PALE YELLOW				VIING DATE	. 25/Jan/2025 12.51FM
URINE ROUTINE & MICROSCOPIC EXAMINATIONPUSICAL EXAMINATION10mlQUANTITY RECIEVED by DIP STICKREFLECTANCE SPECTROPHOTOMETRY by DIP STICKREFLECTANCE SPECTROPHOTOMETR	Test Name		Value	Unit	Biological Reference interval
PHYSICAL EXAMINATIONQUANTITTY RECIEVED by DIP STICKREFLECTANCE SPECTROPHOTOMETRY10mlWOLD STICKREFLECTANCE SPECTROPHOTOMETRYPALE YELLOWPALE YELLOWBy DIP STICKREFLECTANCE SPECTROPHOTOMETRYHAZYCLEARBy DIP STICKREFLECTANCE SPECTROPHOTOMETRY1.021.002 - 1.030PRECIFIC CRAVITY1.021.002 - 1.030By DIP STICKREFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)By DIP STICKREFLECTANCE SPECTROPHOTOMETRYNormalEU/dL0.2 - 1.0by DIP STICKREFLECTANCE SPECTROPHOTOMETRYNormalEU/dL0.2 - 1.0by DIP STICKREFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)by DIP STICKREFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)by DIP STICKREFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)by DIP STICKREFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)by DIP STICKREFLECTANCE SPECTRO			CLINICAL PATI	HOLOGY	
QUANTITY RECIEVED by DIP STICKREFLECTANCE SPECTROPHOTOMETRY DY DIP STICKREFLECTANCE SPECTROPHOTOMETRYPALE YELLOWPALE YELLOWRANSPARANCY by DIP STICKREFLECTANCE SPECTROPHOTOMETRYHAZYCLEARBY DIP STICKREFLECTANCE SPECTROPHOTOMETRY by DIP STICKREFLECTANCE SPECTROPHOTOMETRY1.021.002 - 1.030REACTION by DIP STICKREFLECTANCE SPECTROPHOTOMETRYACIDICVREACTION by DIP STICKREFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BY DIP STICKREFLECTANCE SPECTROPHOTOMETRY by DIP STICKREFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BY DIP STICKREFLECTANCE SPECTROPHOTOMETRY by DIP STICKREFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BULRUBIN by DIP STICKREFLECTANCE SPECTROPHOTOMETRY by DIP STICKREFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BILILUBIN by DIP STICKREFLECTANCE SPECTROPHOTOMETRY by DIP STICKREFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)NITRITE by DIP STICKREFLECTANCE SPECTROPHOTOMETRY by DIP STIC		URINE RO	UTINE & MICROSC	OPIC EXAMINA	ATION
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYPALE YELLOWPALE YELLOWby DIP STICK/REFLECTANCE SPECTROPHOTOMETRYHAZYCLEARby DIP STICK/REFLECTANCE SPECTROPHOTOMETRY1.021.002 - 1.030SPECIFIC GRAVITY1.021.002 - 1.030by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNEGATIVEBY DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativepH<<=5.0	PHYSICAL EXAMI	NATION			
COLOUR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYPALE YELLOWPALE YELLOWRANSPARANCY by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYHAZYCLEARSPECIFIC GRAVITY by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY1.021.002 - 1.030REACTION by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYACIDICVREACTION by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)SUGAR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)PH by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)PH by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)PH by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)PH by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)PU DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNEGATIVE (-ve)by DIP STICK/REFLECTA			10	ml	
TRANSPARANCY by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYHAZYCLEARSPECIFIC GRAVITY by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY1.021.002 - 1.030CHEMICAL EXAMINATIONACIDIC	COLOUR		PALE YELLOW		PALE YELLOW
SPECIFIC GRAVITY by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY1.021.002 - 1.030REACTION by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYACIDICREACTION by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativePROTEIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeSUGAR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativePH by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYSOLO - 7.5BILIRUBIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNITTRITE by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNITTRITE by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNITRITE by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNUROBILINOGEN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNormalEU/dL0.2 - 1.0NormalEU/dLDIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNormalEU/dLDIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNormalEU/dLDIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNormalEU/dLDIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)NEGATIVE (-ve)by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeby DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeby DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeby DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeby DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNEGATIVE (-ve)by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNEGATIVE (-ve)by	TRANSPARANCY		HAZY		CLEAR
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYCHEMICAL EXAMINATIONREACTION by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYACIDICPROTEIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)SUGAR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)PH by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY<=5.0			1.02		1.002 - 1.030
REACTION by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYACIDICPROTEIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)SUGAR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)PH by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY<=5.0	by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)PROTEIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)SUGAR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeStore		INATION	ACIDIC		
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY<=5.0	by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY<=5.05.0 - 7.5pH by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BILIRUBIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)NITRITE by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.NormalEU/dL0.2 - 1.0UROBILINOGEN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYTRACENEGATIVE (-ve)by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNEGATIVE (-ve)NEGATIVE (-ve)		TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
pH<=5.05.0 - 7.5by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BILIRUBIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.NegativeNEGATIVE (-ve)VITRITE by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.NormalEU/dL0.2 - 1.0UROBILINOGEN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYTRACENEGATIVE (-ve)BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNEGATIVE (-ve)NEGATIVE (-ve)MICROSCOPIC EXAMINATIONNEGATIVE (-ve)NEGATIVE (-ve)			Negative		NEGATIVE (-ve)
BLIRUBIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)NITRITE by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.NegativeNEGATIVE (-ve)UROBILINOGEN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNormalEU/dL0.2 - 1.0KETONE BODIES by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYTRACENEGATIVE (-ve)ASCORBIC ACID by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNEGATIVE (-ve)NEGATIVE (-ve)MICROSCOPIC EXAMINATIONNEGATIVE (-ve)NEGATIVE (-ve)	рН		<=5.0		5.0 - 7.5
NITRITE by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.NegativeNEGATIVE (-ve)UROBILINOGEN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNormalEU/dL0.2 - 1.0KETONE BODIES by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYTRACENEGATIVE (-ve)ASCORBIC ACID by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNEGATIVE (-ve)NEGATIVE (-ve)MICROSCOPIC EXAMINATIONNEGATIVE (-ve)NEGATIVE (-ve)	BILIRUBIN		Negative		NEGATIVE (-ve)
UROBILINOGEN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNormalEU/dL0.2 - 1.0KETONE BODIES by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYTRACENEGATIVE (-ve)ASCORBIC ACID by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNEGATIVE (-ve)NEGATIVE (-ve)MICROSCOPIC EXAMINATIONUPUPUP	NITRITE		Negative		NEGATIVE (-ve)
KETONE BODIES by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNegativeNEGATIVE (-ve)BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYTRACENEGATIVE (-ve)ASCORBIC ACID by DIP STICK/REFLECTANCE SPECTROPHOTOMETRYNEGATIVE (-ve)NEGATIVE (-ve)MICROSCOPIC EXAMINATIONVEGATIVE (-ve)NEGATIVE (-ve)	UROBILINOGEN		Normal	EU/dL	0.2 - 1.0
BLOOD TRACE NEGATIVE (-ve) by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY NEGATIVE (-ve) NEGATIVE (-ve) ASCORBIC ACID NEGATIVE (-ve) NEGATIVE (-ve) by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY NEGATIVE (-ve) NEGATIVE (-ve)	KETONE BODIES		Negative		NEGATIVE (-ve)
ASCORBIC ACID NEGATIVE (-ve) NEGATIVE (-ve) by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY MICROSCOPIC EXAMINATION	BLOOD		TRACE		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY MICROSCOPIC EXAMINATION	ASCORBIC ACID		NEGATIVE (-ve)		NEGATIVE (-ve)
			3-4	/HPF	0 - 3

57 56



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com









Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

NAME	: Mr. KAVESH				
AGE/ GENDER	: 44 YRS/MALE	PATIENT ID	: 1734573		
COLLECTED BY	:	REG. NO./LAB NO.	: 012501250025		
REFERRED BY	:	REGISTRATION D	ATE : 25/Jan/2025 11:20 AM		
BARCODE NO.	: 01524404	COLLECTION DAT	E : 25/Jan/2025 11:27AM		
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATI	E : 25/Jan/2025 12:31PM		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT				
Test Name		Value Un	it Biological Reference interval		

i est manie	Value	ome	biological weier chee inter var
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	2-4	/HPF	0 - 5
EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	1-2	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	ABSENT		ABSENT

** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com

