

KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mr. BALTAR SINGH

AGE/ GENDER : 47 YRS/MALE **PATIENT ID** : 1735689

COLLECTED BY : REG. NO./LAB NO. : 012501260030

 REFERRED BY
 : 26/Jan/2025 11:59 AM

 BARCODE NO.
 : 01524461
 COLLECTION DATE
 : 26/Jan/2025 12:00PM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 26/Jan/2025 12:29PM

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

HAEMATOLOGY

PROTHROMBIN TIME STUDIES (PT/INR)

PT TEST (PATIENT) by PHOTO OPTICAL CLOT DETECTION	36.8 ^H	SECS	11.5 - 14.5
PT (CONTROL)	12	SECS	
by PHOTO OPTICAL CLOT DETECTION ISI	1.1		
by PHOTO OPTICAL CLOT DETECTION			
INTERNATIONAL NORMALISED RATIO (INR) by PHOTO OPTICAL CLOT DETECTION	3.43 ^H		0.80 - 1.20
PT INDEX by PHOTO OPTICAL CLOT DETECTION	32.61	%	

INTERPRETATION:-

- 1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity.
- 2. Prolonged INR suggests potential bleeding disorder /bleeding complications
- 3. Results should be clinically correlated.
- 4. Test conducted on Citrated Plasma

RECOMMENDED THERAPEUTIC RANGE FOR ORAL ANTI-CO. INDICATION		INTERNATIONAL NORMALIZED RATIO (INR)	
Treatment of venous thrombosis			()
Treatment of pulmonary embolism			/
Prevention of systemic embolism in tissue heart valves			
Valvular heart disease	Low Intensity		2.0 - 3.0
Acute myocardial infarction			
Atrial fibrillation			
Bileaflet mechanical valve in aortic position			
Recurrent embolism			
Mechanical heart valve	High Intensity	/	2.5 - 3.5



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS . MD (PATHOLOGY)





KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mr. BALTAR SINGH

AGE/ GENDER : 47 YRS/MALE PATIENT ID : 1735689

COLLECTED BY : REG. NO./LAB NO. : 012501260030

 REFERRED BY
 : 26/Jan/2025 11:59 AM

 BARCODE NO.
 : 01524461
 COLLECTION DATE
 : 26/Jan/2025 12:00 PM

CLIENT CODE. : KOS DIAGNOSTIC LAB **REPORTING DATE** : 26/Jan/2025 12:29PM

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name	Value	Unit	Biological Reference interval
Antiphospholipid antibodies ⁺			

COMMENTS:

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway.

The common causes of prolonged prothrombin time are:

1. Oral Anticoagulant therapy.

2.Liver disease.

3. Vit K. deficiency.

4. Disseminated intra vascular coagulation.

5. Factor 5, 7, 10 or Prothrombin dificiency

RECHECKED.KINDLY CORRELATE CLINICALLY.

*** End Of Report ***



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

