

Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. PARVEEN ARORA	PATIENT ID	: 1744968
AGE/ GENDER	: 58 YRS/FEMALE	REG. NO./LAB NO.	: 012502040011
COLLECTED BY	:	REGISTRATION DATE	: 04/Feb/2025 09:24 AM
REFERRED BY	:	COLLECTION DATE	: 04/Feb/2025 09:26AM
BARCODE NO.	: 01524913	REPORTING DATE	: 04/Feb/2025 12:18PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

CLINICAL PATHOLOGY

URINE ROUTINE & MICROSCOPIC EXAMINATION

PHYSICAL EXAMINATION

QUANTITY RECIEVED	10	ml	
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
COLOUR	PALE YELLOW		PALE YELLOW
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
TRANSPARANCY	HAZY		CLEAR
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
SPECIFIC GRAVITY	1.01		1.002 - 1.030
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			

CHEMICAL EXAMINATION

REACTION	ACIDIC		
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
PROTEIN	1+		NEGATIVE (-ve)
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
SUGAR	Negative		NEGATIVE (-ve)
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
pH	5.5		5.0 - 7.5
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
BILIRUBIN	Negative		NEGATIVE (-ve)
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
NITRITE	Negative		NEGATIVE (-ve)
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
UROBILINOGEN	Normal	EU/dL	0.2 - 1.0
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
KETONE BODIES	Negative		NEGATIVE (-ve)
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
BLOOD	3+		NEGATIVE (-ve)
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			
ASCORBIC ACID	NEGATIVE (-ve)		NEGATIVE (-ve)
<i>by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY</i>			

MICROSCOPIC EXAMINATION

RED BLOOD CELLS (RBCs)	15-18	/HPF	0 - 3
<i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>			




DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. PARVEEN ARORA	PATIENT ID	: 1744968
AGE/ GENDER	: 58 YRS/FEMALE	REG. NO./LAB NO.	: 012502040011
COLLECTED BY	:	REGISTRATION DATE	: 04/Feb/2025 09:24 AM
REFERRED BY	:	COLLECTION DATE	: 04/Feb/2025 09:26AM
BARCODE NO.	: 01524913	REPORTING DATE	: 04/Feb/2025 12:18PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
PUS CELLS <i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>	20-22	/HPF	0 - 5
EPITHELIAL CELLS <i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>	2-3	/HPF	ABSENT
CRYSTALS <i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS <i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA <i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS <i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) <i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>	ABSENT		ABSENT




 DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. PARVEEN ARORA	PATIENT ID	: 1744968
AGE/ GENDER	: 58 YRS/FEMALE	REG. NO./LAB NO.	: 012502040011
COLLECTED BY	:	REGISTRATION DATE	: 04/Feb/2025 09:24 AM
REFERRED BY	:	COLLECTION DATE	: 04/Feb/2025 09:26AM
BARCODE NO.	: 01524913	REPORTING DATE	: 06/Feb/2025 10:52AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

MICROBIOLOGY

CULTURE AEROBIC BACTERIA AND ANTIBIOTIC SENSITIVITY: URINE

CULTURE AND SUSCEPTIBILITY: URINE

DATE OF SAMPLE : 04-02-2025
 SPECIMEN SOURCE : URINE
 INCUBATION PERIOD : 48 HOURS
by AUTOMATED BROTH CULTURE

GRAM STAIN *by MICROSCOPY*

GRAM NEGATIVE (-ve)

CULTURE *by AUTOMATED BROTH CULTURE*

POSITIVE (+ve)

ORGANISM *by AUTOMATED BROTH CULTURE*

ESCHERICHIA COLI (E.COLI)

AEROBIC SUSCEPTIBILITY: URINE

AMOXICILLIN+CLAVULANIC ACID
by AUTOMATED BROTH MICRოდILUTION, CLSI
 Concentration: 8/4 µg/mL

RESISTANT

AMPICILLIN
by AUTOMATED BROTH MICRოდILUTION, CLSI
 Concentration: 8 µg/mL

RESISTANT

AMPICILLIN+SULBACTAM
by AUTOMATED BROTH MICRოდILUTION, CLSI
 Concentration: 8/4 µg/mL

RESISTANT

CHLORAMPHENICOL
by AUTOMATED BROTH MICRოდILUTION, CLSI
 Concentration: 8 µg/mL

SENSITIVE


CIPROFLOXACIN
by AUTOMATED BROTH MICRოდILUTION, CLSI
 Concentration: 1 µg/mL


RESISTANT

DOXYCYCLINE
by AUTOMATED BROTH MICRოდILUTION, CLSI

SENSITIVE




 DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. PARVEEN ARORA	PATIENT ID	: 1744968
AGE/ GENDER	: 58 YRS/FEMALE	REG. NO./LAB NO.	: 012502040011
COLLECTED BY	:	REGISTRATION DATE	: 04/Feb/2025 09:24 AM
REFERRED BY	:	COLLECTION DATE	: 04/Feb/2025 09:26AM
BARCODE NO.	: 01524913	REPORTING DATE	: 06/Feb/2025 10:52AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
Concentration: 4 µg/mL			
NALIDIXIC ACID <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	RESISTANT		
Concentration: 16 µg/mL			
GENTAMICIN <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	SENSITIVE		
Concentration: 16 µg/mL			
NITROFURATOIN <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	INTERMEDIATE		
Concentration: 16 µg/mL			
NORFLOXACIN <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	RESISTANT		
Concentration: 4 µg/mL			
MINOCYCLINE <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	SENSITIVE		
Concentration: 4 µg/mL			
TOBRAMYCIN <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	SENSITIVE		
Concentration: 4 µg/mL			
AMIKACIN <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	SENSITIVE		
Concentration: 16 µg/mL			
AZETREONAM <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	SENSITIVE		
Concentration: 4 µg/mL			
CEFAZOLIN <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	RESISTANT		
Concentration: 16 µg/mL			
CEFIXIME	RESISTANT		




 DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. PARVEEN ARORA	PATIENT ID	: 1744968
AGE/ GENDER	: 58 YRS/FEMALE	REG. NO./LAB NO.	: 012502040011
COLLECTED BY	:	REGISTRATION DATE	: 04/Feb/2025 09:24 AM
REFERRED BY	:	COLLECTION DATE	: 04/Feb/2025 09:26AM
BARCODE NO.	: 01524913	REPORTING DATE	: 06/Feb/2025 10:52AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
by AUTOMATED BROTH MICRODILUTION, CLSI			
CEFOXITIN	RESISTANT		
by AUTOMATED BROTH MICRODILUTION, CLSI			
Concentration: 8 µg/mL			
CEFTAZIDIME	RESISTANT		
by AUTOMATED BROTH MICRODILUTION, CLSI			
Concentration: 4 µg/mL			
CEFTRIAXONE	RESISTANT		
by AUTOMATED BROTH MICRODILUTION, CLSI			
FOSFOMYCIN	SENSITIVE		
by AUTOMATED BROTH MICRODILUTION, CLSI			
Concentration: 64 µg/mL			
LEVOFLOXACIN	RESISTANT		
by AUTOMATED BROTH MICRODILUTION, CLSI			
Concentration: 2 µg/mL			
NETLIMICIN SULPHATE	SENSITIVE		
by AUTOMATED BROTH MICRODILUTION, CLSI			
Concentration: 8 µg/mL			
PIPERACILLIN+TAZOBACTAM	SENSITIVE		
by AUTOMATED BROTH MICRODILUTION, CLSI			
Concentration: 16/4 µg/mL			
TICARCILLIN+CLAVULANIC ACID	RESISTANT		
by AUTOMATED BROTH MICRODILUTION, CLSI			
Concentration: 16/2 µg/mL			
TRIMETHOPRIM+SULPHAMETHAZOLE	RESISTANT		
by AUTOMATED BROTH MICRODILUTION, CLSI			
Concentration: 2/38 µg/mL			
CEFPIPIME	SENSITIVE		
by AUTOMATED BROTH MICRODILUTION, CLSI			
Concentration: 2 µg/mL			




 DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. PARVEEN ARORA	PATIENT ID	: 1744968
AGE/ GENDER	: 58 YRS/FEMALE	REG. NO./LAB NO.	: 012502040011
COLLECTED BY	:	REGISTRATION DATE	: 04/Feb/2025 09:24 AM
REFERRED BY	:	COLLECTION DATE	: 04/Feb/2025 09:26AM
BARCODE NO.	: 01524913	REPORTING DATE	: 06/Feb/2025 10:52AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
DORIPENEM by AUTOMATED BROTH MICRODILUTION, CLSI Concentration: 1 µg/mL	SENSITIVE		
IMIPINEM by AUTOMATED BROTH MICRODILUTION, CLSI Concentration: 1 µg/mL	SENSITIVE		
MEROPENEM by AUTOMATED BROTH MICRODILUTION, CLSI Concentration: 1 µg/mL	SENSITIVE		
COLISTIN by AUTOMATED BROTH MICRODILUTION, CLSI Concentration: 0.06 µg/mL	SENSITIVE		

INTERPRETATION:

1. In urine culture and sensitivity, presence of more than 100,000 organism per mL in midstream sample of urine is considered clinically significant. However in symptomatic patients, a smaller number of bacteria (100 to 10000/mL) may signify infection.
 2. Colony count of 100 to 10000/ mL indicate infection, if isolate from specimen obtained by suprapubic aspiration or "in-and-out" catheterization or from patients with indwelling catheters.

SUSCEPTIBILITY:

1. A test interpreted as **SENSITIVE** implies that infection due to isolate may be appropriately treated with the dosage of an antimicrobial agent recommended for that type of infection and infecting species, unless otherwise indicated..
 2. A test interpreted as **INTERMEDIATE** implies that the "Infection due to the isolate may be appropriately treated in body sites where the drugs are physiologically concentrated or when a high dosage of drug can be used".
 3. A test interpreted as **RESISTANT** implies that the "isolates are not inhibited by the usually achievable concentration of the agents with normal dosage, schedule and/or fall in the range where specific microbial resistance mechanism are likely (e.g. beta-lactamases), and clinical efficacy has not been reliable in treatment studies.

CAUTION:

Conditions which can cause a false Negative culture:

1. Patient is on antibiotics. Please repeat culture post therapy.
2. Anaerobic bacterial infection.
3. Fastidious aerobic bacteria which are not able to grow on routine culture media.
4. Besides all these factors, at least in 25-40 % of cases there is no direct correlation between in vivo clinical picture.
5. Renal tuberculosis to be confirmed by AFB studies.

*** End Of Report ***





DR. VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)



DR. YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)

