

Dr. Vinay Chopra  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

Dr. Yugam Chopra  
 MD (Pathology)  
 CEO & Consultant Pathologist

<b>NAME</b>	: Mr. JAWAHAR LAL	<b>PATIENT ID</b>	: 1750774
<b>AGE/ GENDER</b>	: 76 YRS/MALE	<b>REG. NO./LAB NO.</b>	: 012502090007
<b>COLLECTED BY</b>	:	<b>REGISTRATION DATE</b>	: 09/Feb/2025 09:29 AM
<b>REFERRED BY</b>	:	<b>COLLECTION DATE</b>	: 09/Feb/2025 09:31AM
<b>BARCODE NO.</b>	: 01525186	<b>REPORTING DATE</b>	: 09/Feb/2025 03:59PM
<b>CLIENT CODE.</b>	: KOS DIAGNOSTIC LAB		
<b>CLIENT ADDRESS</b>	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

### CLINICAL PATHOLOGY

#### PROTEIN/CREATININE RATIO: 24 HOURS URINE

URINE VOLUME: 24 HOUR by SPECTROPHOTOMETRY	1000 ml	mL	
PROTEINS: 24 HOURS URINE by SPECTROPHOTOMETRY	29.6	mg/ 24 HOURS	25 -160
CREATININE: 24 HOUR URINE by SPECTROPHOTOMETRY	<b>384.6<sup>L</sup></b>	mg/24 Hours	1070 - 2150
PROTEIN/CREATININE RATIO: 24 HOURS URINE by SPECTROPHOTOMETRY	0.08		< 0.20

#### INTERPRETATION:

PROTEIN/CREATININE RATIO	REMARKS
< 0.20	NORMAL
0.20 – 1.00	LOW GRADE PROTEINURIA
1.00 – 5.00	MODERATE PROTEINURIA
>5.00	NEPHROSIS

#### NOTE:

Urinary total proteins are nearly negligible in healthy adults. The Protein Creatinine ratio is a simple and convenient method to quantitate and monitor proteinuria in adults with chronic kidney disease. Patients with 2 or more positive results within a period of 1-2 weeks should be labeled as having persistent proteinuria and investigated further

\*\*\* End Of Report \*\*\*



  
 DR.VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR.YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)

