

**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

<b>NAME</b>	: Mr. ANKIT	<b>PATIENT ID</b>	: 1751177
<b>AGE/ GENDER</b>	: 24 YRS/MALE	<b>REG. NO./LAB NO.</b>	: 012502090059
<b>COLLECTED BY</b>	:	<b>REGISTRATION DATE</b>	: 09/Feb/2025 05:59 PM
<b>REFERRED BY</b>	:	<b>COLLECTION DATE</b>	: 09/Feb/2025 06:00PM
<b>BARCODE NO.</b>	: 01525238	<b>REPORTING DATE</b>	: 09/Feb/2025 08:17PM
<b>CLIENT CODE.</b>	: KOS DIAGNOSTIC LAB		
<b>CLIENT ADDRESS</b>	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

**IMMUNOPATHOLOGY/SEROLOGY**

**ANTI HUMAN IMMUNODEFICIENCY VIRUS (HIV) DUO ULTRA WITH (P-24 ANTIGEN DETECTION)**

HIV 1/2 AND P24 ANTIGEN: SERUM <i>by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)</i>	0.1	S/CO	NEGATIVE: < 1.00 POSITIVE: > 1.00
HIV 1/2 AND P24 ANTIGEN RESULT <i>by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)</i>	NON - REACTIVE		

**INTERPRETATION:-**

RESULT (INDEX)	REMARKS
< 1.00	NON - REACTIVE
> = 1.00	PROVISIONALLY REACTIVE

Non-Reactive result implies that antibodies to HIV 1/ 2 have not been detected in the sample . This means that patient has either not been exposed to HIV 1/ 2 infection or the sample has been tested during the "window phase" i.e. before the development of detectable levels of antibodies. Hence a Non Reactive result does not exclude the possibility of exposure or infection with HIV 1/ 2.

**RECOMMENDATIONS:**

1. Results to be clinically correlated
2. Rarely falsenegativity/positivity may occur.

\*\*\* End Of Report \*\*\*



*Chopra*

**DR.VINAY CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

*Chopra*

**DR.YUGAM CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS , MD (PATHOLOGY)



TEST PERFORMED AT: KOS DIAGNOSTIC LAB, AMBALA CANTT.