NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 07:12PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

HAEMATOLOGY

COMPLETE BLOOD COUNT (CBC)

Test Name	Value	Unit	Biological Reference interval
RED BLOOD CELLS (RBCS) COUNT AND INDICES			
HAEMOGLOBIN (HB) *by CALORIMETRIC*	**11.3**^{L}	gm/dL	12.0 - 16.0
RED BLOOD CELL (RBC) COUNT *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	4.22	Millions/cmm	3.50 - 5.00
PACKED CELL VOLUME (PCV) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	**35.2**^{L}	%	37.0 - 50.0
MEAN CORPUSCULAR VOLUME (MCV) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	83.6	fL	80.0 - 100.0
MEAN CORPUSCULAR HAEMOGLOBIN (MCH) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	**26.9**^{L}	pg	27.0 - 34.0
MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	32.2	g/dL	32.0 - 36.0
RED CELL DISTRIBUTION WIDTH (RDW-CV) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	**19**^{H}	%	11.00 - 16.00
RED CELL DISTRIBUTION WIDTH (RDW-SD) *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	**60.1**^{H}	fL	35.0 - 56.0
MENTZERS INDEX *by CALCULATED*	19.81	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDEX *by CALCULATED*	37.81	RATIO	BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS (WBCS)			
TOTAL LEUCOCYTE COUNT (TLC) *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	6080	/cmm	4000 - 11000
NUCLEATED RED BLOOD CELLS (nRBCS) *by AUTOMATED 6 PART HEMATOLOGY ANALYZER*	NIL		0.00 - 20.00
NUCLEATED RED BLOOD CELLS (nRBCS) % *by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER*	NIL	%	< 10 %

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 07:12PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
DIFFERENTIAL LEUCOCYTE COUNT (DLC)			
NEUTROPHILS *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	58	%	50 - 70
LYMPHOCYTES *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	36	%	20 - 40
EOSINOPHILS *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	1	%	1 - 6
MONOCYTES *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	5	%	2 - 12
BASOPHILS *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	0	%	0 - 1
ABSOLUTE LEUKOCYTES (WBC) COUNT			
ABSOLUTE NEUTROPHIL COUNT *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	3526	/cmm	2000 - 7500
ABSOLUTE LYMPHOCYTE COUNT *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	2189	/cmm	800 - 4900
ABSOLUTE EOSINOPHIL COUNT *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	61	/cmm	40 - 440
ABSOLUTE MONOCYTE COUNT *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	304	/cmm	80 - 880
PLATELETS AND OTHER PLATELET PREDICTIVE MARKERS.			
PLATELET COUNT (PLT) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	215000	/cmm	150000 - 450000
PLATELETCRIT (PCT) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	0.29	%	0.10 - 0.36
MEAN PLATELET VOLUME (MPV) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	**13^{H}**	fL	6.50 - 12.0
PLATELET LARGE CELL COUNT (P-LCC) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	**112000^{H}**	/cmm	30000 - 90000
PLATELET LARGE CELL RATIO (P-LCR) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	**52.3^{H}**	%	11.0 - 45.0
PLATELET DISTRIBUTION WIDTH (PDW) *by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE*	15.7	%	15.0 - 17.0

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 12/Feb/2025 09:21AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

BLOOD GROUP (ABO) AND RH FACTOR TYPING

ABO GROUP *by SLIDE AGGLUTINATION*	B		
RH FACTOR TYPE *by SLIDE AGGLUTINATION*	NEGATIVE		

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 07:35PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

GLYCOSYLATED HAEMOGLOBIN (HBA1C)

GLYCOSYLATED HAEMOGLOBIN (HbA1c): WHOLE BLOOD *by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)*	4.3	%	4.0 - 6.4
ESTIMATED AVERAGE PLASMA GLUCOSE *by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)*	76.71	mg/dL	60.00 - 140.00

INTERPRETATION:

AS PER AMERICAN DIABETES ASSOCIATION (ADA):		
REFERENCE GROUP	**GLYCOSYLATED HEMOGLOGIB (HBAIC) in %**	
Non diabetic Adults >= 18 years	<5.7	
At Risk (Prediabetes)	5.7 – 6.4	
Diagnosing Diabetes	>= 6.5	
Therapeutic goals for glycemic control	**Age > 19 Years**	
	Goals of Therapy:	< 7.0
	Actions Suggested:	>8.0
	Age < 19 Years	
	Goal of therapy:	<7.5

COMMENTS:

1.Glycosylated hemoglobin (HbA1c) test is three monthly monitoring done to assess compliace with therapeutic regimen in diabetic patients.

2.Since Hb1c reflects long term fluctuations in blood glucose concentration, a diabetic patient who has recently under good control may still have high concentration of HbAIc. Converse is true for a diabetic previously under good control but now poorly controlled.

3.Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targetting a goal of < 7.0% may not be appropiate.

*4.*High HbA1c (>9.0 -9.5 %) is strongly associated with risk of development and rapid progression of microvascular and nerve complications

5.Any condition that shorten RBC life span like acute blood loss, hemolytic anemia falsely lower HbA1c results.

6.HbA1c results from patients with HbSS,HbSC and HbD must be interpreted with caution , given the pathological processes including anemia,increased red cell turnover, and transfusion requirement that adversely impact HbA1c as a marker of long-term gycemic control.

7.Specimens from patients with polycythemia or post-splenctomy may exhibit increse in HbA1c values due to a somewhat longer life span of the red cells.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 07:35PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

LIFOTRONIC Graph Report

Name :	Case :	Patient Type :		Test Date : 11/02/2025 21:56:02
Age :	Department :	Sample Type : Whole Blood EDTA		Sample Id : 01525345
Gender :				Total Area : 7052

Peak Name	Retention Time(s)	Absorbance	Area	Result (Area %)
HbA0	69	2024	6431	86.1
HbA1c	37	28	322	4.3
La1c	26	24	146	2.0
HbF	21	18	26	0.3
Hba1b	14	17	63	0.8
Hba1a	12	14	64	0.9



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 07:38PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

PROTHROMBIN TIME STUDIES (PT/INR)

Test Name	Value	Unit	Biological Reference interval
PT TEST (PATIENT) *by PHOTO OPTICAL CLOT DETECTION*	12.4	SECS	11.5 - 14.5
PT (CONTROL) *by PHOTO OPTICAL CLOT DETECTION*	12	SECS	
ISI *by PHOTO OPTICAL CLOT DETECTION*	1.1		
INTERNATIONAL NORMALISED RATIO (INR) *by PHOTO OPTICAL CLOT DETECTION*	1.04		0.80 - 1.20
PT INDEX *by PHOTO OPTICAL CLOT DETECTION*	96.77	%	

INTERPRETATION:-

1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropiate therapeutic range varies with the disease and treatment intensity.
2. Prolonged INR suggests potential bleeding disorder /bleeding complications
3. Results should be clinically correlated.
4. *Test conducted on Citrated Plasma*

RECOMMENDED THERAPEUTIC RANGE FOR ORAL ANTI-COAGULANT THERAPY (INR)		
INDICATION		**INTERNATIONAL NORMALIZED RATIO (INR)**
Treatment of venous thrombosis	Low Intensity	2.0 - 3.0
Treatment of pulmonary embolism		
Prevention of systemic embolism in tissue heart valves		
Valvular heart disease		
Acute myocardial infarction		
Atrial fibrillation		
Bileaflet mechanical valve in aortic position		
Recurrent embolism	High Intensity	2.5 - 3.5
Mechanical heart valve		
Antiphospholipid antibodies+		

COMMENTS:

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 07:38PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway.
The common causes of prolonged prothrombin time are :
1.Oral Anticoagulant therapy.
2.Liver disease.
3.Vit K. deficiency.
4.Disseminated intra vascular coagulation.
5.Factor 5, 7 , 10 or Prothrombin dificiency

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 07:38PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

ACTIVATED PARTIAL THROMBOPLASTIN TIME (APTT)

APTT (PATIENT VALUE) *by PHOTO OPTICAL CLOT DETECTION*	32.1	SECS	28.6 - 38.2

INTERPRETATION:-

The activated partial thromboplastin time (aPTT or APTT) is a performance indicator measuring the efficacy of both the **intrinsic** (now referred to as the contact activation pathway) and the common coagulation pathways. Apart from detecting abnormalities in blood clotting, it is also used to monitor the treatment effects with heparin, a major anticoagulant. It is used in conjunction with the prothrombin time (PT) which measures the extrinsic pathway.

COMMON CAUSES OF PROLONGED APTT :-

1. Disseminated intravascular coagulation.
2. Liver disease.
3. Massive transfusion with stored blood.
4. Heparin administration or contamination.
5. A circulating Anticogulant.
6. Deficiency of a coagulation Factor other than factor 7.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 08:20PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

CLINICAL CHEMISTRY/BIOCHEMISTRY

GLUCOSE RANDOM (R)

GLUCOSE RANDOM (R): PLASMA *by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)*	96.92	mg/dL	NORMAL: < 140.00 PREDIABETIC: 140.0 - 200.0 DIABETIC: > 0R = 200.0

INTERPRETATION

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A random plasma glucose level below 140 mg/dl is considered normal.
2. A random glucose level between 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prnadial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
3. A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 10:45PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

LIVER FUNCTION TEST (COMPLETE)

Test Name	Value	Unit	Biological Reference interval
BILIRUBIN TOTAL: SERUM *by DIAZOTIZATION, SPECTROPHOTOMETRY*	0.22	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
BILIRUBIN DIRECT (CONJUGATED): SERUM *by DIAZO MODIFIED, SPECTROPHOTOMETRY*	0.09	mg/dL	0.00 - 0.40
BILIRUBIN INDIRECT (UNCONJUGATED): SERUM *by CALCULATED, SPECTROPHOTOMETRY*	0.13	mg/dL	0.10 - 1.00
SGOT/AST: SERUM *by IFCC, WITHOUT PYRIDOXAL PHOSPHATE*	**97.1^{H}**	U/L	7.00 - 45.00
SGPT/ALT: SERUM *by IFCC, WITHOUT PYRIDOXAL PHOSPHATE*	**195.3^{H}**	U/L	0.00 - 49.00
AST/ALT RATIO: SERUM *by CALCULATED, SPECTROPHOTOMETRY*	0.5	RATIO	0.00 - 46.00
ALKALINE PHOSPHATASE: SERUM *by PARA NITROPHENYL PHOSPHATASE BY AMINO METHYL PROPANOL*	83.38	U/L	40.0 - 130.0
GAMMA GLUTAMYL TRANSFERASE (GGT): SERUM *by SZASZ, SPECTROPHTOMETRY*	25.31	U/L	0.00 - 55.0
TOTAL PROTEINS: SERUM *by BIURET, SPECTROPHOTOMETRY*	**6.17^{L}**	gm/dL	6.20 - 8.00
ALBUMIN: SERUM *by BROMOCRESOL GREEN*	3.91	gm/dL	3.50 - 5.50
GLOBULIN: SERUM *by CALCULATED, SPECTROPHOTOMETRY*	**2.26^{L}**	gm/dL	2.30 - 3.50
A : G RATIO: SERUM *by CALCULATED, SPECTROPHOTOMETRY*	1.73	RATIO	1.00 - 2.00

INTERPRETATION

NOTE:- **To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.**

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 10:45PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)
2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTIC SIGNIFICANCE:

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 08:40PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
UREA			
UREA: SERUM *by UREASE - GLUTAMATE DEHYDROGENASE (GLDH)*	14.55	mg/dL	10.00 - 50.00

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 08:40PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
CREATININE			
CREATININE: SERUM *by ENZYMATIC, SPECTROPHOTOMETRY*	0.86	mg/dL	0.40 - 1.20

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 08:44PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

ENDOCRINOLOGY

THYROID STIMULATING HORMONE (TSH)

THYROID STIMULATING HORMONE (TSH): SERUM *by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)* **3rd GENERATION, ULTRASENSITIVE**	3.23	µIU/mL	0.35 - 5.50

INTERPRETATION:

AGE	REFFERENCE RANGE (µIU/mL)
0 – 5 DAYS	0.70 – 15.20
6 Days – 2 Months	0.70 – 11.00
3 – 11 Months	0.70 – 8.40
1 – 5 Years	0.70 – 7.00
6 – 10 Years	0.60 – 5.50
11 - 15	0.50 – 5.50
> 20 Years (Adults)	0.27 – 5.50
PREGNANCY	
1st Trimester	0.10 - 3.00
2nd Trimester	0.20 - 3.00
3rd Trimester	0.30 - 4.10

NOTE:-*TSH levels are subjected to circardian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50 %. Hence time of the day has influence on the measured serum TSH concentration.*

USE:- TSH controls biosynthesis and release of thyroid harmones T4 & T3. It is a sensitive measure of thyroid function, especially useful in early or subclinical hypothyroidism, before the patient develops any clinical findings or goitre or any other thyroid function abnormality.

INCREASED LEVELS:

1.Primary or untreated hypothyroidism, may vary from 3 times to more than 100 times normal depending on degree of hypofunction.
2.Hypothyroid patients receiving insufficient thyroid replacement therapy.
3.Hashimotos thyroiditis.
4.DRUGS: Amphetamines, Iodine containing agents and dopamine antagonist.
5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge.

DECREASED LEVELS:

1.Toxic multi-nodular goitre & Thyroiditis.
2.Over replacement of thyroid harmone in treatment of hypothyroidism.
3.Autonomously functioning Thyroid adenoma
4.Secondary pituatary or hypothalmic hypothyroidism
5.Acute psychiatric illness
6.Severe dehydration.
7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 08:44PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

8.Pregnancy: 1st and 2nd Trimester

LIMITATIONS:

1.TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothyroidism, pregnancy, phenytoin therapy.
2.Autoimmune disorders may produce spurious results.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 08:44PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

IMMUNOPATHOLOGY/SEROLOGY

HEPATITIS C VIRUS (HCV) ANTIBODY: TOTAL

HEPATITIS C ANTIBODY (HCV) TOTAL: SERUM *by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)*	0.08	S/CO	NEGATIVE: < 1.00 POSITIVE: > 1.00
HEPATITIS C ANTIBODY (HCV) TOTAL RESULT *by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)*	NON - REACTIVE		

INTERPRETATION:-

RESULT (INDEX)	REMARKS
< 1.00	NON - REACTIVE/NOT - DETECTED
> =1.00	REACTIVE/ASYMPTOMATIC/INFECTIVE STATE/CARRIER STATE.

Hepatitis C (HCV) is an RNA virus of Favivirus group transmitted via blood transfusions, transplantation, injection drug abusers, accidental needle punctures in healthcare workers, dialysis patients and rarely from mother to infant. 10 % of new cases show sexual transmission. As compared to HAV & HBV , chronic infection with HCV occurs in 85 % of infected individuals. In high risk population, the predictive value of Anti HCV for HCV infection is > 99% whereas in low risk populations it is only 25 %.

USES:

1. Indicator of past or present infection, but does not differentiate between Acute/ Chronic/Resolved Infection.
2. Routine screening of low and high prevelance population including blood donors.

NOTE:

1. False positive results are seen in Auto-immune disease, Rheumatoid Factor, HYpergammaglobulinemia, Paraproteinemia, Passive antibody transfer, Anti-idiotypes and Anti-superoxide dismutase.
2. False negative results are seen in early Acute infection, Immunosuppression and Immuno—incompetence.
3. *HCV-RNA PCR recommended in all reactive results to differentiate between past and present infection.*

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 08:44PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

ANTI HUMAN IMMUNODEFICIENCY VIRUS (HIV) DUO ULTRA WITH (P-24 ANTIGEN DETECTION)

HIV 1/2 AND P24 ANTIGEN: SERUM *by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)*	0.09	S/CO	NEGATIVE: < 1.00 POSITIVE: > 1.00
HIV 1/2 AND P24 ANTIGEN RESULT *by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)*	NON - REACTIVE		

INTERPRETATION:-

RESULT (INDEX)	REMARKS
< 1.00	NON - REACTIVE
> = 1.00	PROVISIONALLY REACTIVE

Non-Reactive result implies that antibodies to HIV 1/ 2 have not been detected in the sample . This menas that patient has either not been exposed to HIV 1/ 2 infection or the sample has been tested during the “window phase” i.e. before the development of detectable levels of antibodies. Hence a Non Reactive result does not exclude the possibility of exposure or infection with HIV 1/ 2.

RECOMMENDATIONS:

1. Results to be clinically correlated
2. Rarely falsenegativity/positivity may occur.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 08:44PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

HEPATITIS B SURFACE ANTIGEN (HBsAg) ULTRA

HEPATITIS B SURFACE ANTIGEN (HBsAg): SERUM *by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)*	0.27	S/CO	NEGATIVE: < 1.0 POSITIVE: > 1.0
HEPATITIS B SURFACE ANTIGEN (HBsAg) RESULT *by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)*	NON REACTIVE		

INTERPRETATION:

RESULT IN INDEX VALUE	REMARKS
< 1.30	NEGATIVE (-ve)
>=1.30	POSITIVE (+ve)

Hepatitis B Virus (HBV) is a member of the Hepadna virus family causing infection of the liver with extremely variable clinical features. Hepatitis B is transmitted primarily by body fluids especially serum and also spread effectively sexually and from mother to baby. In most individuals HBV hepatitis is self limiting, but 1-2 % normal adolescent and adults develop Chronic Hepatitis. Frequency of chronic HBV infection is 5-10% in immunocompromised patients and 80 % neonates. The initial serological marker of acute infection is HBsAg which typically appears 2-3 months after infection and disappears 12-20 weeks after onset of symtoms. Persistence of HBsAg for more than 6 months indicates carrier state or Chronic Liver disease.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 09:07PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

VDRL

VDRL *by IMMUNOCHROMATOGRAPHY*	NON REACTIVE		NON REACTIVE

INTERPRETATION:

1.Does not become positive until 7 - 10 days after appearance ofchancre.
2.***High titer (>1:16) - active disease.***
3.***Low titer (<1:8) - biological falsepositive test in 90% cases or due to late or late latent syphillis.***
4.Treatment of primary syphillis causes progressive decline tonegative VDRL within 2 years.
5.Rising titer (4X) indicates relapse,reinfection, or treatment failure and need for retreatment.
6.May benonreactive in early primary, late latent, and late syphillis (approx. 25% ofcases).
7.Reactive and weakly reactive tests should always be confirmedwith FTA-ABS (fluorescent treponemal antibody absorptiontest).

SHORTTERM FALSE POSITIVE TEST RESULTS (<6 MONTHS DURATION) MAY OCCURIN:

1.Acute viral illnesses (e.g., hepatitis, measles, infectious mononucleosis)
2.M. pneumoniae; Chlamydia; Malaria infection.
3.Some immunizations
4.Pregnancy (rare)

LONGTERM FALSE POSITIVE TEST RESULTS (>6 MONTHS DURATION) MAY OCCUR IN:

1.Serious underlying disease e.g., collagen vascular diseases, leprosy ,malignancy.
2.Intravenous drug users.
3.Rheumatoid arthritis, thyroiditis, AIDS, Sjogren's syndrome.
4.<l0 % of patients older thanage 70 years.
5.Patients taking some anti-hypertensive drugs.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 07:45PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

CLINICAL PATHOLOGY

URINE ROUTINE & MICROSCOPIC EXAMINATION

Test Name	Value	Unit	Biological Reference interval
PHYSICAL EXAMINATION			
QUANTITY RECIEVED	10	ml	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
COLOUR	PALE YELLOW		PALE YELLOW
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
TRANSPARANCY	HAZY		CLEAR
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
SPECIFIC GRAVITY	1.02		1.002 - 1.030
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
CHEMICAL EXAMINATION			
REACTION	ACIDIC		
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
PROTEIN	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
SUGAR	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
pH	6.5		5.0 - 7.5
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
BILIRUBIN	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
NITRITE	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.			
UROBILINOGEN	Normal	EU/dL	0.2 - 1.0
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
KETONE BODIES	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
BLOOD	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
ASCORBIC ACID	NEGATIVE (-ve)		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
MICROSCOPIC EXAMINATION			
RED BLOOD CELLS (RBCs)	NEGATIVE (-ve)	/HPF	0 - 3

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mrs. MANPREET KAUR**		
AGE/ GENDER	: 40 YRS/FEMALE	**PATIENT ID**	: 1753674
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012502110049**
REFERRED BY	: DR AJAY AGGARWAL	**REGISTRATION DATE**	: 11/Feb/2025 06:58 PM
BARCODE NO.	: 01525345	**COLLECTION DATE**	: 11/Feb/2025 07:07PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 11/Feb/2025 07:45PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
PUS CELLS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	1-3	/HPF	0 - 5
EPITHELIAL CELLS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	3-5	/HPF	ABSENT
CRYSTALS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	ABSENT		ABSENT

*** End Of Report ***

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)