

Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mr. AMARJIT	PATIENT ID	: 1766269
AGE/ GENDER	: 37 YRS/MALE	REG. NO./LAB NO.	: 012502220047
COLLECTED BY	:	REGISTRATION DATE	: 22/Feb/2025 01:04 PM
REFERRED BY	:	COLLECTION DATE	: 22/Feb/2025 01:04PM
BARCODE NO.	: 01525967	REPORTING DATE	: 22/Feb/2025 05:04PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

CLINICAL PATHOLOGY

SEMEN ANALYSIS/SEMINOGRAM

PHYSICAL EXAMINATION

TIME OF SPECIMEN COLLECTION	22-02-2025	AM/PM	
TIME OF EXAMINATION	22-02-2025	AM/PM	
DURATION OF ABSTINENCE	3	DAYS	2 - 7
TYPE OF SAMPLE	SEMEN		
LIQUIFACTION TIME AT 37°C	30	MINS	30 - 60
VOLUME	1	ML	
COLOUR	WHITISH OPAQUE		WHITISH OPAQUE
VISCOSITY	VISCOUS		VISCOUS
pH	8 ^H		5.0 - 7.5

AUTOMATED SEMEN ANALYSIS, GOLD STANDARD, WHO APPROVED (SQA GOLD)

TOTAL SPERM CONCENTRATION	133.4	Millions/mL	12 - 16
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
TOTAL MOTILITY (GRADE A + GRADE B + GRADE C)	52	%	> = 42.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
RAPIDLY PROGRESSIVE MOTILITY (GRADE A)	24	%	> = 30.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
SLOWLY PROGRESSIVE MOTILITY (GRADE B)	19	%	>= 30
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
NON PROGRESSIVE MOTILITY (GRADE C)	9	%	<= 1
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
IMMOTILE	48	%	
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
MORPHOLOGY NORMAL	9	%	> = 4.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
MOTILE SPERM CONCENTRATION	69.3	Millions/mL	> = 6.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
RAPIDLY PROGRESSIVE MOTILE SPERM CONCENTRATION	32.3	Millions/mL	> = 5.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
SLOWLY PROGRESSIVE MOTILE SPERM CONCENTRATION	24.8	Millions/mL	
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			




 DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mr. AMARJIT	PATIENT ID	: 1766269
AGE/ GENDER	: 37 YRS/MALE	REG. NO./LAB NO.	: 012502220047
COLLECTED BY	:	REGISTRATION DATE	: 22/Feb/2025 01:04 PM
REFERRED BY	:	COLLECTION DATE	: 22/Feb/2025 01:04PM
BARCODE NO.	: 01525967	REPORTING DATE	: 22/Feb/2025 05:04PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
FUNCTIONAL SPERM CONCENTRATION <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	11.9	Millions/mL	
VELOCITY (AVERAGE PATH VELOCITY) <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	42	Mic/sec	> = 5
SPERM MOTILE INDEX (SMI) <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	229		> = 80
<u>TOTAL PER EJACULATION</u>			
TOTAL SPERM NUMBER <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	133.4	Millions/ejc.	> = 39.0
TOTAL MOTILE SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	69.3	Millions/ejc.	> = 16.0
TOTAL PROGRESSIVE MOTILE SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	57.1	Millions/ejc.	> = 12.0
TOTAL FUNCTIONAL SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	11.9	Millions/ejc.	
TOTAL MORPHOLOGY NORMAL SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	12	Millions/ejc.	> = 2.0
<u>MANUAL MICROSCOPY AND MORPHOLOGY</u>			
VITALITY <i>by MICROSCOPY</i>	70	%	
RED BLOOD CELLS (RBCs) <i>by MICROSCOPY</i>	NOT DETECTED	/HPF	NOT DETECTED
PUS CELLS <i>by MICROSCOPY</i>	5-6	/HPF	0 - 5
AGGLUTINATES <i>by MICROSCOPY</i>	NOT DETECTED		NOT DETECTED
AMORPHOUS DEPOSITS/ROUND CELLS/DEBRIS <i>by MICROSCOPY</i>	NOT DETECTED		NOT DETECTED
BACTERIA <i>by MICROSCOPY</i>	NEGATIVE (-ve)		NEGATIVE (-ve)
HEAD DEFECTS <i>by MICROSCOPY</i>	37	%	
PIN HEADS <i>by MICROSCOPY</i>	8	%	
NECK AND MID-PIECE DEFECTS <i>by MICROSCOPY</i>	26	%	
TAIL DEFECTS	17	%	




 DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mr. AMARJIT	PATIENT ID	: 1766269
AGE/ GENDER	: 37 YRS/MALE	REG. NO./LAB NO.	: 012502220047
COLLECTED BY	:	REGISTRATION DATE	: 22/Feb/2025 01:04 PM
REFERRED BY	:	COLLECTION DATE	: 22/Feb/2025 01:04PM
BARCODE NO.	: 01525967	REPORTING DATE	: 22/Feb/2025 05:04PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
by MICROSCOPY			
CYTOPLASMIC DROPLETS	2	%	
by MICROSCOPY			
ACROSOME/NUCLEUS DEFECTS	1	%	
by MICROSCOPY			
CHEMICAL EXAMINATION			
SEMEN FRUCTOSE (QUALITATIVE)	POSITIVE (+ve)		POSITIVE (+ve)
by QUALITATIVE METHOD USING RESORCINOL			
INTERPRETATION:			
1.Fructose is the energy source for sperm motility. A positive fructose is considered normal.			
2.Azoospermia and fructose negative results may indicate an absence of seminal vesicles / vas deferens in the area of seminal vesicles / obstruction of seminal vesicles.			

*** End Of Report ***




 DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)

