



|                   |   | hopra<br>& Microbiology)<br>nsultant Pathologist | Dr. Yugarr<br>MD<br>CEO & Consultant | (Pathology)   |  |
|-------------------|---|--|--------------------------------------|---|--|
| NAME              | : Ms. SHIVANI GOEL  |  |                                      |   |  |
| AGE/ GENDER       | : 24 YRS/FEMALE   | PAT  | TIENT ID                             | : 1589908   |  |
| COLLECTED BY      | :   | REG  | G. NO./LAB NO.                       | : 012502240012  |  |
| REFERRED BY       | :   | REG  | <b>GISTRATION DATE</b>               | : 24/Feb/2025 09:40 AM  |  |
| BARCODE NO.       | : 01526055  | COI  | LECTION DATE                         | : 24/Feb/2025 09:49AM   |  |
| CLIENT CODE.      | : KOS DIAGNOSTIC LAB  | REP  | PORTING DATE                         | : 24/Feb/2025 03:25PM   |  |
| CLIENT ADDRESS    | : 6349/1, NICHOLSON ROAD  | , AMBALA CANTT                                   |                                      |   |  |
| Test Name         |   | Value  | Unit                                 | Biological Reference interval   |  |
|                   |   |  |                                      |   |  |
|                   | CLINI   | CAL CHEMISTR                                     | Y/BIOCHEMIST                         |   |  |
|                   | CLINI<br>GLUCOSE TOLERAN  |  |                                      | RY  |  |
| GLUCOSE FASTING   | GLUCOSE TOLERAN   |  |                                      | RY  |  |
| by GLUCOSE OXIDAS | <b>GLUCOSE TOLERAN</b><br>G (F): PLASMA<br>E - PEROXIDASE (GOD-POD) | NCE TEST MODIFI                                  | ED (AFTER 75 GN                      | RY<br>IS OF GLUCOSE)<br>NORMAL: < 100.0<br>PREDIABETIC: 100.0 - 125.0 |  |

## Interpretation: (In accordance with the American diabetes association guidelines):

This test is recommended for patients who have tested positive in the screening OGT (50 gram OGT) or in patients who are deemed to be at high risk of developing gestational diabetes. An 8-14 hour fasting is mandatory for initiation of this test.

For this test, a fasting sample is followed by two more samples drawn at 1 hour and 2 hours after ingestion of 75 grams of glucose.

| The American diabetes group recommendations suggest that gestational diabetes be diagnosed when one or more of the plasma glucose values are: |       |                   |  |  |  |
|---|-------|-------------------|--|--|--|
| Time  | Unit  | Blood Sugar level |  |  |  |
| Fasting   | mg/dl | >=95              |  |  |  |
| 1 hour  | mg/dl | >=180             |  |  |  |
| 2 hour  | mg/dl | >=155             |  |  |  |

\*\*\* End Of Report \*\*\*





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

