



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mrs. NIDHI

**AGE/ GENDER** : 35 YRS/FEMALE **PATIENT ID** : 1773805

**COLLECTED BY** REG. NO./LAB NO. :012502280031

REFERRED BY **REGISTRATION DATE** : 28/Feb/2025 04:52 PM BARCODE NO. :01526258 **COLLECTION DATE** : 28/Feb/2025 04:53PM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE :28/Feb/2025 05:18PM

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

**Value** Unit **Biological Reference interval Test Name** 

### **HAEMATOLOGY** HAEMOGLOBIN (HB)

12.3 HAEMOGLOBIN (HB) 12.0 - 16.0gm/dL

by CALORIMETRIC

**INTERPRETATION:-**

Hemoglobin is the protein molecule in red blood cells that carries oxygen from the lungs to the bodys tissues and returns carbon dioxide from the tissues back to the lungs.

A low hemoglobin level is referred to as ANEMIA or low red blood count.

ANEMIA (DECRESED HAEMOGLOBIN):

1) Loss of blood (traumatic injury, surgery, bleeding, colon cancer or stomach ulcer)

2) Nutritional deficiency (iron, vitamin B12, folate)

3) Bone marrow problems (replacement of bone marrow by cancer)

4) Suppression by red blood cell synthesis by chemotherapy drugs

5) Kidney failure

6) Abnormal hemoglobin structure (sickle cell anemia or thalassemia).

### POLYCYTHEMIA (INCREASED HAEMOGLOBIN):

- 1) People in higher altitudes (Physiological)
- 2) Smoking (Secondary Polycythemia)
- 3) Dehydration produces a falsely rise in hemoglobin due to increased haemoconcentration
- 4) Advanced lung disease (for example, emphysema)
- 5) Certain tumors
- 6) A disorder of the bone marrow known as polycythemia rubra vera,
- 7) Abuse of the drug erythropoetin (Epogen) by athletes for blood doping purposes (increasing the amount of oxygen available to the body by chemically raising the production of red blood cells).

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

/cmm

150000 - 450000

NAME : Mrs. NIDHI

**AGE/ GENDER** : 35 YRS/FEMALE **PATIENT ID** : 1773805

COLLECTED BY : REG. NO./LAB NO. : 012502280031

 REFERRED BY
 : 28/Feb/2025 04:52 PM

 BARCODE NO.
 : 01526258
 COLLECTION DATE
 : 28/Feb/2025 04:53 PM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 28/Feb/2025 05:18 PM

213000

**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

PLATELET COUNT (P/C)

PLATELET COUNT (PLT)

by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE &

MICROSCOPY

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD

Shopra

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)







(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 28/Feb/2025 05:43PM

**NAME** : Mrs. NIDHI

**AGE/ GENDER** : 35 YRS/FEMALE **PATIENT ID** : 1773805

**COLLECTED BY** REG. NO./LAB NO. :012502280031

REFERRED BY **REGISTRATION DATE** : 28/Feb/2025 04:52 PM BARCODE NO. :01526258 **COLLECTION DATE** : 28/Feb/2025 04:53PM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

**Value** Unit **Biological Reference interval Test Name** 

### **GLYCOSYLATED HAEMOGLOBIN (HBA1C)**

GLYCOSYLATED HAEMOGLOBIN (HbA1c): 5.4 4.0 - 6.4

WHOLE BLOOD

by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)

ESTIMATED AVERAGE PLASMA GLUCOSE 108.28 mg/dL 60.00 - 140.00

by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)

### **INTERPRETATION:**

AS PER AIVIERICAN D	IABETES ASSOCIATION (ADA):	
REFERENCE GROUP	GLYCOSYLATED HEMOGL	OGIB (HBAIC) in %
Non diabetic Adults >= 18 years	<5.7	
At Risk (Prediabetes)	5.7 – 6.4	1
Diagnosing Diabetes	>= 6.5	
Therapeutic goals for glycemic control	Age > 19 Ye	ears
	Goals of Therapy:	< 7.0
	Actions Suggested:	>8.0
	Age < 19 Ye	ears
	Goal of therapy:	<7.5

#### COMMENTS:

- 1. Glycosylated hemoglobin (HbA1c) test is three monthly monitoring done to assess compliace with therapeutic regimen in diabetic patients.
- 2. Since Hb1c reflects long term fluctuations in blood glucose concentration, a diabetic patient who has recently under good control may still have high concentration of HbAlc. Converse is true for a diabetic previously under good control but now poorly controlled.
- 3. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targetting a goal of < 7.0% may not be

HbA1c (>9.0 -9.5 %) is strongly associated with risk of development and rapid progression of microvascular and nerve complications

5. Any condition that shorten RBC life span like acute blood loss, hemolytic anemia falsely lower HbA1c results.

6.HbA1c results from patients with HbSS,HbSC and HbD must be interpreted with caution, given the pathological processes including anemia, increased red cell turnover, and transfusion requirement that adversely impact HbA1c as a marker of long-term gycemic control.

7. Specimens from patients with polycythemia or post-splenctomy may exhibit increse in HbA1c values due to a somewhat longer life span of the red cells.



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. NIDHI

**AGE/ GENDER** : 35 YRS/FEMALE **PATIENT ID** : 1773805

COLLECTED BY : REG. NO./LAB NO. : 012502280031

 REFERRED BY
 : 28/Feb/2025 04:52 PM

 BARCODE NO.
 : 01526258
 COLLECTION DATE
 : 28/Feb/2025 04:53 PM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 28/Feb/2025 05:43 PM


**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

#### LIFOTRONIC Graph Report

Name :	Case:	Patient Type :	Test Date: 28/02/2025 17:41:11
Age:	Department:	Sample Type: Whole Blood EDTA	Sample ld: 01526258
Gender:			Total Area: 7863

Peak Name	Retention Time(s)	Absorbance	Area	Result (Area %)
HbA0	66	2249	7074	85.5
HbA1c	38	41	445	5.4
La1c	26	27	170	2.0
HbF	21	7	10	0.1
Hba1b	13	22	79	0.9
Hba1a	10	17	85	1.0





DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana
KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana
0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com

Page 4 of 10



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. NIDHI

AGE/ GENDER : 35 YRS/FEMALE PATIENT ID : 1773805

COLLECTED BY : REG. NO./LAB NO. : 012502280031

 REFERRED BY
 : 28/Feb/2025 04:52 PM

 BARCODE NO.
 : 01526258
 COLLECTION DATE
 : 28/Feb/2025 04:53 PM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 28/Feb/2025 05:44 PM

**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name	Value	Unit	<b>Biological Reference interval</b>

### PROTHROMBIN TIME STUDIES (PT/INR)

11001		1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
PT TEST (PATIENT) by PHOTO OPTICAL CLOT DETECTION	11.8	SECS	11.5 - 14.5
PT (CONTROL) by PHOTO OPTICAL CLOT DETECTION	12	SECS	
ISI by PHOTO OPTICAL CLOT DETECTION	1.1		
INTERNATIONAL NORMALISED RATIO (INR) by PHOTO OPTICAL CLOT DETECTION	0.98		0.80 - 1.20
PT INDEX by PHOTO OPTICAL CLOT DETECTION	101.69	%	

#### **INTERPRETATION:-**

- 1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity.
- 2. Prolonged INR suggests potential bleeding disorder /bleeding complications
- 3. Results should be clinically correlated.
- 4. Test conducted on Citrated Plasma

RECOMMENDED THERAPEUTIC RANGE FOR ORAL ANTI-COAGULANT THERAPY (INR)				
INDICATION		INTERNATIO	NAL NORMALIZED RATIO (INR)	
Treatment of venous thrombosis				
Treatment of pulmonary embolism				
Prevention of systemic embolism in tissue heart valves				
Valvular heart disease	Low Intensity		2.0 - 3.0	
Acute myocardial infarction				
Atrial fibrillation				
Bileaflet mechanical valve in aortic position				
Recurrent embolism				
Mechanical heart valve	High Intensity		2.5 - 3.5	
Antiphospholipid antibodies <sup>+</sup>	,g	/		

**COMMENTS:** 



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS . MD (PATHOLOGY)



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mrs. NIDHI

AGE/ GENDER : 35 YRS/FEMALE PATIENT ID : 1773805

COLLECTED BY : REG. NO./LAB NO. : 012502280031

 REFERRED BY
 : 28/Feb/2025 04:52 PM

 BARCODE NO.
 : 01526258
 COLLECTION DATE
 : 28/Feb/2025 04:53 PM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 28/Feb/2025 05:44 PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway.

The common causes of prolonged prothrombin time are :

- 1.Oral Anticoagulant therapy.
- 2.Liver disease.
- 3.Vit K. deficiency.
- 4. Disseminated intra vascular coagulation.
- 5. Factor 5, 7, 10 or Prothrombin dificiency

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana
KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana
0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mrs. NIDHI

AGE/ GENDER : 35 YRS/FEMALE PATIENT ID : 1773805

COLLECTED BY : REG. NO./LAB NO. : 012502280031

 REFERRED BY
 : 28/Feb/2025 04:52 PM

 BARCODE NO.
 : 01526258
 COLLECTION DATE
 : 28/Feb/2025 04:53 PM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 28/Feb/2025 06:25 PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

# IMMUNOPATHOLOGY/SEROLOGY HEPATITIS C VIRUS (HCV) ANTIBODY: TOTAL

HEPATITIS C ANTIBODY (HCV) TOTAL: SERUM

0.0

S/CO

NEGATIVE: < 1.00 POSITIVE: > 1.00

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

HEPATITIS C ANTIBODY (HCV) TOTAL

NON - REACTIVE

RESULT

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

INTERPRETATION:-

HITEKI KETTITOTI	
RESULT (INDEX)	REMARKS
< 1.00	NON - REACTIVE/NOT - DETECTED
>=1.00	REACTIVE/ASYMPTOMATIC/INFECTIVE STATE/CARRIER STATE.

Hepatitis C (HCV) is an RNA virus of Favivirus group transmitted via blood transfusions, transplantation, injection drug abusers, accidental needle punctures in healthcare workers, dialysis patients and rarely from mother to infant. 10 % of new cases show sexual transmission. As compared to HAV & HBV, chronic infection with HCV occurs in 85 % of infected individuals. In high risk population, the predictive value of Anti HCV for HCV infection is > 99% whereas in low risk populations it is only 25 %.

- 1. Indicator of past or present infection, but does not differentiate between Acute/ Chronic/Resolved Infection.
- 2. Routine screening of low and high prevelance population including blood donors.

#### NOTE:

- 1. False positive results are seen in Auto-immune disease, Rheumatoid Factor, HYpergammaglobulinemia, Paraproteinemia, Passive antibody transfer, Anti-idiotypes and Anti-superoxide dismutase.
- 2. False negative results are seen in early Acute infection, Immunosuppression and Immuno—incompetence.

3. HCV-RNA PCR recommended in all reactive results to differentiate between past and present infection.



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mrs. NIDHI

**AGE/ GENDER** : 35 YRS/FEMALE **PATIENT ID** : 1773805

**COLLECTED BY** :012502280031 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 28/Feb/2025 04:52 PM BARCODE NO. :01526258 **COLLECTION DATE** : 28/Feb/2025 04:53PM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 28/Feb/2025 06:25PM

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

**Test Name Value** Unit **Biological Reference interval** 

### ANTI HUMAN IMMUNODEFICIENCY VIRUS (HIV) DUO ULTRA WITH (P-24 ANTIGEN DETECTION)

HIV 1/2 AND P24 ANTIGEN: SERUM

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

S/CO

NEGATIVE: < 1.00 POSITIVE: > 1.00

**NON - REACTIVE** 

HIV 1/2 AND P24 ANTIGEN RESULT by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

**INTERPRETATION:-**

RESULT (INDEX)	REMARKS
< 1.00	NON - REACTIVE
> = 1.00	PROVISIONALLY REACTIVE

Non-Reactive result implies that antibodies to HIV 1/2 have not been detected in the sample. This menas that patient has either not been exposed to HIV 1/2 infection or the sample has been tested during the "window phase" i.e. before the development of detectable levels of antibodies. Hence a Non Reactive result does not exclude the possibility of exposure or infection with HIV 1/2. RECOMMENDATIONS:

1. Results to be clinically correlated

2. Rarely falsenegativity/positivity may occur.



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra

MD (Pathology)

CEO & Consultant Pathologist

NAME : Mrs. NIDHI

**AGE/ GENDER** : 35 YRS/FEMALE **PATIENT ID** : 1773805

COLLECTED BY : REG. NO./LAB NO. : 012502280031

 REFERRED BY
 : 28/Feb/2025 04:52 PM

 BARCODE NO.
 : 01526258
 COLLECTION DATE
 : 28/Feb/2025 04:53 PM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 28/Feb/2025 06:25 PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

### HEPATITIS B SURFACE ANTIGEN (HBsAg) ULTRA

HEPATITIS B SURFACE ANTIGEN (HBsAg):

0.23

NEGATIVE: < 1.0 POSITIVE: > 1.0

SERUM

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

HEPATITIS B SURFACE ANTIGEN (HBsAg)

NON REACTIVE

RESULT

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

#### **INTERPRETATION:**

RESULT IN INDEX VALUE	REMARKS	
< 1.30	NEGATIVE (-ve)	ĺ
>=1.30	POSITIVE (+ve)	ĺ

Hepatitis B Virus (HBV) is a member of the Hepadna virus family causing infection of the liver with extremely variable clinical features. Hepatitis B is transmitted primarily by body fluids especially serum and also spread effectively sexually and from mother to baby. In most individuals HBV hepatitis is self limiting, but 1-2 % normal adolescent and adults develop Chronic Hepatitis. Frequency of chronic HBV infection is 5-10% in immunocompromised patients and 80 % neonates. The initial serological marker of acute infection is HBsAg which typically appears 2-3 months after infection and disappears 12-20 weeks after onset of symtoms. Persistence of HBsAg for more than 6 months indicates carrier state or Chronic Liver disease.



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





# KOS Diagnostic Lab (A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. NIDHI

AGE/ GENDER : 35 YRS/FEMALE PATIENT ID : 1773805

COLLECTED BY : REG. NO./LAB NO. : 012502280031

 REFERRED BY
 : 28/Feb/2025 04:52 PM

 BARCODE NO.
 : 01526258
 COLLECTION DATE
 : 28/Feb/2025 04:53 PM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 28/Feb/2025 06:37 PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

**VDRL** 

VDRL NON REACTIVE NON REACTIVE

by IMMUNOCHROMATOGRAPHY

#### **INTERPRETATION:**

1. Does not become positive until 7 - 10 days after appearance of chancre.

- 2. High titer (>1:16) active disease.
- 3.Low titer (<1:8) biological falsepositive test in 90% cases or due to late or late latent syphillis.
- 4.Treatment of primary syphillis causes progressive decline tonegative VDRL within 2 years.
- 5. Rising titer (4X) indicates relapse, reinfection, or treatment failure and need for retreatment.
- 6. May benonreactive in early primary, late latent, and late syphillis (approx. 25% ofcases).
- 7. Reactive and weakly reactive tests should always be confirmed with FTA-ABS (fluorescent treponemal antibody absorption test).

#### SHORTTERM FALSE POSITIVE TEST RESULTS (<6 MONTHS DURATION) MAY OCCURIN:

- 1. Acute viral illnesses (e.g., hepatitis, measles, infectious mononucleosis)
- 2.M. pneumoniae; Chlamydia; Malaria infection.
- 3. Some immunizations
- 4.Pregnancy (rare)

#### LONGTERM FALSE POSITIVE TEST RESULTS (>6 MONTHS DURATION) MAY OCCUR IN:

- $1. Serious\ underlying\ disease\ e.g.,\ collagen\ vascular\ diseases,\ leprosy\ , malignancy.$
- 2.Intravenous drug users.
- $3. Rheumatoid\ arthritis,\ thyroiditis,\ AIDS,\ Sjogren's\ syndrome.$
- 4.< 10 % of patients older thanage 70 years.
- 5. Patients taking some anti-hypertensive drugs.

\*\*\* End Of Report \*\*\*



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUĞAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana