

(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. RANI SHARMA

AGE/ GENDER : 52 YRS/FEMALE **PATIENT ID** : 1775601

COLLECTED BY : REG. NO./LAB NO. : 012503020004

 REFERRED BY
 : 02/Mar/2025 08:07 AM

 BARCODE NO.
 : 01526313
 COLLECTION DATE
 : 02/Mar/2025 08:18AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 02/Mar/2025 10:04AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

HAEMATOLOGY HAEMOGLOBIN (HB)

HAEMOGLOBIN (HB) 11.5^{L} gm/dL 12.0 - 16.0

by CALORIMETRIC

<u>INTERPRETATION:-</u>
Hemoglobin is the protein molecule in red blood cells that carries oxygen from the lungs to the bodys tissues and returns carbon dioxide from the tissues back to the lungs.

A low hemoglobin level is referred to as ANEMIA or low red blood count.

ANEMIA (DECRESED HAEMOGLOBIN):

1) Loss of blood (traumatic injury, surgery, bleeding, colon cancer or stomach ulcer)

- 2) Nutritional deficiency (iron, vitamin B12, folate)
- 3) Bone marrow problems (replacement of bone marrow by cancer)
- 4) Suppression by red blood cell synthesis by chemotherapy drugs
- 5) Kidney failure
- 6) Abnormal hemoglobin structure (sickle cell anemia or thalassemia).

POLYCYTHEMIA (INCREASED HAEMOGLOBIN):

- 1) People in higher altitudes (Physiological)
- 2) Smoking (Secondary Polycythemia)
- 3) Dehydration produces a falsely rise in hemoglobin due to increased haemoconcentration
- 4) Advanced lung disease (for example, emphysema)
- 5) Certain tumors
- 6) A disorder of the bone marrow known as polycythemia rubra vera,
- 7) Abuse of the drug erythropoetin (Epogen) by athletes for blood doping purposes (increasing the amount of oxygen available to the body by chemically raising the production of red blood cells).

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

/cmm

150000 - 450000

NAME : Mrs. RANI SHARMA

AGE/ GENDER : 52 YRS/FEMALE **PATIENT ID** : 1775601

COLLECTED BY : REG. NO./LAB NO. : 012503020004

 REFERRED BY
 : 02/Mar/2025 08:07 AM

 BARCODE NO.
 : 01526313
 COLLECTION DATE
 : 02/Mar/2025 08:18AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 02/Mar/2025 10:04AM

217000

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

PLATELET COUNT (P/C)

PLATELET COUNT (PLT)

by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE &

MICROSCOPY

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD

Thopra

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana
KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana
0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. RANI SHARMA

AGE/ GENDER : 52 YRS/FEMALE **PATIENT ID** : 1775601

COLLECTED BY : REG. NO./LAB NO. : 012503020004

 REFERRED BY
 : 02/Mar/2025 08:07 AM

 BARCODE NO.
 : 01526313
 COLLECTION DATE
 : 02/Mar/2025 08:18AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 02/Mar/2025 10:06AM

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

PROTHROMBIN TIME STUDIES (PT/INR)

PT TEST (PATIENT) by PHOTO OPTICAL CLOT DETECTION	12.2	SECS	11.5 - 14.5
PT (CONTROL) by PHOTO OPTICAL CLOT DETECTION	12	SECS	
ISI by PHOTO OPTICAL CLOT DETECTION	1.1		
INTERNATIONAL NORMALISED RATIO (INR) by PHOTO OPTICAL CLOT DETECTION	1.02		0.80 - 1.20
PT INDEX by PHOTO OPTICAL CLOT DETECTION	98.36	%	

INTERPRETATION:-

- 1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity.
- 2. Prolonged INR suggests potential bleeding disorder /bleeding complications
- 3. Results should be clinically correlated.
- 4. Test conducted on Citrated Plasma

RECOMMENDED THERAPEUTIC RANGE FOR ORAL ANTI-COAGULANT THERAPY (INR)			
INDICATION		INTERNATIONAL NORMALIZED RATIO (INR)	
Treatment of venous thrombosis			
Treatment of pulmonary embolism			
Prevention of systemic embolism in tissue heart valves			
Valvular heart disease	Low Intensity		2.0 - 3.0
Acute myocardial infarction			
Atrial fibrillation			
Bileaflet mechanical valve in aortic position			
Recurrent embolism			
Mechanical heart valve	High Intensity		2.5 - 3.5
Antiphospholipid antibodies ⁺		/	

COMMENTS:



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)





(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 02/Mar/2025 10:06AM

NAME : Mrs. RANI SHARMA

AGE/ GENDER : 52 YRS/FEMALE **PATIENT ID** :1775601

COLLECTED BY : 012503020004 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 02/Mar/2025 08:07 AM BARCODE NO. :01526313 **COLLECTION DATE** : 02/Mar/2025 08:18AM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval**

REPORTING DATE

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway.

The common causes of prolonged prothrombin time are:

- 1. Oral Anticoagulant therapy.
- 2.Liver disease.

CLIENT CODE.

- 3. Vit K. deficiency.
- 4. Disseminated intra vascular coagulation.
- 5. Factor 5, 7, 10 or Prothrombin dificiency

CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mrs. RANI SHARMA

AGE/ GENDER : 52 YRS/FEMALE **PATIENT ID** : 1775601

COLLECTED BY : REG. NO./LAB NO. : 012503020004

 REFERRED BY
 : 02/Mar/2025 08:07 AM

 BARCODE NO.
 : 01526313
 COLLECTION DATE
 : 02/Mar/2025 08:18AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 02/Mar/2025 12:33PM

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

CLINICAL CHEMISTRY/BIOCHEMISTRY

UREA

UREA: SERUM 15.86 mg/dL 10.00 - 50.00 by UREASE - GLUTAMATE DEHYDROGENASE (GLDH)

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana
KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana
0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mrs. RANI SHARMA

AGE/ GENDER : 52 YRS/FEMALE **PATIENT ID** : 1775601

COLLECTED BY : REG. NO./LAB NO. : 012503020004

 REFERRED BY
 : 02/Mar/2025 08:07 AM

 BARCODE NO.
 : 01526313
 COLLECTION DATE
 : 02/Mar/2025 08:18AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 02/Mar/2025 12:33PM

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

CREATININE

CREATININE: SERUM 0.84 mg/dL 0.40 - 1.20 by ENZYMATIC, SPECTROPHOTOMETRY

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)





(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

S/CO

NEGATIVE: < 1.00

POSITIVE: > 1.00

NAME : Mrs. RANI SHARMA

AGE/ GENDER : 52 YRS/FEMALE **PATIENT ID** : 1775601

COLLECTED BY : REG. NO./LAB NO. : 012503020004

 REFERRED BY
 : 02/Mar/2025 08:07 AM

 BARCODE NO.
 : 01526313
 COLLECTION DATE
 : 02/Mar/2025 08:18AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 02/Mar/2025 02:13PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

IMMUNOPATHOLOGY/SEROLOGY HEPATITIS C VIRUS (HCV) ANTIBODY: TOTAL

HEPATITIS C ANTIBODY (HCV) TOTAL: SERUM

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

HEPATITIS C ANTIBODY (HCV) TOTAL

NON - REACTIVE

RESULT

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

INTERPRETATION:-

HITEKI KETTITOTI	
RESULT (INDEX)	REMARKS
< 1.00	NON - REACTIVE/NOT - DETECTED
>=1.00	REACTIVE/ASYMPTOMATIC/INFECTIVE STATE/CARRIER STATE.

Hepatitis C (HCV) is an RNA virus of Favivirus group transmitted via blood transfusions, transplantation, injection drug abusers, accidental needle punctures in healthcare workers, dialysis patients and rarely from mother to infant. 10 % of new cases show sexual transmission. As compared to HAV & HBV, chronic infection with HCV occurs in 85 % of infected individuals. In high risk population, the predictive value of Anti HCV for HCV infection is > 99% whereas in low risk populations it is only 25 %.

- 1. Indicator of past or present infection, but does not differentiate between Acute/ Chronic/Resolved Infection.
- 2. Routine screening of low and high prevelance population including blood donors.

NOTE:

- 1. False positive results are seen in Auto-immune disease, Rheumatoid Factor, HYpergammaglobulinemia, Paraproteinemia, Passive antibody transfer, Anti-idiotypes and Anti-superoxide dismutase.
- 2. False negative results are seen in early Acute infection, Immunosuppression and Immuno—incompetence.

3. HCV-RNA PCR recommended in all reactive results to differentiate between past and present infection.



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)



KOS Central Lab: 6349/I, Nicholson Road, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. RANI SHARMA

AGE/ GENDER : 52 YRS/FEMALE **PATIENT ID** :1775601

COLLECTED BY :012503020004 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 02/Mar/2025 08:07 AM BARCODE NO. :01526313 **COLLECTION DATE** : 02/Mar/2025 08:18AM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval**

REPORTING DATE

ANTI HUMAN IMMUNODEFICIENCY VIRUS (HIV) DUO ULTRA WITH (P-24 ANTIGEN DETECTION)

HIV 1/2 AND P24 ANTIGEN: SERUM

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

S/CO NEGATIVE: < 1.00 POSITIVE: > 1.00

: 02/Mar/2025 02:13PM

HIV 1/2 AND P24 ANTIGEN RESULT

NON - REACTIVE

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

INTERPRETATION:-

CLIENT CODE.

RESULT (INDEX)	REMARKS
< 1.00	NON - REACTIVE
> = 1.00	PROVISIONALLY REACTIVE

Non-Reactive result implies that antibodies to HIV 1/2 have not been detected in the sample. This menas that patient has either not been exposed to HIV 1/2 infection or the sample has been tested during the "window phase" i.e. before the development of detectable levels of antibodies. Hence a Non Reactive result does not exclude the possibility of exposure or infection with HIV 1/2. RECOMMENDATIONS:

1. Results to be clinically correlated

2. Rarely falsenegativity/positivity may occur.



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. RANI SHARMA

AGE/ GENDER : 52 YRS/FEMALE **PATIENT ID** :1775601

COLLECTED BY :012503020004 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 02/Mar/2025 08:07 AM BARCODE NO. :01526313 **COLLECTION DATE** : 02/Mar/2025 08:18AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 02/Mar/2025 02:13PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Value Unit **Biological Reference interval Test Name**

HEPATITIS B SURFACE ANTIGEN (HBsAg) ULTRA

HEPATITIS B SURFACE ANTIGEN (HBsAg):

0.22

NEGATIVE: < 1.0 POSITIVE: > 1.0

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

HEPATITIS B SURFACE ANTIGEN (HBsAg)

NON REACTIVE

RESULT

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

INTERPRETATION:

HATERI RETAINOR.			
RESULT IN INDEX VALUE	REMARKS		
< 1.30	NEGATIVE (-ve)		
>=1.30	POSITIVE (+ve)		

Hepatitis B Virus (HBV) is a member of the Hepadna virus family causing infection of the liver with extremely variable clinical features. Hepatitis B is transmitted primarily by body fluids especially serum and also spread effectively sexually and from mother to baby. In most individuals HBV hepatitis is self limiting, but 1-2 % normal adolescent and adults develop Chronic Hepatitis. Frequency of chronic HBV infection is 5-10% in immunocompromised patients and 80 % neonates. The initial serological marker of acute infection is HBsAg which typically appears 2-3 months after infection and disappears 12-20 weeks after onset of symtoms. Persistence of HBsAg for more than 6 months indicates carrier state or Chronic Liver disease.

** End Of Report ***



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

