



	Dr. Vinay Chopra MD (Pathology & Micr Chairman & Consultar	obiology)		gam Chopra MD (Pathology Iltant Pathologis	
NAME	: Mrs. SHWETA				
AGE/ GENDER	: 39 YRS/FEMALE		PATIENT ID	: 17831	06
COLLECTED BY	:		REG. NO./LAB NO.	:0125	03080008
REFERRED BY	:		REGISTRATION DAT	FE : 08/Ma	r/2025 07:54 AM
BARCODE NO.	:01526679		COLLECTION DATE		r/2025 07:55AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 08/Ma	r/2025 08:46AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB.	ALA CANTI			
Test Name		Value	Unit	7	Biological Reference interval
DED BLOOD CELLS	COMP		LLNESS PANEL: .00D COUNT (CBC		
HAEMOGLOBIN (HI	<u>(RBCS) COUNT AND INDICES</u>	44.01	gm/o	dī	12.0 - 16.0
by CALORIMETRIC		11.9 ^L	Ű		
RED BLOOD CELL (RBC) COUNT OCUSING, ELECTRICAL IMPEDENCE	4.15	Millio	ons/cmm	3.50 - 5.00
PACKED CELL VOLU		35.8 ^L	%		37.0 - 50.0
MEAN CORPUSCUL		86.2	fL		80.0 - 100.0
MEAN CORPUSCUL	AR HAEMOGLOBIN (MCH) utomated hematology analyzer	28.6	pg		27.0 - 34.0
MEAN CORPUSCUL	AR HEMOGLOBIN CONC. (MCHC) UTOMATED HEMATOLOGY ANALYZER	33.1	g/dL		32.0 - 36.0
	UTION WIDTH (RDW-CV) UTOMATED HEMATOLOGY ANALYZER	14.3	%		11.00 - 16.00
	UTION WIDTH (RDW-SD) utomated hematology analyzer	46.1	fL		35.0 - 56.0
MENTZERS INDEX		20.77	RATI	ΙΟ	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING IND by CALCULATED		29.63	RATI	ΙΟ	BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CE		0.4.15			
TOTAL LEUCOCYTE by FLOW CYTOMETRY	COUNT (TLC) ' by sf cube & microscopy	6440	/cmr	m	4000 - 11000
	LOOD CELLS (nRBCS) RT HEMATOLOGY ANALYZER	NIL			0.00 - 20.00
	LOOD CELLS (nRBCS) % utomated hematology analyzer	NIL	%		< 10 %





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com



Page 1 of 16





Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

	Dr. Vinay Chop MD (Pathology & Mi Chairman & Consult	crobiology)	r. Yugam Chopra MD (Pathology) Consultant Pathologist	
NAME	: Mrs. SHWETA			
AGE/ GENDER	: 39 YRS/FEMALE	PATIENT ID	: 1783106	
COLLECTED BY	:	REG. NO./LAB	NO. : 012503080008	
REFERRED BY	:	REGISTRATIO	NDATE : 08/Mar/2025 07:54 AM	
BARCODE NO.	: 01526679	COLLECTION D	ATE : 08/Mar/2025 07:55AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING D	TE : 08/Mar/2025 08:46AM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	BALA CANTT		
Test Name		Value	Unit Biological Refe	erence interval

DIFFERENTIAL LEUCOCYTE COUNT (DLC)			
NEUTROPHILS	66	%	50 - 70
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY			
LYMPHOCYTES by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	24	%	20 - 40
EOSINOPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	3	%	1 - 6
MONOCYTES by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	7	%	2 - 12
BASOPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	0	%	0 - 1
ABSOLUTE LEUKOCYTES (WBC) COUNT			
ABSOLUTE NEUTROPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	4250	/cmm	2000 - 7500
ABSOLUTE LYMPHOCYTE COUNT by flow cytometry by sf cube & microscopy	1546	/cmm	800 - 4900
ABSOLUTE EOSINOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	193	/cmm	40 - 440
ABSOLUTE MONOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	451	/cmm	80 - 880
ABSOLUTE BASOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	0	/cmm	0 - 110
ABSOLUTE IMMATURE GRANULOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	0	/cmm	0.0 - 999.0
PLATELETS AND OTHER PLATELET PREDICTIVE	MARKERS.		
PLATELET COUNT (PLT) by hydro dynamic focusing, electrical impedence	211000	/cmm	150000 - 450000
PLATELETCRIT (PCT) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	0.32	%	0.10 - 0.36
MEAN PLATELET VOLUME (MPV) by hydro dynamic focusing, electrical impedence	15 ^H	fL	6.50 - 12.0
PLATELET LARGE CELL COUNT (P-LCC) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	126000 ^H	/cmm	30000 - 90000
PLATELET LARGE CELL RATIO (P-LCR) by Hydro Dynamic Focusing, electrical impedence	59.7 ^H	%	11.0 - 45.0
PLATELET DISTRIBUTION WIDTH (PDW) by Hydro Dynamic Focusing, electrical impedence	16.2	%	15.0 - 17.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







	Dr. Vinay Chopra MD (Pathology & Microbiolog Chairman & Consultant Patho		(Pathology)
NAME	: Mrs. SHWETA		
AGE/ GENDER	: 39 YRS/FEMALE	PATIENT ID	: 1783106
COLLECTED BY	:	REG. NO./LAB NO.	: 012503080008
REFERRED BY	:	REGISTRATION DATE	: 08/Mar/2025 07:54 AM
BARCODE NO.	: 01526679	COLLECTION DATE	: 08/Mar/2025 07:55AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 08/Mar/2025 08:46AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CA	NTT	
Test Name	Value	e Unit	Biological Reference interval

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



: Mrs. SHWETA : 39 YRS/FEMALE : : 01526679 : KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD ERYTH IMENTATION RATE (ESR) ATION BY CAPILLARY PHOTOME : test because an elevated rest loes not tell the health practi ted by other conditions besid	I D, AMBALA CANTT Value HROCYTE SEDIM 26 ^H ETRY sult often indicates to tioner exactly where		hr 0 - 20
: : : 01526679 : KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROA ERYTH IMENTATION RATE (ESR) ATION BY CAPILLARY PHOTOME : test because an elevated rest loes not tell the health practi	I D, AMBALA CANTT Value HROCYTE SEDIM 26 ^H ETRY sult often indicates to tioner exactly where	REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE REPORTING DATE Unit LENTATION RATE (mm/1st ne presence of inflammat	: 012503080008 : 08/Mar/2025 07:54 AM : 08/Mar/2025 07:55AM : 08/Mar/2025 09:01AM Biological Reference interval
: : 01526679 : KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROA ERYTH IMENTATION RATE (ESR) ATION BY CAPILLARY PHOTOME : test because an elevated rest loes not tell the health practi	D, AMBALA CANTT Value IROCYTE SEDIM 26 ^H ETRY sult often indicates to tioner exactly where	REGISTRATION DATE COLLECTION DATE REPORTING DATE Unit LENTATION RATE (mm/1st ne presence of inflammat	: 08/Mar/2025 07:54 AM : 08/Mar/2025 07:55AM : 08/Mar/2025 09:01AM Biological Reference interval (ESR) : hr 0 - 20
: KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD ERYTH IMENTATION RATE (ESR) ATION BY CAPILLARY PHOTOME : test because an elevated resioes not tell the health practi	D, AMBALA CANTT Value HROCYTE SEDIM 26 ^H ETRY sult often indicates to tioner exactly where	COLLECTION DATE REPORTING DATE Unit LENTATION RATE (mm/1st ne presence of inflammat	: 08/Mar/2025 07:55AM : 08/Mar/2025 09:01AM Biological Reference interval (ESR) : hr 0 - 20
: KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD ERYTH IMENTATION RATE (ESR) ATION BY CAPILLARY PHOTOME : test because an elevated resioes not tell the health practi	D, AMBALA CANTT Value ROCYTE SEDIM 26 ^H ETRY sult often indicates tl tioner exactly where	REPORTING DATE Unit IENTATION RATE (mm/1st	: 08/Mar/2025 09:01AM Biological Reference interval (ESR) : hr 0 - 20
: 6349/1, NICHOLSON ROA ERYTH IMENTATION RATE (ESR) ATION BY CAPILLARY PHOTOME : test because an elevated rest loes not tell the health practi	D, AMBALA CANTT Value IROCYTE SEDIM 26 ^H ETRY sult often indicates th tioner exactly where	Unit IENTATION RATE (mm/1st ne presence of inflammat	ESR) Ehr 0 - 20
ERYTH IMENTATION RATE (ESR) ATION BY CAPILLARY PHOTOME test because an elevated rest loes not tell the health practi	Value IROCYTE SEDIM 26 ^H ETRY sult often indicates the tioner exactly where	ENTATION RATE (mm/1st	(ESR) Ehr 0 - 20
IMENTATION RATE (ESR) ATION BY CAPILLARY PHOTOME test because an elevated re- loes not tell the health practi	IROCYTE SEDIM 26^H Sult often indicates the tioner exactly where	ENTATION RATE (mm/1st	(ESR) Ehr 0 - 20
IMENTATION RATE (ESR) ATION BY CAPILLARY PHOTOME test because an elevated re- loes not tell the health practi	26 ^H sult often indicates th tioner exactly where	mm/1st	hr 0 - 20
natosus FSR with conditions that inhibit t ficantly high white blood cell cell anaemia) also lower the protein (C-RP) are both mark not change as rapidly as doe by as many other factors as is d, it is typically a result of two e a higher ESR, and menstrua	the normal sediment count (leucocytosis) e ESR. ters of inflammation. s CRP, either at the s ESR, making it a bett o types of proteins, g tion and pregnancy c	ation of red blood cells, s , and some protein abno tart of inflammation or a er marker of inflammation lobulins or fibrinogen. an cause temporary eleva	ormalities. Šome changes in red cell shape (suc is it resolves. n. ations.
pr no pr no y d, e an	vith conditions that inhibit cantly high white blood cell ell anaemia) also lower the rotein (C-RP) are both mark ot change as rapidly as doe as many other factors as is it is typically a result of tw a higher ESR, and menstrua methyldopa, oral contract	vith conditions that inhibit the normal sediments cantly high white blood cell count (leucocytosis) ell anaemia) also lower the ESR. rotein (C-RP) are both markers of inflammation. ot change as rapidly as does CRP, either at the s as many other factors as is ESR, making it a bette it is typically a result of two types of proteins, g a higher ESR, and menstruation and pregnancy c n, methyldopa, oral contraceptives, penicillamin	vith conditions that inhibit the normal sedimentation of red blood cells, s cantly high white blood cell count (leucocytosis), and some protein abno- ell anaemia) also lower the ESR. rotein (C-RP) are both markers of inflammation. ot change as rapidly as does CRP, either at the start of inflammation or a as many other factors as is ESR, making it a better marker of inflammatio it is typically a result of two types of proteins, globulins or fibrinogen. a higher ESR, and menstruation and pregnancy can cause temporary elev, methyldopa, oral contraceptives, penicillamine procainamide, theophy



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Chc MD (Pathology & Chairman & Const	Microbiology)	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. SHWETA			
AGE/ GENDER	: 39 YRS/FEMALE	PA	TIENT ID	: 1783106
COLLECTED BY	:	RE	G. NO./LAB NO.	: 012503080008
REFERRED BY	:	RE	GISTRATION DATE	: 08/Mar/2025 07:54 AM
BARCODE NO.	:01526679	CO	LLECTION DATE	:08/Mar/202507:55AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RE	PORTING DATE	:08/Mar/202509:33AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	PROTH	ROMBIN TIME	STUDIES (PT/IN	R)
РТ TEST (PATIENT by рното ортісаl с)	IROMBIN TIME 11.7	STUDIES (PT/IN SECS	R) 11.5 - 14.5
by PHOTO OPTICAL C) CLOT DETECTION			
by PHOTO OPTICAL C PT (CONTROL) by PHOTO OPTICAL C	CLOT DETECTION	11.7	SECS	
РТ (CONTROL) by PHOTO OPTICAL C ISI by PHOTO OPTICAL C	CLOT DETECTION CLOT DETECTION CLOT DETECTION NORMALISED RATIO (INR)	11.7 12	SECS	

INTERPRETATION:-

1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity.

2. Prolonged INR suggests potential bleeding disorder /bleeding complications

3. Results should be clinically correlated.

4. Test conducted on Citrated Plasma

INDICATION		INTERNATIO	DNAL NORMALIZED RATIC (INR)
Treatment of venous thrombosis			
Treatment of pulmonary embolism			
Prevention of systemic embolism in tissue heart valves			
Valvular heart disease	Low Intensity		2.0 - 3.0
Acute myocardial infarction			
Atrial fibrillation			
Bileaflet mechanical valve in aortic position			
Recurrent embolism			
Mechanical heart valve	High Intensity		2.5 - 3.5
Antiphospholipid antibodies ⁺			





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







	Dr. Vinay Chopi MD (Pathology & Mic Chairman & Consulta	crobiology) ME	m Chopra D (Pathology) ht Pathologist
NAME	: Mrs. SHWETA		
AGE/ GENDER	: 39 YRS/FEMALE	PATIENT ID	: 1783106
COLLECTED BY	:	REG. NO./LAB NO.	: 012503080008
REFERRED BY	:	REGISTRATION DATE	: 08/Mar/2025 07:54 AM
BARCODE NO.	: 01526679	COLLECTION DATE	: 08/Mar/2025 07:55AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 08/Mar/2025 09:33AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMI	BALA CANTT	
Test Name		Value Unit	Biological Reference interval

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway. The common causes of prolonged prothrombin time are : 1.Oral Anticoagulant therapy.

2.Liver disease.

3.Vit K. deficiency.

4. Disseminated intra vascular coagulation.

5.Factor 5, 7, 10 or Prothrombin dificiency

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







		nopra & Microbiology) onsultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. SHWETA			
AGE/ GENDER	: 39 YRS/FEMALE	PAT	FIENT ID	: 1783106
COLLECTED BY	:	REG	G. NO./LAB NO.	: 012503080008
REFERRED BY	:	REG	GISTRATION DATE	: 08/Mar/2025 07:54 AM
BARCODE NO.	: 01526679	COL	LECTION DATE	:08/Mar/202507:55AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REI	PORTING DATE	:08/Mar/2025 10:48AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAI	D, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	CLIN	ICAL CHEMISTR	Y/BIOCHEMIST	RY
		GLUCOSE FA	STING (F)	

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



Page 7 of 16





	Dr. Vinay Ch MD (Pathology & Chairman & Con		Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. SHWETA			
AGE/ GENDER	: 39 YRS/FEMALE	РАТ	IENT ID	: 1783106
COLLECTED BY	:	REG	. NO./LAB NO.	: 012503080008
REFERRED BY	:	REG	ISTRATION DATE	: 08/Mar/2025 07:54 AM
BARCODE NO.	:01526679	COL	LECTION DATE	:08/Mar/202507:55AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REP	ORTING DATE	:08/Mar/2025 11:12AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		LIPID PROFIL	E : BASIC	
CHOLESTEROL TO by CHOLESTEROL OX		214 ^H	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR =
TRIGLYCERIDES: S by GLYCEROL PHOSE	ERUM PHATE OXIDASE (ENZYMATIC)	164.2 ^H	mg/dL	240.0 OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTERO by SELECTIVE INHIBIT	L (DIRECT): SERUM TION	69.25	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTERO		111.91	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0
NON HDL CHOLES' by Calculated, spe	TEROL: SERUM	144.75 ^H	mg/dL	VERY HIGH: > OR = 190.0 OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0
VLDL CHOLESTER	OL: SERUM	32.84	mg/dL	VERY HIGH: > OR = 220.0 0.00 - 45.00
by CALCULATED, SPE TOTAL LIPIDS: SEE	ectrophotometry RUM	592.2	mg/dL	350.00 - 700.00
by CALCULATED, SPE CHOLESTEROL/HI by CALCULATED, SPE		3.09	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





	Dr. Vinay Cho MD (Pathology & Chairman & Cons	Microbiology)		(Pathology)
NAME	: Mrs. SHWETA			
AGE/ GENDER	: 39 YRS/FEMALE		PATIENT ID	: 1783106
COLLECTED BY	:		REG. NO./LAB NO.	: 012503080008
REFERRED BY	:		REGISTRATION DATE	: 08/Mar/2025 07:54 AM
BARCODE NO.	: 01526679		COLLECTION DATE	:08/Mar/202507:55AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	:08/Mar/2025 11:12AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANT	Т	
Test Name		Value	Unit	Biological Reference interval
LDL/HDL RATIO: S by CALCULATED, SPE		1.62	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/H by CALCULATED, SPE	IDL RATIO: SERUM	2.37 ^L	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist : Mrs. SHWETA

Dr. Yugam Chopra MD (Pathology) **CEO & Consultant Pathologist**

		TION TEST (COMDI ETE)	
Test Name	Val	ue Unit	Biological Reference interval
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA (LANT I	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	:08/Mar/2025 11:12AM
BARCODE NO.	: 01526679	COLLECTION DATE	: 08/Mar/2025 07:55AM
REFERRED BY	:	REGISTRATION DATE	: 08/Mar/2025 07:54 AM
COLLECTED BY	:	REG. NO./LAB NO.	: 012503080008
AGE/ GENDER	: 39 YRS/FEMALE	PATIENT ID	: 1783106

LIVER	FUNCTION TEST (CO	MPLETE)	
BILIRUBIN TOTAL: SERUM by DIAZOTIZATION, SPECTROPHOTOMETRY	1.17	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
BILIRUBIN DIRECT (CONJUGATED): SERUM by DIAZO MODIFIED, SPECTROPHOTOMETRY	0.2	mg/dL	0.00 - 0.40
BILIRUBIN INDIRECT (UNCONJUGATED): SERUM by Calculated, spectrophotometry	0.97	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE	27.7	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE	30.8	U/L	0.00 - 49.00
AST/ALT RATIO: SERUM by calculated, spectrophotometry	0.9	RATIO	0.00 - 46.00
ALKALINE PHOSPHATASE: SERUM by Para nitrophenyl phosphatase by amino methyl propanol	117.37	U/L	40.0 - 130.0
GAMMA GLUTAMYL TRANSFERASE (GGT): SERUM by szasz, spectrophtometry	24.55	U/L	0.00 - 55.0
TOTAL PROTEINS: SERUM by BIURET, SPECTROPHOTOMETRY	7.21	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL GREEN	4.34	gm/dL	3.50 - 5.50
GLOBULIN: SERUM by Calculated, spectrophotometry	2.87	gm/dL	2.30 - 3.50
A : G RATIO: SERUM by calculated, spectrophotometry	1.51	RATIO	1.00 - 2.00

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



NAME





Test Name		Value U	nit Biological Reference interval
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	AMBALA CANTT	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DAT	TE : 08/Mar/2025 11:12AM
BARCODE NO.	:01526679	COLLECTION DA	FE : 08/Mar/2025 07:55AM
REFERRED BY	:	REGISTRATION	DATE : 08/Mar/2025 07:54 AM
COLLECTED BY	:	REG. NO./LAB NO). : 012503080008
AGE/ GENDER	: 39 YRS/FEMALE	PATIENT ID	: 1783106
NAME	: Mrs. SHWETA		
	MD (Pathology & Chairman & Cons	Microbiology)	MD (Pathology) onsultant Pathologist
	Dr. Vinay Cho		Yugam Chopra

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

GOOD PROGNOSTIC SIGN 0.3 - 0.6	
POOR PROGNOSTIC SIGN 1.2 - 1.6	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







Dr. Yugam Chopra

	MD (Pathology & N Chairman & Consu	1icrobiology)		(Pathology)	
NAME	: Mrs. SHWETA				
AGE/ GENDER	: 39 YRS/FEMALE	PATIENT ID		: 1783106	
COLLECTED BY	:		REG. NO./LAB NO.	: 012503080008	
REFERRED BY	:		REGISTRATION DATE	: 08/Mar/2025 07:54 AM	
BARCODE NO.	:01526679	COLLECTION DATE REPORTING DATE		:08/Mar/202507:55AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB			:08/Mar/2025 11:12AM	
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT					
Test Name		Value	Unit	Biological Reference interval	
	KIDNI	EY FUNCTIO	ON TEST (COMPLETE)	
UREA: SERUM		17.6	mg/dL	10.00 - 50.00	
by UREASE - GLUTAN	MATE DEHYDROGENASE (GLDH)		C		
CREATININE: SER		0.96	mg/dL	0.40 - 1.20	
	ROGEN (BUN): SERUM	8.22	mg/dL	7.0 - 25.0	
BLOOD UREA NITROGEN (BUN)/CREATININE		8.56 ^L	RATIO	10.0 - 20.0	
RATIO: SERUM	ECTROPHOTOMETRY				
UREA/CREATININ		18.33	RATIO		
by CALCULATED, SPE URIC ACID: SERUM	ECTROPHOTOMETRY A	5.72	mg/dL	2.50 - 6.80	
by URICASE - OXIDAS		5.72	liig/ uL	2.30 - 0.80	
CALCIUM: SERUM by ARSENAZO III, SPE		9.92	mg/dL	8.50 - 10.60	
PHOSPHOROUS: SI		3.08	mg/dL	2.30 - 4.70	
by PHOSPHOMOLYBL	DATE, SPECTROPHOTOMETRY		0		
ELECTROLYTES		100	1/1	105.0 150.0	
SODIUM: SERUM by ISE (ION SELECTIV	/E ELECTRODE)	139	mmol/L	135.0 - 150.0	
POTASSIUM: SERU	М	4.2	mmol/L	3.50 - 5.00	
by ISE (ION SELECTIV CHLORIDE: SERUM		104.25	mmol/L	90.0 - 110.0	
by ISE (ION SELECTIV	/E ELECTRODE)				
	MERULAR FILTERATION RATE				
ESTIMATED GLOM (eGFR): SERUM	IERULAR FILTERATION RATE	77.2			

Dr. Vinay Chopra

(eGFR): SERUM by CALCULATED

INTERPRETATION:

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

133 001, Haryana e.com

Page 12 of 16





AGE / GENDER : 39 YRS COLLECTED BY : REFERRED BY : BARCODE NO. : 01526 CLIENT CODE. : KOS D CLIENT ADDRESS : 6349/ Test Name 4. High protein intake. 5. Impaired renal function plus 6. Excess protein intake or pro- burns, surgery, cachexia, high f 7. Urine reabsorption (e.g. uret 3. Reduced muscle mass (subn 4. Acute tubular necrosis. 2. Low protein diet and starvat 3. Severe liver disease. 4. Other causes of decreased u 5. Repeated dialysis (urea rath 6. Inherited hyperammonemia 7. SIADH (syndrome of inappro 8. Pregnancy. DECREASED RATIO (<10:1) WITH 1. Phenacimide therapy (acceleration) 1. Phenacimide therapy (acceleration) 1. Phenacimide therapy (acceleration) 2. Certain de therapy (acceleration) 3. Pregnancy. 2. Decreased calculation) 3. Pregnancy. 3. Pregnancy. 3. Certain de therapy (acceleration) 3. Pregnancy. 3.	Mrs. SHWETA 39 YRS/FEMALE	PATIENT ID REG. NO./LAB NO	: 1783106	
COLLECTED BY : EFERRED BY : EARCODE NO. : 01526 CLIENT CODE. : KOS D CLIENT ADDRESS : 6349/ CEST Name . High protein intake. . Impaired renal function plus . Excess protein intake or pro- purns, surgery, cachexia, high . Urine reabsorption (e.g. uret . Reduced muscle mass (subn . Certain drugs (e.g. tetracycli NCREASED RATIO (>20:1) WITH . Postrenal azotemia superimp DECREASED RATIO (<10:1) WITH . Acute tubular necrosis. . Low protein diet and starvat . Severe liver disease. . Other causes of decreased u . Repeated dialysis (urea rath . Inherited hyperammonemia . SIADH (syndrome of inappro . Pregnancy. DECREASED RATIO (<10:1) WITH . Phenacimide therapy (accele			.1783106	
REFERRED BY : CARCODE NO. : CARCODE NO. : CARCODE NO. : CLIENT CODE. : KOS D CLIENT ADDRESS : CEST Name High protein intake. Impaired renal function plus Excess protein intake or provums, surgery, cachexia, high f Urine reabsorption (e.g. uret Reduced muscle mass (subn Certain drugs (e.g. tetracycli NCREASED RATIO (>20:1) WITH Postrenal azotemia superimp DECREASED RATIO (<10:1) WITH	01596670	REG. NO./LAB NO	. 1765100	
REFERRED BY : BARCODE NO. : 01526 CLIENT CODE. : KOS D CLIENT ADDRESS : 6349/ CLIENT ADDRESS : 6349/ Fest Name . 4. High protein intake. . 5. Impaired renal function plus . 6. Excess protein intake or propurns, surgery, cachexia, high f . 7. Urine reabsorption (e.g. uret . 8. Reduced muscle mass (subn . 9. Certain drugs (e.g. tetracycli NCREASED RATIO (>20:1) WITH 1. Postrenal azotemia superimp . DECREASED RATIO (<20:1) WITH	01526670		. : 012503080008	
BARCODE NO. : 01526 CLIENT CODE. : KOS D CLIENT ADDRESS : 6349/ CLIENT ADDRESS : 6349/ CLIE	01526670	REGISTRATION D		54 AM
CLIENT CODE. : KOS D CLIENT ADDRESS : 6349/ CLIENT ADDRESS : 6349/ Cest Name High protein intake. Impaired renal function plus Excess protein intake or pro- purns, surgery, cachexia, high f Urine reabsorption (e.g. uret Reduced muscle mass (subn Certain drugs (e.g. tetracycli NCREASED RATIO (>20:1) WITH Postrenal azotemia (BUN riss Prerenal azotemia superimp DECREASED RATIO (<10:1) WITH Acute tubular necrosis. Low protein diet and starvat Severe liver disease. Other causes of decreased u Repeated dialysis (urea rath Districted hyperammonemia SIADH (syndrome of inappro PECREASED RATIO (<10:1) WITH Phenacimide therapy (accele		COLLECTION DAT		
CLIENT ADDRESS : 6349/ Test Name High protein intake. Engaired renal function plus Excess protein intake or pro- burns, surgery, cachexia, high f Curine reabsorption (e.g. uret Reduced muscle mass (subn Certain drugs (e.g. tetracycli NCREASED RATIO (>20:1) WITH Postrenal azotemia superimp DECREASED RATIO (<10:1) WITH Acute tubular necrosis. Curber causes of decreased u Severe liver disease. Cother causes of decreased u Repeated dialysis (urea rath Cherited hyperammonemia SIADH (syndrome of inappro PECREASED RATIO (<10:1) WITH Cause Severe liver disease. Cother causes of decreased u Cause Severe liver disease. Cother cause Severe Sev				
Test Name 4. High protein intake. 5. Impaired renal function plus 5. Excess protein intake or procourns, surgery, cachexia, high f 7. Urine reabsorption (e.g. uret 8. Reduced muscle mass (subn 9. Certain drugs (e.g. tetracycli NCREASED RATIO (>20:1) WITH 1. Postrenal azotemia (BUN rise 2. Prerenal azotemia superimp DECREASED RATIO (<10:1) WITH 1. Acute tubular necrosis. 2. Low protein diet and starvat 3. Severe liver disease. 4. Other causes of decreased u 5. Repeated dialysis (urea rath 6. Inherited hyperammonemia 7. SIADH (syndrome of inappro 8. Pregnancy. DECREASED RATIO (<10:1) WITH 1. Phenacimide therapy (accele	KOS DIAGNOSTIC LAB	REPORTING DAT	E : 08/Mar/2025 11:1	ZAW
 High protein intake. Impaired renal function plus Excess protein intake or produced intake or produced purns, surgery, cachexia, high f Urine reabsorption (e.g. uret Reduced muscle mass (subn Certain drugs (e.g. tetracycli INCREASED RATIO (>20:1) WITH Postrenal azotemia superimp DECREASED RATIO (<10:1) WITH Acute tubular necrosis. Low protein diet and starvat Severe liver disease. Other causes of decreased u Repeated dialysis (urea rath Inherited hyperammonemia SIADH (syndrome of inappro Pregnancy. DECREASED RATIO (<10:1) WITH Phenacimide therapy (acceled 	6349/1, NICHOLSON ROAD, AMBAL	A CANT I		
 Excess protein intake or procourns, surgery, cachexia, high f Urine reabsorption (e.g. uret Reduced muscle mass (subn Certain drugs (e.g. tetracycli NCREASED RATIO (>20:1) WITH Postrenal azotemia superimp DECREASED RATIO (<10:1) WITH Acute tubular necrosis. Low protein diet and starvat Severe liver disease. Other causes of decreased u Repeated dialysis (urea rath Inherited hyperammonemia SIADH (syndrome of inappro Pregnancy. DECREASED RATIO (<10:1) WITH Phenacimide therapy (acceled) 		/alue Ur	nit Biologica	l Reference interval
B. Muscular patients who deverse in the second	s. ased urea synthesis. ea rather than creatinine diffuses out nemias (urea is virtually absent in bl nappropiate antidiuretic harmone) du I) WITH INCREASED CREATININE: (accelerates conversion of creatine to ases muscle creatinine). o develop renal failure. (acetoacetate causes false increase i	ood). ue to tubular secretion of urea o creatinine). in creatinine with certain me		al ratio when dehydrat
G3b	y (interferes with creatinine measure R FILTERATION RATE: DESCRIPTION Normal kidney function Kidney damage with normal or high GFR Mild decrease in GFR	GFR (mL/min/1.73m2) >90 >90 60 -89	ASSOCIATED FINDINGS No proteinuria Presence of Protein , Albumin or cast in urine	
G35 G4	y (interferes with creatinine measure R FILTERATION RATE: DESCRIPTION Normal kidney function Kidney damage with normal or high GFR	GFR (mL/min/1.73m2) >90 >90	No proteinuria Presence of Protein ,	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Patholo		(Pathology)
NAME	: Mrs. SHWETA		
AGE/ GENDER	: 39 YRS/FEMALE	PATIENT ID	: 1783106
COLLECTED BY	:	REG. NO./LAB NO.	: 012503080008
REFERRED BY	:	REGISTRATION DATE	: 08/Mar/2025 07:54 AM
BARCODE NO.	: 01526679	COLLECTION DATE	: 08/Mar/2025 07:55AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	:08/Mar/2025 11:12AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CAN	ГТ	
Test Name	Value	Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)







	Dr. Vinay Ch MD (Pathology & Chairman & Cor		Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. SHWETA			
AGE/ GENDER	: 39 YRS/FEMALE	PA	FIENT ID	: 1783106
COLLECTED BY	:	RE	G. NO./LAB NO.	: 012503080008
REFERRED BY	:	RE	GISTRATION DATE	: 08/Mar/2025 07:54 AM
BARCODE NO.	:01526679		LLECTION DATE	:08/Mar/202507:55AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		PORTING DATE	: 08/Mar/2025 10:00AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		CLINICAL PA	THOLOGY	
	URINE RO		SCOPIC EXAMINA	TION
PHYSICAL EXAMINA			SCOTIC LARMIN	
QUANTITY RECIEVE		10	ml	
by DIP STICK/REFLECT	ANCE SPECTROPHOTOMETRY			
COLOUR by DIP STICK/REFLECTA	ANCE SPECTROPHOTOMETRY	PALE YELLO	W	PALE YELLOW
TRANSPARANCY	ANCE SPECTROPHOTOMETRY	HAZY		CLEAR
SPECIFIC GRAVITY		1.02		1.002 - 1.030
by DIP STICK/REFLECTA	ANCE SPECTROPHOTOMETRY			
REACTION	MION	ACIDIC		
by DIP STICK/REFLECT	ANCE SPECTROPHOTOMETRY			
PROTEIN by DIP STICK/REFLECTA	ANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
SUGAR	ANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
pH	ANCE SPECTROPHOTOMETRY	6		5.0 - 7.5
BILIRUBIN		Negative		NEGATIVE (-ve)
NITRITE	ANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
UROBILINOGEN	ANCE SPECTROPHOTOMETRY.	Normal	EU/dL	0.2 - 1.0
KETONE BODIES	ANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTA BLOOD	ANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
-	ANCE SPECTROPHOTOMETRY			
ASCORBIC ACID by DIP STICK/REFLECTA MICROSCOPIC EXAN	ANCE SPECTROPHOTOMETRY MINATION	NEGATIVE (-	vej	NEGATIVE (-ve)
RED BLOOD CELLS (NEGATIVE (-	ve) /HPF	0 - 3



an

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







EXCELLENCE IN HEALTHCARE & DIAGNOSTICS

Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mrs. SHWETA			
AGE/ GENDER	: 39 YRS/FEMALE		PATIENT ID	: 1783106
COLLECTED BY	:		REG. NO./LAB NO.	: 012503080008
REFERRED BY	:		REGISTRATION DATE	: 08/Mar/2025 07:54 AM
BARCODE NO.	: 01526679		COLLECTION DATE	:08/Mar/202507:55AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	:08/Mar/2025 10:00AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	MBALA CANT	Г	
Test Name		Value	Unit	Biological Reference interval
by MICROSCOPY ON	CENTRIFUGED URINARY SEDIMENT			
PUS CELLS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	2-4	/HPF	0 - 5

EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	8-10	/HPF	ABSENT
CRYSTALS	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA)	ABSENT		ABSENT

** End Of Report ***



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

