

Dr. Vinay Chopra  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

Dr. Yugam Chopra  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 12:02PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

### SWASTHYA WELLNESS PANEL: D COMPLETE BLOOD COUNT (CBC)

#### RED BLOOD CELLS (RBCS) COUNT AND INDICES

|   |                   |              |  |
|---|-------------------|--------------|--|
| HAEMOGLOBIN (HB)<br><i>by CALORIMETRIC</i>  | 11 <sup>L</sup>   | gm/dL        | 12.0 - 16.0  |
| RED BLOOD CELL (RBC) COUNT<br><i>by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE</i>              | 3.97              | Millions/cmm | 3.50 - 5.00  |
| PACKED CELL VOLUME (PCV)<br><i>by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER</i>                 | 33.7 <sup>L</sup> | %            | 37.0 - 50.0  |
| MEAN CORPUSCULAR VOLUME (MCV)<br><i>by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER</i>            | 84.8              | fL           | 80.0 - 100.0   |
| MEAN CORPUSCULAR HAEMOGLOBIN (MCH)<br><i>by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER</i>       | 27.8              | pg           | 27.0 - 34.0  |
| MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC)<br><i>by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER</i> | 32.7              | g/dL         | 32.0 - 36.0  |
| RED CELL DISTRIBUTION WIDTH (RDW-CV)<br><i>by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER</i>     | 13                | %            | 11.00 - 16.00  |
| RED CELL DISTRIBUTION WIDTH (RDW-SD)<br><i>by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER</i>     | 41.3              | fL           | 35.0 - 56.0  |
| MENTZERS INDEX<br><i>by CALCULATED</i>  | 21.36             | RATIO        | BETA THALASSEMIA TRAIT: < 13.0<br>IRON DEFICIENCY ANEMIA: >13.0  |
| GREEN & KING INDEX<br><i>by CALCULATED</i>  | 27.86             | RATIO        | BETA THALASSEMIA TRAIT:<= 65.0<br>IRON DEFICIENCY ANEMIA: > 65.0 |

#### WHITE BLOOD CELLS (WBCS)

|  |      |      |              |
|--|------|------|--------------|
| TOTAL LEUCOCYTE COUNT (TLC)<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i>          | 7380 | /cmm | 4000 - 11000 |
| NUCLEATED RED BLOOD CELLS (nRBCS)<br><i>by AUTOMATED 6 PART HEMATOLOGY ANALYZER</i>          | NIL  |      | 0.00 - 20.00 |
| NUCLEATED RED BLOOD CELLS (nRBCS) %<br><i>by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER</i> | NIL  | %    | < 10 %       |





DR.VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)



DR.YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 12:02PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name   | Value  | Unit | Biological Reference interval |
|---|--------|------|-------------------------------|
| <b><u>DIFFERENTIAL LEUCOCYTE COUNT (DLC)</u></b>  |        |      |                               |
| NEUTROPHILS<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i>                         | 58     | %    | 50 - 70                       |
| LYMPHOCYTES<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i>                         | 30     | %    | 20 - 40                       |
| EOSINOPHILS<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i>                         | 5      | %    | 1 - 6                         |
| MONOCYTES<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i>                           | 7      | %    | 2 - 12                        |
| BASOPHILS<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i>                           | 0      | %    | 0 - 1                         |
| <b><u>ABSOLUTE LEUKOCYTES (WBC) COUNT</u></b>   |        |      |                               |
| ABSOLUTE NEUTROPHIL COUNT<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i>           | 4280   | /cmm | 2000 - 7500                   |
| ABSOLUTE LYMPHOCYTE COUNT<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i>           | 2214   | /cmm | 800 - 4900                    |
| ABSOLUTE EOSINOPHIL COUNT<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i>           | 369    | /cmm | 40 - 440                      |
| ABSOLUTE MONOCYTE COUNT<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i>             | 517    | /cmm | 80 - 880                      |
| ABSOLUTE BASOPHIL COUNT<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i>             | 0      | /cmm | 0 - 110                       |
| ABSOLUTE IMMATURE GRANULOCYTE COUNT<br><i>by FLOW CYTOMETRY BY SF CUBE &amp; MICROSCOPY</i> | 0      | /cmm | 0.0 - 999.0                   |
| <b><u>PLATELETS AND OTHER PLATELET PREDICTIVE MARKERS.</u></b>                              |        |      |                               |
| PLATELET COUNT (PLT)<br><i>by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE</i>              | 305000 | /cmm | 150000 - 450000               |
| PLATELETCRIT (PCT)<br><i>by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE</i>                | 0.3    | %    | 0.10 - 0.36                   |
| MEAN PLATELET VOLUME (MPV)<br><i>by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE</i>        | 10     | fL   | 6.50 - 12.0                   |
| PLATELET LARGE CELL COUNT (P-LCC)<br><i>by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE</i> | 72000  | /cmm | 30000 - 90000                 |
| PLATELET LARGE CELL RATIO (P-LCR)<br><i>by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE</i> | 23.5   | %    | 11.0 - 45.0                   |
| PLATELET DISTRIBUTION WIDTH (PDW)<br><i>by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE</i> | 16     | %    | 15.0 - 17.0                   |



  
**DR. VINAY CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
**DR. YUGAM CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 12:02PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



  
 DR.VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR.YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

Dr. Yugam Chopra  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 12:22PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

### ERYTHROCYTE SEDIMENTATION RATE (ESR)

|                                      |   |           |        |
|--------------------------------------|---|-----------|--------|
| ERYTHROCYTE SEDIMENTATION RATE (ESR) | 7 | mm/1st hr | 0 - 20 |
|--------------------------------------|---|-----------|--------|

by RED CELL AGGREGATION BY CAPILLARY PHOTOMETRY

#### INTERPRETATION:

1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with infection, cancer and auto-immune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causing it.
2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunction with other test such as C-reactive protein
3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as some others, such as systemic lupus erythematosus

#### CONDITION WITH LOW ESR

A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood cell count (polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such as sickle cells in sickle cell anaemia) also lower the ESR.

#### NOTE:

1. ESR and C - reactive protein (C-RP) are both markers of inflammation.
2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
3. **CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.**
4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it



  
 DR. VINAY CHOPRA

CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR. YUGAM CHOPRA

CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)





**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 01:45PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

## CLINICAL CHEMISTRY/BIOCHEMISTRY

### GLUCOSE FASTING (F)

|  |       |       |   |
|--|-------|-------|---|
| GLUCOSE FASTING (F): PLASMA<br>by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) | 93.19 | mg/dL | NORMAL: < 100.0<br>PREDIABETIC: 100.0 - 125.0<br>DIABETIC: > OR = 126.0 |
|--|-------|-------|---|

#### INTERPRETATION

#### IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A fasting plasma glucose level below 100 mg/dl is considered normal.
2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





**DR. VINAY CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)



**DR. YUGAM CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

Dr. Yugam Chopra  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 01:58PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name  | Value               | Unit  | Biological Reference interval  |
|--|---------------------|-------|--|
| <b>LIPID PROFILE : BASIC</b>   |                     |       |  |
| CHOLESTEROL TOTAL: SERUM<br><i>by CHOLESTEROL OXIDASE PAP</i>            | 214.82 <sup>H</sup> | mg/dL | OPTIMAL: < 200.0<br>BORDERLINE HIGH: 200.0 - 239.0<br>HIGH CHOLESTEROL: > OR = 240.0   |
| TRIGLYCERIDES: SERUM<br><i>by GLYCEROL PHOSPHATE OXIDASE (ENZYMATIC)</i> | 151.67 <sup>H</sup> | mg/dL | OPTIMAL: < 150.0<br>BORDERLINE HIGH: 150.0 - 199.0<br>HIGH: 200.0 - 499.0<br>VERY HIGH: > OR = 500.0                                 |
| HDL CHOLESTEROL (DIRECT): SERUM<br><i>by SELECTIVE INHIBITION</i>        | 85.34 <sup>H</sup>  | mg/dL | LOW HDL: < 30.0<br>BORDERLINE HIGH HDL: 30.0 - 60.0<br>HIGH HDL: > OR = 60.0   |
| LDL CHOLESTEROL: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>        | 99.15               | mg/dL | OPTIMAL: < 100.0<br>ABOVE OPTIMAL: 100.0 - 129.0<br>BORDERLINE HIGH: 130.0 - 159.0<br>HIGH: 160.0 - 189.0<br>VERY HIGH: > OR = 190.0 |
| NON HDL CHOLESTEROL: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>    | 129.48              | mg/dL | OPTIMAL: < 130.0<br>ABOVE OPTIMAL: 130.0 - 159.0<br>BORDERLINE HIGH: 160.0 - 189.0<br>HIGH: 190.0 - 219.0<br>VERY HIGH: > OR = 220.0 |
| VLDL CHOLESTEROL: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>       | 30.33               | mg/dL | 0.00 - 45.00   |
| TOTAL LIPIDS: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>           | 581.31              | mg/dL | 350.00 - 700.00  |
| CHOLESTEROL/HDL RATIO: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>  | 2.52                | RATIO | LOW RISK: 3.30 - 4.40<br>AVERAGE RISK: 4.50 - 7.0<br>MODERATE RISK: 7.10 - 11.0<br>HIGH RISK: > 11.0                                 |



*[Signature]*

DR.VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

*[Signature]*

DR.YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 01:58PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name   | Value             | Unit  | Biological Reference interval   |
|---|-------------------|-------|---|
| LDL/HDL RATIO: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>           | 1.16              | RATIO | LOW RISK: 0.50 - 3.0<br>MODERATE RISK: 3.10 - 6.0<br>HIGH RISK: > 6.0 |
| TRIGLYCERIDES/HDL RATIO: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i> | 1.78 <sup>L</sup> | RATIO | 3.00 - 5.00   |

**INTERPRETATION:**

1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.
2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.
3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogenic lipoproteins such as LDL, VLDL, IDL, Lp(a), Chylomicron remnants) along with LDL-cholesterol as co-primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL.
5. Additional testing for Apolipoprotein B, hsCRP, Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



  
**DR. VINAY CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
**DR. YUGAM CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 01:58PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

### LIVER FUNCTION TEST (COMPLETE)

|  |       |       |   |
|--|-------|-------|---|
| BILIRUBIN TOTAL: SERUM<br><i>by DIAZOTIZATION, SPECTROPHOTOMETRY</i>                           | 0.62  | mg/dL | INFANT: 0.20 - 8.00<br>ADULT: 0.00 - 1.20 |
| BILIRUBIN DIRECT (CONJUGATED): SERUM<br><i>by DIAZO MODIFIED, SPECTROPHOTOMETRY</i>            | 0.12  | mg/dL | 0.00 - 0.40                               |
| BILIRUBIN INDIRECT (UNCONJUGATED): SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>            | 0.5   | mg/dL | 0.10 - 1.00                               |
| SGOT/AST: SERUM<br><i>by IFCC, WITHOUT PYRIDOXAL PHOSPHATE</i>                                 | 18.9  | U/L   | 7.00 - 45.00                              |
| SGPT/ALT: SERUM<br><i>by IFCC, WITHOUT PYRIDOXAL PHOSPHATE</i>                                 | 13.6  | U/L   | 0.00 - 49.00                              |
| AST/ALT RATIO: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>                                | 1.39  | RATIO | 0.00 - 46.00                              |
| ALKALINE PHOSPHATASE: SERUM<br><i>by PARA NITROPHENYL PHOSPHATASE BY AMINO METHYL PROPANOL</i> | 86.44 | U/L   | 40.0 - 130.0                              |
| GAMMA GLUTAMYL TRANSFERASE (GGT): SERUM<br><i>by SZASZ, SPECTROPHOTOMETRY</i>                  | 13.35 | U/L   | 0.00 - 55.0                               |
| TOTAL PROTEINS: SERUM<br><i>by BIURET, SPECTROPHOTOMETRY</i>                                   | 6.58  | gm/dL | 6.20 - 8.00                               |
| ALBUMIN: SERUM<br><i>by BROMOCRESOL GREEN</i>  | 4.13  | gm/dL | 3.50 - 5.50                               |
| GLOBULIN: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>                                     | 2.45  | gm/dL | 2.30 - 3.50                               |
| A : G RATIO: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>                                  | 1.69  | RATIO | 1.00 - 2.00                               |

#### INTERPRETATION

**NOTE:-** To be correlated in individuals having SGOT and SGPT values higher than Normal Reference Range.

**USE:-** Differential diagnosis of diseases of hepatobiliary system and pancreas.

#### INCREASED:

|  |                            |
|--|----------------------------|
| DRUG HEPATOTOXICITY                          | > 2                        |
| ALCOHOLIC HEPATITIS                          | > 2 (Highly Suggestive)    |
| CIRRHOSIS                                    | 1.4 - 2.0                  |
| INTRAHEPATIC CHOLESTASIS                     | > 1.5                      |
| HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS | > 1.3 (Slightly Increased) |



*Dr. Vinay Chopra*

**DR. VINAY CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

*Dr. Yugam Chopra*

**DR. YUGAM CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)





**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 01:58PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

**DECREASED:**

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)
2. Extra Hepatic cholestasis: 0.8 (normal or slightly decreased).

**PROGNOSTIC SIGNIFICANCE:**

|                      |           |
|----------------------|-----------|
| NORMAL               | < 0.65    |
| GOOD PROGNOSTIC SIGN | 0.3 - 0.6 |
| POOR PROGNOSTIC SIGN | 1.2 - 1.6 |



  
**DR. VINAY CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
**DR. YUGAM CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 01:58PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

### KIDNEY FUNCTION TEST (COMPLETE)

|  |       |       |               |
|--|-------|-------|---------------|
| UREA: SERUM<br><i>by UREASE - GLUTAMATE DEHYDROGENASE (GLDH)</i>                             | 31.73 | mg/dL | 10.00 - 50.00 |
| CREATININE: SERUM<br><i>by ENZYMATIC, SPECTROPHOTOMETRY</i>                                  | 0.84  | mg/dL | 0.40 - 1.20   |
| BLOOD UREA NITROGEN (BUN): SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>                  | 14.83 | mg/dL | 7.0 - 25.0    |
| BLOOD UREA NITROGEN (BUN)/CREATININE RATIO: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i> | 17.65 | RATIO | 10.0 - 20.0   |
| UREA/CREATININE RATIO: SERUM<br><i>by CALCULATED, SPECTROPHOTOMETRY</i>                      | 37.77 | RATIO |               |
| URIC ACID: SERUM<br><i>by URICASE - OXIDASE PEROXIDASE</i>                                   | 2.63  | mg/dL | 2.50 - 6.80   |
| CALCIUM: SERUM<br><i>by ARSENAZO III, SPECTROPHOTOMETRY</i>                                  | 8.87  | mg/dL | 8.50 - 10.60  |
| PHOSPHOROUS: SERUM<br><i>by PHOSPHOMOLYBDATE, SPECTROPHOTOMETRY</i>                          | 3.48  | mg/dL | 2.30 - 4.70   |

### ELECTROLYTES

|   |        |        |               |
|---|--------|--------|---------------|
| SODIUM: SERUM<br><i>by ISE (ION SELECTIVE ELECTRODE)</i>    | 142.6  | mmol/L | 135.0 - 150.0 |
| POTASSIUM: SERUM<br><i>by ISE (ION SELECTIVE ELECTRODE)</i> | 4.06   | mmol/L | 3.50 - 5.00   |
| CHLORIDE: SERUM<br><i>by ISE (ION SELECTIVE ELECTRODE)</i>  | 106.95 | mmol/L | 90.0 - 110.0  |

### ESTIMATED GLOMERULAR FILTRATION RATE

|  |      |  |  |
|--|------|--|--|
| ESTIMATED GLOMERULAR FILTRATION RATE (eGFR): SERUM<br><i>by CALCULATED</i> | 74.2 |  |  |
|--|------|--|--|

### INTERPRETATION:

To differentiate between pre- and post renal azotemia.

### INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.
2. Catabolic states with increased tissue breakdown.
3. GI haemorrhage.



  
 DR. VINAY CHOPRA

CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR. YUGAM CHOPRA

CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 01:58PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

- High protein intake.
- Impaired renal function plus
- Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet, burns, surgery, cachexia, high fever).
- Urine reabsorption (e.g. ureter colostomy)
- Reduced muscle mass (subnormal creatinine production)
- Certain drugs (e.g. tetracycline, glucocorticoids)

**INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:**

- Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).
- Prerenal azotemia superimposed on renal disease.

**DECREASED RATIO (<10:1) WITH DECREASED BUN :**

- Acute tubular necrosis.
- Low protein diet and starvation.
- Severe liver disease.
- Other causes of decreased urea synthesis.
- Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).
- Inherited hyperammonemias (urea is virtually absent in blood).
- SIADH (syndrome of inappropriate antidiuretic hormone) due to tubular secretion of urea.
- Pregnancy.

**DECREASED RATIO (<10:1) WITH INCREASED CREATININE:**

- Phenacimide therapy (accelerates conversion of creatine to creatinine).
- Rhabdomyolysis (releases muscle creatinine).
- Muscular patients who develop renal failure.

**INAPPROPRIATE RATIO:**

- Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).
- Cephalosporin therapy (interferes with creatinine measurement).

**ESTIMATED GLOMERULAR FILTRATION RATE:**

| CKD STAGE | DESCRIPTION                           | GFR ( mL/min/1.73m2 ) | ASSOCIATED FINDINGS                            |
|-----------|---------------------------------------|-----------------------|--|
| G1        | Normal kidney function                | >90                   | No proteinuria                                 |
| G2        | Kidney damage with normal or high GFR | >90                   | Presence of Protein , Albumin or cast in urine |
| G3a       | Mild decrease in GFR                  | 60 -89                |  |
| G3b       | Moderate decrease in GFR              | 30-59                 |  |
| G4        | Severe decrease in GFR                | 15-29                 |  |
| G5        | Kidney failure                        | <15                   |  |



  
**DR. VINAY CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
**DR. YUGAM CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 01:58PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

**COMMENTS:**

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m<sup>2</sup> (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. **A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).**

**ADVICE:**

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



  
 DR.VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR.YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)





**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 01:58PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

## ENDOCRINOLOGY

### ESTRADIOL (E2)

ESTRADIOL (E2): SERUM  
 by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

< 10

pg/mL

FEMALE FOLLICULAR PHASE:  
 19.5 - 144.2  
 FEMALE MID CYCLE PHASE:  
 63.9 - 356.7  
 FEMALE PRE OVULATORY  
 PHASE: 136.0 - 251.0  
 FEMALE LUTEAL PHASE: 55.8 -  
 214.2  
 POST MENOPAUSAL:< 50.0

#### INTERPRETATION:

| OTHER MATERNAL FACTORS AND PREGNANCY | UNITS | RANGE           |
|--------------------------------------|-------|-----------------|
| Hormonal Contraceptives              | pg/mL | 15.0 – 95.0     |
| 1st Trimester (0 – 12 Weeks)         | pg/mL | 38.0 – 3175.0   |
| 2nd Trimester (13 – 28 Weeks)        | pg/mL | 678.0 – 16633.0 |
| 3rd Trimester (29 – 40 Weeks)        | pg/mL | 43.0 – 33781.0  |
| Post Menopausal                      | Pg/mL | < 50.0          |
| <b>MALES:</b>                        | pg/mL | < 40.0          |

1. Estrogens are involved in development and maintenance of the female phenotype, germ cell maturation, and pregnancy. They also are important for many other, nongender-specific processes, including growth, nervous system maturation, bone metabolism/remodeling, and endothelial responsiveness.

2. E2 is produced primarily in ovaries and testes by aromatization of testosterone.

3. Small amounts are produced in the adrenal glands and some peripheral tissues, most notably fat. E2 levels in premenopausal women fluctuate during the menstrual cycle.

4. They are lowest during the early follicular phase. E2 levels then rise gradually until 2 to 3 days before ovulation, at which stage they start to increase much more rapidly and peak just before the ovulation-inducing luteinizing hormone (LH)/follicle stimulating hormone (FSH) surge at 5 to 10 times the early follicular levels. This is followed by a modest decline during the ovulatory phase. E2 levels then increase again gradually until the midpoint of the luteal phase and thereafter decline to trough, early follicular levels.

#### INDICATIONS FOR ASSAY: -

1. Evaluation of hypogonadism and oligo-amenorrhea in females.

2. Assessing ovarian status, including follicle development, for assisted reproduction protocols (eg, in vitro fertilization)

3. In conjunction with luteinizing hormone measurements, monitoring of estrogen replacement therapy in hypogonadal premenopausal women

4. Evaluation of feminization, including gynecomastia, in males.

5. Diagnosis of estrogen-producing neoplasms in males, and, to a lesser degree, females



  
 DR. VINAY CHOPRA

CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR. YUGAM CHOPRA

CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 01:58PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

6. As part of the diagnosis and work-up of precocious and delayed puberty in females, and, to a lesser degree, males
7. As part of the diagnosis and work-up of suspected disorders of sex steroid metabolism, eg: aromatase deficiency and 17 alpha-hydroxylase deficiency
8. As an adjunct to clinical assessment, imaging studies and bone mineral density measurement in the fracture risk assessment of postmenopausal women, and, to a lesser degree, older men
9. Monitoring low-dose female hormone replacement therapy in post-menopausal women
10. Monitoring antiestrogen therapy (eg, aromatase inhibitor therapy).

**CAUSES FOR INCREASED E2 LEVELS:**

1. High androgen levels caused by tumors or androgen therapy (medical or sport performance enhancing), with secondary elevations in E1 and E2 due to aromatization
2. Obesity with increased tissue production of E1
3. Decreased E1 and E2 clearance in liver disease
4. Estrogen producing tumors
5. Estrogen Ingestion



  
**DR. VINAY CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
**DR. YUGAM CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |  |                          |                        |
|-----------------------|--|--------------------------|------------------------|
| <b>NAME</b>           | : Mrs. NAIB KAUR                       | <b>PATIENT ID</b>        | : 1785366              |
| <b>AGE/ GENDER</b>    | : 71 YRS/FEMALE                        | <b>REG. NO./LAB NO.</b>  | : 012503100035         |
| <b>COLLECTED BY</b>   | : SURJESH                              | <b>REGISTRATION DATE</b> | : 10/Mar/2025 11:47 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 10/Mar/2025 11:53AM  |
| <b>BARCODE NO.</b>    | : 01526866                             | <b>REPORTING DATE</b>    | : 10/Mar/2025 01:45PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

## VITAMINS

### VITAMIN D/25 HYDROXY VITAMIN D3

|   |                         |       |  |
|---|-------------------------|-------|--|
| VITAMIN D (25-HYDROXY VITAMIN D3): SERUM<br>by CLIA (CHEMILUMINESCENCE IMMUNOASSAY) | <b>23.6<sup>L</sup></b> | ng/mL | DEFICIENCY: < 20.0<br>INSUFFICIENCY: 20.0 - 30.0<br>SUFFICIENCY: 30.0 - 100.0<br>TOXICITY: > 100.0 |
|---|-------------------------|-------|--|

#### INTERPRETATION:

|                  |          |       |
|------------------|----------|-------|
| DEFICIENT:       | < 20     | ng/mL |
| INSUFFICIENT:    | 21 - 29  | ng/mL |
| PREFERRED RANGE: | 30 - 100 | ng/mL |
| INTOXICATION:    | > 100    | ng/mL |

- Vitamin D compounds are derived from dietary ergocalciferol (from plants, Vitamin D2), or cholecalciferol (from animals, Vitamin D3), or by conversion of 7- dihydrocholecalciferol to Vitamin D3 in the skin upon Ultraviolet exposure.
- 25-OH--Vitamin D represents the main body resevoir and transport form of Vitamin D and transport form of Vitamin D, being stored in adipose tissue and tightly bound by a transport protein while in circulation.
- Vitamin D plays a primary role in the maintenance of calcium homeostatis. It promotes calcium absorption, renal calcium absorption and phosphate reabsorption, skeletal calcium deposition, calcium mobilization, mainly regulated by parathyroid hormone (PTH).
- Severe deficiency may lead to failure to mineralize newly formed osteoid in bone, resulting in rickets in children and osteomalacia in adults.

#### DECREASED:

- Lack of sunshine exposure.
- Inadequate intake, malabsorption (celiac disease)
- Depressed Hepatic Vitamin D 25- hydroxylase activity
- Secondary to advanced Liver disease
- Osteoporosis and Secondary Hyperparathyroidism (Mild to Moderate deficiency)
- Enzyme Inducing drugs: anti-epileptic drugs like phenytoin, phenobarbital and carbamazepine, that increases Vitamin D metabolism.

#### INCREASED:

- Hypervitaminosis D is Rare, and is seen only after prolonged exposure to extremely high doses of Vitamin D. When it occurs, it can result in severe hypercalcemia and hyperphosphatemia.

**CAUTION:** Replacement therapy in deficient individuals must be monitored by periodic assessment of Vitamin D levels in order to prevent hypervitaminosis D

**NOTE:-** Dark coloured individuals as compare to whites, is at higher risk of developing Vitamin D deficiency due to excess of melanin pigment which interfere with Vitamin D absorption.

\*\*\* End Of Report \*\*\*



  
 DR.VINAY CHOPRA

CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR.YUGAM CHOPRA

CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)

