



	Dr. Vinay Chopra MD (Pathology & Microbi Chairman & Consultant P			Pathology)	
NAME	: Master. AKSHAT SHARMA				
AGE/ GENDER	: 9 YRS/MALE		PATIENT ID	: 1806288	
COLLECTED BY	:		REG. NO./LAB NO.	:01250325	D060
REFERRED BY	: P.G.I. (CHANDIGARH)		REGISTRATION DATE	:25/Mar/202	25 06:38 PM
BARCODE NO.	: 01527758		COLLECTION DATE	:25/Mar/202	25 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	:25/Mar/202	25 07:26PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA	A CANTT			
Test Name	V	alue	Unit	Biol	ogical Reference interval
	SWASTHY	A WF	LLNESS PANEL: 1.	0	
			OOD COUNT (CBC)		
RED BLOOD CELL	S (RBCS) COUNT AND INDICES				
HAEMOGLOBIN (HI		11.4 ^L	gm/dL	12	.0 - 16.0
RED BLOOD CELL	(RBC) COUNT DCUSING, ELECTRICAL IMPEDENCE	4.52	Millions/c	cmm 3.5	50 - 5.50
PACKED CELL VOL		35.4	%	35	0 - 49.0
MEAN CORPUSCUL	AR VOLUME (MCV) JTOMATED HEMATOLOGY ANALYZER	78.3 ^L	fL	80	.0 - 100.0
MEAN CORPUSCUL	AR HAEMOGLOBIN (MCH) JTOMATED HEMATOLOGY ANALYZER	25.3 ^L	pg	27.	0 - 34.0
MEAN CORPUSCUL	AR HEMOGLOBIN CONC. (MCHC) JTOMATED HEMATOLOGY ANALYZER	32.4	g/dL	32	0 - 36.0
RED CELL DISTRIE	BUTION WIDTH (RDW-CV) JTOMATED HEMATOLOGY ANALYZER	14.4	%	11	.00 - 16.00
RED CELL DISTRIE	BUTION WIDTH (RDW-SD) JTOMATED HEMATOLOGY ANALYZER	42.3	fL	35	.0 - 56.0
MENTZERS INDEX by CALCULATED		17.32	RATIO	13. IR	ON DEFICIENCY ANEMIA:
GREEN & KING INI by CALCULATED	DEX	77.44	RATIO	<= IR(3.0 TA THALASSEMIA TRAIT: 74.1 ON DEFICIENCY ANEMIA: 74.1
WHITE BLOOD CH	ELLS (WBCS)			>=	/ 7.1
TOTAL LEUCOCYT		10170	/cmm	40	00 - 12000
NUCLEATED RED H	BI SF CODE & MICROSCOFF BLOOD CELLS (nRBCS) T HEMATOLOGY ANALYZER	NIL		0.0	00 - 20.00
	BLOOD CELLS (nRBCS) %	NIL	%	< 1	0 %





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt - 133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





	Dr. Vinay Chop MD (Pathology & M Chairman & Consul	licrobiology)	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Master. AKSHAT SHARMA			
AGE/ GENDER	: 9 YRS/MALE	РАТ	TENT ID	: 1806288
COLLECTED BY	:	REG	. NO./LAB NO.	: 012503250060
REFERRED BY	: P.G.I. (CHANDIGARH)	REG	ISTRATION DATE	: 25/Mar/2025 06:38 PM
BARCODE NO.	: 01527758		LECTION DATE	: 25/Mar/2025 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		ORTING DATE	: 25/Mar/2025 07:26PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM			
Test Name		Value	Unit	Biological Reference interval
by CALCULATED BY A	AUTOMATED HEMATOLOGY ANALYZER			
DIFFERENTIAL L	EUCOCYTE COUNT (DLC)			
NEUTROPHILS by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	47 ^L	%	50 - 70
LYMPHOCYTES by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	46 ^H	%	20 - 45
EOSINOPHILS by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	2	%	1 - 6
MONOCYTES by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	5	%	3 - 12
BASOPHILS by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	0	%	0 - 1
ABSOLUTE LEUK	OCYTES (WBC) COUNT			
ABSOLUTE NEUTI	ROPHIL COUNT y by sf cube & microscopy	4780	/cmm	2000 - 7500
ABSOLUTE LYMPI by FLOW CYTOMETR	HOCYTE COUNT y by sf cube & microscopy	4678	/cmm	800 - 4900
ABSOLUTE EOSIN by FLOW CYTOMETR	OPHIL COUNT Y BY SF CUBE & MICROSCOPY	203	/cmm	40 - 440
ABSOLUTE MONC by FLOW CYTOMETR	CYTE COUNT y by sf cube & microscopy	508	/cmm	80 - 880
PLATELETS AND	OTHER PLATELET PREDICTIV	VE MARKERS.		
PLATELET COUN' by hydro dynamic i	Γ (PLT) FOCUSING, ELECTRICAL IMPEDENCE	188000	/cmm	150000 - 450000
PLATELETCRIT (F	PCT) FOCUSING, ELECTRICAL IMPEDENCE	0.28	%	0.10 - 0.36
MEAN PLATELET by HYDRO DYNAMIC I	VOLUME (MPV) FOCUSING, ELECTRICAL IMPEDENCE	15 ^H	fL	6.50 - 12.0
	E CELL COUNT (P-LCC) FOCUSING, ELECTRICAL IMPEDENCE	111000 ^H	/cmm	30000 - 90000
PLATELET LARGE	E CELL RATIO (P-LCR) FOCUSING, ELECTRICAL IMPEDENCE	59 ^H	%	11.0 - 45.0
by HYDRO DYNAMIC I	IBUTION WIDTH (PDW) FOCUSING, ELECTRICAL IMPEDENCE	16.5	%	15.0 - 17.0
NOTE: TEST CONDU	JCTED ON EDTA WHOLE BLOOD			

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com







	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Patholog		(Pathology)
NAME	: Master. AKSHAT SHARMA		
AGE/ GENDER	: 9 YRS/MALE	PATIENT ID	: 1806288
COLLECTED BY	:	REG. NO./LAB NO.	: 012503250060
REFERRED BY	: P.G.I. (CHANDIGARH)	REGISTRATION DATE	: 25/Mar/2025 06:38 PM
BARCODE NO.	: 01527758	COLLECTION DATE	: 25/Mar/2025 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 25/Mar/2025 07:26PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANT	Т	

Test Name	Value	Unit	Biological Reference interval



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



	Dr. Vinay Cho MD (Pathology & N Chairman & Consu	licrobiology)	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Master. AKSHAT SHARMA			
GE/ GENDER	: 9 YRS/MALE	PATIE	NT ID	: 1806288
OLLECTED BY	:	REG. N	O./LAB NO.	: 012503250060
EFERRED BY	: P.G.I. (CHANDIGARH)	REGIST	FRATION DATE	: 25/Mar/2025 06:38 PM
ARCODE NO.	: 01527758	COLLE	CTION DATE	: 25/Mar/2025 06:42PM
LIENT CODE.	: KOS DIAGNOSTIC LAB	REPOR	TING DATE	: 25/Mar/2025 07:56PM
LIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AN	MBALA CANTT		
Fest Name		Value	Unit	Biological Reference interval
	ERYTHRO	CYTE SEDIMENT	TATION RATE	(ESR)
	EDIMENTATION RATE (ESR) GATION BY CAPILLARY PHOTOMETRY	19	mm/1st h	r 0 - 20
s C-reactive protein . This test may also ystemic lupus eryth ONDITION WITH LO low ESR can be see polycythaemia), sign s sickle cells in sickl IOTE: . ESR and C - reactiv . Generally, ESR doe . CRP is not affected . If the ESR is elevat . Women tend to ha . Drugs such as dext	be used to monitor disease activity ematosus W ESR in with conditions that inhibit the n ificantly high white blood cell cou- le cell anaemia) also lower the ESR e protein (C-RP) are both markers of es not change as rapidly as does CR by as many other factors as is ESR , ed, it is typically a result of two typ we a higher ESR, and menstruation	y and response to thera normal sedimentation of nt (leucocytosis) , and s c of inflammation. P, either at the start of making it a better mari pes of proteins, globulir and pregnancy can cau	apy in both of the at of red blood cells, su some protein abnor inflammation or as ker of inflammation is or fibrinogen. se temporary elevat	rmalities. Some changes in red cell shape (such it resolves.

KOS Diagnostic Lab (A Unit of KOS Healthcare)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







		Dr. Vinay Che MD (Pathology & Chairman & Cons	Microbiology)		(Pathology)
NAME AGE/ GENDER COLLECTED BY REFERRED BY BARCODE NO. CLIENT CODE. CLIENT ADDRESS	: 9 YRS/MALE : : P.G.I. (CHAN : 01527758 : KOS DIAGNO	DIGARH)	AMBALA CANTT	PATIENT ID REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE REPORTING DATE	: 1806288 : 012503250060 : 25/Mar/2025 06:38 PM : 25/Mar/2025 06:42PM : 25/Mar/2025 09:27PM
Test Name			Value	Unit	Biological Reference interval
GLUCOSE FASTIN by GLUCOSE OXIDAS			GLUCOSE 107.78 ^H	E FASTING (F) mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
test (after consumpt 3. A fasting plasma g	lucose level belo lucose level beto ion of 75 gms of lucose level of a	ow 100 mg/dl is c ween 100 - 125 m glucose) is recom bove 125 mg/dl i	considered norma ng/dl is considere nmended for all s s highly suggestiv	al. ed as glucose intolerant or uch patients.	prediabetic. A fasting and post-prandial blood at post-prandial is strongly recommended for all atory for diabetic state.

KOS Diagnostic Lab (A Unit of KOS Healthcare)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





		hopra & Microbiology) nsultant Patholog		(Pathology)
NAME AGE/ GENDER COLLECTED BY REFERRED BY BARCODE NO. CLIENT CODE. CLIENT ADDRESS	: Master. AKSHAT SHARMA : 9 YRS/MALE : : P.G.I. (CHANDIGARH) : 01527758 : KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD		PATIENT ID REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE REPORTING DATE	: 1806288 : 012503250060 : 25/Mar/2025 06:38 PM : 25/Mar/2025 06:42PM : 25/Mar/2025 07:57PM
Test Name		Value	Unit	Biological Reference interval
		LIPID PR	OFILE : BASIC	
CHOLESTEROL TO by CHOLESTEROL OX		128.63	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: by GLYCEROL PHOSE	SERUM PHATE OXIDASE (ENZYMATIC)	138.44	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTERO	DL (DIRECT): SERUM 70N	45.92	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTERC by CALCULATED, SPE		55.02	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLES by CALCULATED, SPE		82.71	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTER		27.69	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SE		395.7	mg/dL	350.00 - 700.00
CHOLESTEROL/HI by CALCULATED, SPE	DL RATIO: SERUM	2.8	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0
	Br		Ghopra	

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

0

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com

Page 6 of 15

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





		hopra & Microbiology) nsultant Pathologi		(Pathology)
NAME	: Master. AKSHAT SHARMA			
AGE/ GENDER	: 9 YRS/MALE		PATIENT ID	: 1806288
COLLECTED BY	:		REG. NO./LAB NO.	: 012503250060
REFERRED BY	: P.G.I. (CHANDIGARH)		REGISTRATION DATE	: 25/Mar/2025 06:38 PM
BARCODE NO.	:01527758		COLLECTION DATE	: 25/Mar/2025 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 25/Mar/2025 07:57PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD), AMBALA CANT	Г	
Test Name		Value	Unit	Biological Reference interval
				MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: S by Calculated, spe		1.2	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/H by CALCULATED, SPE	IDL RATIO: SERUM	3.01	RATIO	3.00 - 5.00

INTERPRETATION:

1.Measurements in the same patient can show physiological& analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol. 2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

 Cow HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
 NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







Dr. Yugam Chopra

	MD (Pathology & Micr Chairman & Consultar	robiology)	MD (CEO & Consultant I	Pathology)
NAME	: Master. AKSHAT SHARMA			
AGE/ GENDER	: 9 YRS/MALE	PA	TIENT ID	: 1806288
COLLECTED BY	:	RF	EG. NO./LAB NO.	: 012503250060
REFERRED BY	: P.G.I. (CHANDIGARH)	RF	GISTRATION DATE	: 25/Mar/2025 06:38 PM
BARCODE NO.	: 01527758	CO	LLECTION DATE	: 25/Mar/2025 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RI	EPORTING DATE	: 25/Mar/2025 07:57PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB	ALA CANTT		
Test Name		Value	Unit	Biological Reference interval
Test Name		value	Unit	Biological Reference Interval
	LIVER F	UNCTION 1	TEST (COMPLETE)	
BILIRUBIN TOTAL by DIAZOTIZATION, SF	: SERUM PECTROPHOTOMETRY	0.64	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	T (CONJUGATED): SERUM	0.15	mg/dL	0.00 - 0.40
BILIRUBIN INDIRE by CALCULATED, SPE	ECT (UNCONJUGATED): SERUM	0.49	mg/dL	0.10 - 1.00
SGOT/AST: SERUN by IFCC, WITHOUT PY	I RIDOXAL PHOSPHATE	30.88	U/L	7.00 - 45.00
SGPT/ALT: SERUN by IFCC, WITHOUT PY	I RIDOXAL PHOSPHATE	17.57	U/L	0.00 - 49.00
AST/ALT RATIO: S by CALCULATED, SPE		1.76	RATIO	0.00 - 46.00
ALKALINE PHOSPI by PARA NITROPHEN PROPANOL	HATASE: SERUM yl phosphatase by amino methyl	205.78	U/L	50.00 - 370.00
GAMMA GLUTAM by SZASZ, SPECTROF	YL TRANSFERASE (GGT): SERUN Phtometry	A 15.94	U/L	0.00 - 55.0
TOTAL PROTEINS by BIURET, SPECTRO		7.19	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL G		3.98	gm/dL	3.50 - 5.50
GLOBULIN: SERUN by CALCULATED, SPE		3.21	gm/dL	2.30 - 3.50
A : G RATIO: SERU		1.24	RATIO	1.00 - 2.00

by CALCULATED, SPECTROPHOTOMETRY **INTERPRETATION**

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

Dr. Vinay Chopra

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
	21.5



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com





	Dr. Vinay Cho MD (Pathology & M Chairman & Consu	Microbiology)	Dr. Yugam C MD (Pa CEO & Consultant Pa	thology)
NAME	: Master. AKSHAT SHARMA			
AGE/ GENDER	: 9 YRS/MALE	PATI	ENT ID	: 1806288
COLLECTED BY	:	REG.	NO./LAB NO.	: 012503250060
REFERRED BY	: P.G.I. (CHANDIGARH)	REGIS	STRATION DATE	: 25/Mar/2025 06:38 PM
BARCODE NO.	: 01527758	COLL	ECTION DATE	: 25/Mar/2025 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	RTING DATE	: 25/Mar/2025 07:57PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
HEPATOCELLULAR C	ARCINOMA & CHRONIC HEPATITIS		> 1.3 (Slightly Increa	ised)

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased). **PROGNOSTIC SIGNIFICANCE:**

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







EXCELLENCE IN HEALTHCARE & DIAGNOSTICS Dr. Yugam Chopra MD (Pathology)

CEO & Consultant Pathologist

NAME : Master. AKSHAT SHARMA AGE/ GENDER : 9 YRS/MALE **PATIENT ID** :1806288 **COLLECTED BY** REG. NO./LAB NO. :012503250060 : **REFERRED BY** : P.G.I. (CHANDIGARH) **REGISTRATION DATE** : 25/Mar/2025 06:38 PM **BARCODE NO.** :01527758 **COLLECTION DATE** : 25/Mar/2025 06:42PM CLIENT CODE. : KOS DIAGNOSTIC LAB **REPORTING DATE** : 25/Mar/2025 07:57PM : 6349/1, NICHOLSON ROAD, AMBALA CANTT **CLIENT ADDRESS** Т **X**7 1 TT .4 **D'** 1 1 Def

Dr. Vinay Chopra

MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Test Name	Value	Unit	Biological Reference interval
KIDNEY	FUNCTION TE	ST (COMPLETE)	
UREA: SERUM by UREASE - GLUTAMATE DEHYDROGENASE (GLDH)	37.42	mg/dL	10.00 - 50.00
CREATININE: SERUM by ENZYMATIC, SPECTROPHOTOMETERY	0.72	mg/dL	0.40 - 1.40
BLOOD UREA NITROGEN (BUN): SERUM by CALCULATED, SPECTROPHOTOMETRY	17.49	mg/dL	7.0 - 25.0
BLOOD UREA NITROGEN (BUN)/CREATININE RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	24.29 ^H	RATIO	10.0 - 20.0
UREA/CREATININE RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	51.97	RATIO	
URIC ACID: SERUM by URICASE - OXIDASE PEROXIDASE	4.41	mg/dL	3.60 - 7.70
CALCIUM: SERUM by ARSENAZO III, SPECTROPHOTOMETRY	10.6	mg/dL	8.50 - 10.60
PHOSPHOROUS: SERUM by PHOSPHOMOLYBDATE, SPECTROPHOTOMETRY	3.99	mg/dL	2.30 - 4.70
ELECTROLYTES			
SODIUM: SERUM by ISE (ION SELECTIVE ELECTRODE)	139.5	mmol/L	135.0 - 150.0
POTASSIUM: SERUM by ISE (ION SELECTIVE ELECTRODE)	3.88	mmol/L	3.50 - 5.00
CHLORIDE: SERUM by ISE (ION SELECTIVE ELECTRODE)	104.63	mmol/L	90.0 - 110.0
ESTIMATED GLOMERULAR FILTERATION RATE	2		
ESTIMATED GLOMERULAR FILTERATION RATE (eGFR): SERUM by CALCULATED INTERPRETATION:	143.6		
To differentiate between pro, and post renal exeteria			

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com







5001.2500 0ENT						
		Dr. Vinay Chopra MD (Pathology & Micro Chairman & Consultan	obiology)	Dr. Yugam Chopra MD (Pathology) gist CEO & Consultant Pathologist		
NAME	: Master. AKS	SHAT SHARMA				
AGE/ GENDER	: 9 YRS/MALE		Р	ATIENT ID	: 1806288	
COLLECTED BY	:		R	EG. NO./LAB NO.	: 012503250060)
REFERRED BY	: P.G.I. (CHAN	DIGARH)	R	EGISTRATION DA	TE : 25/Mar/2025 06:	38 PM
BARCODE NO.	:01527758	2101101)	COLLECTION DATE			: 25/Mar/2025 06:42PM
CLIENT CODE.	: KOS DIAGNO	STIC I AR		EPORTING DATE	: 25/Mar/2025 07:	
				EFURING DATE	. 23/ Wai / 2023 07.	. J / F IVI
CLIENT ADDRESS	: 0349/1, NIC	HOLSON ROAD, AMBA	ALA CANT I			
Test Name			Value	Unit	Biologie	al Reference interval
burns, surgery, cache 7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. NCREASED RATIO (>2 1. Postrenal azotemia	xia, high fever). (e.g. ureter cold ass (subnormal tetracycline, glu 0:1) WITH ELEV/ I (BUN rises disp	ostomy) creatinine production ucocorticoids) ATED CREATININE LEVE proportionately more t) (LS:	-	toxicosis, Cushing's syndro uropathy).	nic, ingn protein diet,
2. Prerenal azotemia DECREASED RATIO (<1						
1. Acute tubular necr						
2. Low protein diet ar						
 Severe liver disease Other causes of de 						
5. Repeated dialysis (nthesis.				
		n creatinine diffuses o		ular fluid).		
7. SIAUH (SVNdrome C	monemias (urea	n creatinine diffuses o a is virtually absent in	blood).			
	monemias (urea	n creatinine diffuses o	blood).			
8. Pregnancy.	monemias (urea of inappropiate a	n creatinine diffuses o a is virtually absent in antidiuretic harmone)	blood).			
8. Pregnancy. DECREASED RATIO (<1 1. Phenacimide thera	monemias (urea of inappropiate a 10:1) WITH INCRI py (accelerates	n creatinine diffuses o a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine	blood). due to tubula	secretion of urea.		
8. Pregnancy. DECREASED RATIO (<1 1. Phenacimide thera 2. Rhabdomyolysis (r	monemias (urea of inappropiate a 10:1) WITH INCRI py (accelerates eleases muscle	n creatinine diffuses o a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine creatinine).	blood). due to tubula	secretion of urea.		
8. Pregnancy. DECREASED RATIO (<1 1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients	monemias (urea of inappropiate a 10:1) WITH INCRI py (accelerates eleases muscle who develop re	n creatinine diffuses o a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine creatinine).	blood). due to tubula	secretion of urea.		
8. Pregnancy. DECREASED RATIO (<1 1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO	monemias (urea of inappropiate a l 0:1) WITH INCRI py (accelerates eleases muscle who develop re :	n creatinine diffuses o a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine creatinine). nal failure.	blood). due to tubulai e to creatinine	secretion of urea.	odologies,resulting in norm	nal ratio when dehydratic
 Pregnancy. DECREASED RATIO (<1 Phenacimide thera Rhabdomyolysis (r- Muscular patients INAPPROPIATE RATIO Diabetic ketoacido should produce an in- 	monemias (urea of inappropiate a lo:1) WITH INCRI py (accelerates eleases muscle who develop re : sis (acetoacetat creased BUN/cr	n creatinine diffuses o a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine creatinine). nal failure. te causes false increase reatinine ratio).	blood). due to tubular to creatinine e in creatinine	secretion of urea.	odologies,resulting in norm	nal ratio when dehydratio
8. Pregnancy. DECREASED RATIO (<1 1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther	monemias (urea of inappropiate a lo:1) WITH INCRI py (accelerates eleases muscle who develop re : sis (acetoacetat creased BUN/cr apy (interferes	n creatinine diffuses o a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine creatinine). nal failure. te causes false increase reatinine ratio). with creatinine measur	blood). due to tubular to creatinine e in creatinine	secretion of urea.	odologies,resulting in norm	nal ratio when dehydratio
 Pregnancy. DECREASED RATIO (<1 Phenacimide thera Rhabdomyolysis (r- Muscular patients INAPPROPIATE RATIO Diabetic ketoacido should produce an in- 	monemias (urea of inappropiate a lo:1) WITH INCRI py (accelerates eleases muscle who develop re : sis (acetoacetat creased BUN/cr apy (interferes	n creatinine diffuses o a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creatine creatinine). nal failure. te causes false increase reatinine ratio). with creatinine measur	blood). due to tubular to creatinine e in creatinine rement).	secretion of urea.	odologies,resulting in norm	nal ratio when dehydratio

CKD STAGE	DESCRIPTION	GFR (ML/MIN/ 1./3M2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)









	Dr. Vinay Chopra MD (Pathology & Microl Chairman & Consultant	biology) MD	n Chopra 9 (Pathology) 1t Pathologist
NAME	: Master. AKSHAT SHARMA		
AGE/ GENDER	: 9 YRS/MALE	PATIENT ID	: 1806288
COLLECTED BY	:	REG. NO./LAB NO.	: 012503250060
REFERRED BY	: P.G.I. (CHANDIGARH)	REGISTRATION DATE	: 25/Mar/2025 06:38 PM
BARCODE NO.	: 01527758	COLLECTION DATE	: 25/Mar/2025 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 25/Mar/2025 07:57PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBAI	LA CANTT	
<u> </u>			
Test Name		Value Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	Dr. Vinay Cho MD (Pathology & N Chairman & Consu	1icrobiology)		(Pathology)
NAME	: Master. AKSHAT SHARMA			
AGE/ GENDER	: 9 YRS/MALE		PATIENT ID	: 1806288
COLLECTED BY	:		REG. NO./LAB NO.	: 012503250060
REFERRED BY	: P.G.I. (CHANDIGARH)		REGISTRATION DATE	: 25/Mar/2025 06:38 PM
BARCODE NO.	: 01527758		COLLECTION DATE	: 25/Mar/2025 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 25/Mar/2025 07:57PM
	0.00 AO /1 NICHOLCON DOAD AN	ADALA CANTT		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AN	VIDALA CANTI		
	: 6349/1, NICHOLSON ROAD, AP	Value	Unit	Biological Reference interval
		Value	Unit DLOGY/SEROLOG	
	IMMU	Value NOPATH(
Test Name	IMMU	Value NOPATH(DLOGY/SEROLOG	
SERUM	IMMU C·	Value NOPATH(REACTIVE	DLOGY/SEROLOG PROTEIN (CRP)	G Y
Test Name C-REACTIVE PRO SERUM by NEPHLOMETRY INTERPRETATION:	IMMU C· TEIN (CRP) QUANTITATIVE:	Value NOPATHO REACTIVE 0.56	DLOGY/SEROLOG PROTEIN (CRP) mg/L	G Y
Test Name C-REACTIVE PRO SERUM by NEPHLOMETRY INTERPRETATION: 1. C-reactive protein	IMMU C· TEIN (CRP) QUANTITATIVE: (CRP) is one of the most sensitive a	Value NOPATHO •REACTIVE 0.56 acute-phase rea	DLOGY/SEROLOG C PROTEIN (CRP) mg/L	G Y

KOS Diagnostic Lab (A Unit of KOS Healthcare)

4. As compared to ESR, CRP shows an earlier rise in inflammatory disorders which begins in 4-6 hrs, the intensity of the rise being higher than ESR and the recovery being earlier than ESR. Unlike ESR, CRP levels are not influenced by hematologic conditions like Anemia, Polycythemia etc., 5. Elevated values are consistent with an acute inflammatory process. **NOTE:**

1. Elevated C-reactive protein (CRP) values are nonspecific and should not be interpreted without a complete clinical history.

2. Oral contraceptives may increase CRP levels.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







Dr. Vinay Chopra

MD (Pathology & Microbiology)



Dr. Yugam Chopra

MD (Pathology)

	Chairman & Cons		EO & Consultant	Pathologist
NAME	: Master. AKSHAT SHARMA			
AGE/ GENDER	: 9 YRS/MALE	PATIENT	ID	: 1806288
COLLECTED BY	:	REG. NO.	LAB NO.	: 012503250060
REFERRED BY	: P.G.I. (CHANDIGARH)		ATION DATE	: 25/Mar/2025 06:38 PM
BARCODE NO.	: 01527758		ION DATE	: 25/Mar/2025 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTI		: 25/Mar/2025 07:08PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A			. 20/ Hul/ 2020 01.001 H
	10010/1,1101101201110120,1			
Test Name		Value	Unit	Biological Reference interval
		CLINICAL PATHO	DLOGY	
	URINE ROU	TINE & MICROSCO	PIC EXAMI	NATION
PHYSICAL EXAM	INATION			
QUANTITY RECIE		10	ml	
	TANCE SPECTROPHOTOMETRY			
COLOUR		PALE YELLOW		PALE YELLOW
TRANSPARANCY	CTANCE SPECTROPHOTOMETRY	CLEAR		CLEAR
	TANCE SPECTROPHOTOMETRY	CLEAK		CLEAK
SPECIFIC GRAVIT		>=1.030		1.002 - 1.030
	TANCE SPECTROPHOTOMETRY			
CHEMICAL EXAN	<u>AINATION</u>			
REACTION	TANCE SPECTROPHOTOMETRY	ACIDIC		
PROTEIN		Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY			
SUGAR		Negative		NEGATIVE (-ve)
pH	TANCE SPECTROPHOTOMETRY	5.5		5.0 - 7.5
1	TANCE SPECTROPHOTOMETRY	5.0		2.0 7.2
BILIRUBIN		Negative		NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY.	Negative		NEGATIVE (-ve)
UROBILINOGEN		Normal	EU/dL	0.2 - 1.0
-	TANCE SPECTROPHOTOMETRY	NT C		
KETONE BODIES by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
BLOOD		Negative		NEGATIVE (-ve)
•	TANCE SPECTROPHOTOMETRY			
ASCORBIC ACID	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
2, 2 SHORTELED				

MICROSCOPIC EXAMINATION



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT



NANGE

BACTERIA



A VOLAT CILADA



Dr. Vinay Chopra Dr. MD (Pathology & Microbiology) Chairman & Consultant Pathologist CEO & Co

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Master. AKSHAT SHARMA			
AGE/ GENDER	: 9 YRS/MALE	PATIENT I	D	: 1806288
COLLECTED BY	:	REG. NO. /1	LAB NO.	: 012503250060
REFERRED BY	: P.G.I. (CHANDIGARH)	REGISTRA	TION DATE	: 25/Mar/2025 06:38 PM
BARCODE NO.	: 01527758	COLLECTI	ON DATE	: 25/Mar/2025 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTIN	IG DATE	: 25/Mar/2025 07:08PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
RED BLOOD CELL	S (RBCs) CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3
PUS CELLS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	2-3	/HPF	0 - 5
EPITHELIAL CELL by MICROSCOPY ON C	S CENTRIFUGED URINARY SEDIMENT	1-2	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report ***

ABSENT

NEGATIVE (-ve)

NEGATIVE (-ve)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



NEGATIVE (-ve)

NEGATIVE (-ve)

ABSENT