

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



		<b>Chopra</b> gy & Microbiology) Consultant Pathologist		(Pathology)
NAME AGE/ GENDER COLLECTED BY REFERRED BY BARCODE NO. CLIENT CODE. CLIENT ADDRESS	: Mr. KAWALJIT SINGH : 50 YRS/MALE : : : 01527838 : KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROA		PATIENT ID REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE REPORTING DATE	: 1808008 <b>: 012503270006</b> : 27/Mar/2025 07:57 AM : 27/Mar/2025 08:00AM : 27/Mar/2025 10:13AM
Test Name		Value	Unit	<b>Biological Reference interval</b>
	CLIN	ICAL CHEMIS	TRY/BIOCHEMIS	STRY
			FASTING (F)	
JLUCOSE FASTIN by GLUCOSE OXIDAS	G (F): PLASMA E - PEROXIDASE (GOD-POD)	123.04 <sup>H</sup>	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
uch patients. A fast	ing plasma glucose level in e	cess of 125 mg/dl or	both occasions is confirm	at post-prandial is strongly recommended for a atory for diabetic state.
		*** End Of Re	eport ***	
		*** End Of Re	eport ***	
		*** End Of Re	eport ***	
		*** End Of Re	eport ***	

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

Ř

回光

