

Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. SIMRAN	PATIENT ID	: 1817444
AGE/ GENDER	: 24 YRS/FEMALE	REG. NO./LAB NO.	: 012504040002
COLLECTED BY	:	REGISTRATION DATE	: 04/Apr/2025 07:18 AM
REFERRED BY	:	COLLECTION DATE	: 04/Apr/2025 07:31AM
BARCODE NO.	: 01528317	REPORTING DATE	: 04/Apr/2025 11:47AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

ENDOCRINOLOGY

THYROID FUNCTION TEST: TOTAL

TRIIODOTHYRONINE (T3): SERUM	0.869	ng/mL	0.35 - 1.93
by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)			
THYROXINE (T4): SERUM	9.06	µgm/dL	4.87 - 12.60
by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)			
THYROID STIMULATING HORMONE (TSH): SERUM	3.519	µIU/mL	0.35 - 5.50
by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)			

3rd GENERATION, ULTRA SENSITIVE

INTERPRETATION:

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and triiodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction (hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	T3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.
2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (e.g.: phenytoin, salicylates).
3. Serum T4 levels in neonates and infants are higher than values in the normal adult, due to the increased concentration of TBG in neonate serum.
4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothyroidism, pregnancy, phenytoin therapy.

TRIIODOTHYRONINE (T3)		THYROXINE (T4)		THYROID STIMULATING HORMONE (TSH)	
Age	Refferance Range (ng/mL)	Age	Refferance Range (µg/dL)	Age	Reference Range (µIU/mL)
0 - 7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days - 6 Months	0.70 - 8.40




 DR. VINAY CHOPRA

CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR. YUGAM CHOPRA

CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. SIMRAN	PATIENT ID	: 1817444
AGE/ GENDER	: 24 YRS/FEMALE	REG. NO./LAB NO.	: 012504040002
COLLECTED BY	:	REGISTRATION DATE	: 04/Apr/2025 07:18 AM
REFERRED BY	:	COLLECTION DATE	: 04/Apr/2025 07:31AM
BARCODE NO.	: 01528317	REPORTING DATE	: 04/Apr/2025 11:47AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87- 13.20
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60
RECOMMENDATIONS OF TSH LEVELS DURING PREGNANCY (μ U/mL)			
1st Trimester			0.10 - 2.50
2nd Trimester			0.20 - 3.00
3rd Trimester			0.30 - 4.10


INCREASED TSH LEVELS:

- 1.Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.
- 2.Hypothyroid patients receiving insufficient thyroid replacement therapy.
- 3.Hashimotos thyroiditis
- 4.DRUGS: Amphetamines, iodine containing agents & dopamine antagonist.
- 5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

- 1.Toxic multi-nodular goiter & Thyroiditis.
- 2.Over replacement of thyroid hormone in treatment of hypothyroidism.
- 3.Autonomously functioning Thyroid adenoma
- 4.Secondary pituitary or hypothalamic hypothyroidism
- 5.Acute psychiatric illness
- 6.Severe dehydration.
- 7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.
- 8.Pregnancy: 1st and 2nd Trimester




DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. SIMRAN	PATIENT ID	: 1817444
AGE/ GENDER	: 24 YRS/FEMALE	REG. NO./LAB NO.	: 012504040002
COLLECTED BY	:	REGISTRATION DATE	: 04/Apr/2025 07:18 AM
REFERRED BY	:	COLLECTION DATE	: 04/Apr/2025 07:31AM
BARCODE NO.	: 01528317	REPORTING DATE	: 04/Apr/2025 11:47AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------


BETA HCG - TOTAL (QUANTITATIVE): MATERNAL

BETA HCG TOTAL, PREGNANCY MATERNAL: **409.61^H** mIU/mL < 5.0
 SERUM
 by CLIA (CHEMILUMINESCENCE IMMUNOASSAY)

INTERPRETATION:

MEN:	mIU/ml	< 2.0
NON PREGNANT PRE-MENOPAUSAL WOMEN:	mIU/ml	< 5.0
MENOPAUSAL WOMEN:	mIU/ml	< 7.0
BETA HCG EXPECTED VALUES IN ACCORDANCE TO WEEKS OF GESTATIONAL AGE		
WEEKS OF GESTATION	Unit	Value
4-5	mIU/ml	1500 - 23000
5-6	mIU/ml	3400 - 135300
6-7	mIU/ml	10500 - 161000
7-8	mIU/ml	18000 - 209000
8-9	mIU/ml	37500 - 219000
9-10	mIU/ml	42800 - 218000
10-11	mIU/ml	33700 - 218700
11-12	mIU/ml	21800 - 193200
12-13	mIU/ml	20300 - 166100
13-14	mIU/ml	15400 - 190000
2nd TRIMESTER	mIU/ml	2800 - 176100
3rd TRIMESTER	mIU/ml	2800 - 144400




DR. VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR. YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist


NAME	: Mrs. SIMRAN	PATIENT ID	: 1817444
AGE/ GENDER	: 24 YRS/FEMALE	REG. NO./LAB NO.	: 012504040002
COLLECTED BY	:	REGISTRATION DATE	: 04/Apr/2025 07:18 AM
REFERRED BY	:	COLLECTION DATE	: 04/Apr/2025 07:31AM
BARCODE NO.	: 01528317	REPORTING DATE	: 04/Apr/2025 11:47AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

1.hCG is a Glycoprotein with alpha and beta chains. Beta subunit is specific to hCG.
 2.It is largely secreted by trophoblastic tissue. Small amounts may be secreted by fetal tissues and by the adult ant pituitary.
INCREASED :
 1.Pregnancy
 2.Gestationalsite & Non gestational trophoblastic neoplasia.
 3.In mixed germ cell tumors.
SIGNIFICANTLY HIGHER THAN EXPECTED LEVEL:
 1.Multiple pregnancies & High risk molar pregnancies are usually associated with levels in excess of one lac mIU/ml.
 2.Erythroblastosis fetalis & Downs syndrome.
DECREASED:
 1.Ectopic pregnancy.
 2.Intra-uterine fetal death.
NOTE:
 1.The test becomes positive 7-9 days after the midcycle surge that precedes ovulation (time of blastocyst implantation). Blood levels rise rapidly after this and double every 1.4 - 2 days.
 2.Peak values are usually seen at 60-80 days of LMP. The levels then begin to taper and ebb out around the 20th week. These low levels are then maintained throughout pregnancy.
 3.Doubling time: In intra-uterine pregnancy, serum hCG levels increase by approximately 66% every 48 hrs.Inappropriately rising serum hCG levels are suggestive of dying or ectopic pregnancy.
CAUTION:
 Spuriously high levels (Phantom hCG) may be seen in presence of heterophilic antibodies (found in some normal people). If persistently raised levels are seen in a non-pregnant patient with no evidence of other obvious causes for such an increase a urine hCG assay may help confirm presence of the heterophile antibodies.

*** End Of Report ***




DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)

