Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mr. SHYAM LAL CHOPRA**		
AGE/ GENDER	: 87 YRS/MALE	**PATIENT ID**	: 1818096
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012504040045**
REFERRED BY	:	**REGISTRATION DATE**	: 04/Apr/2025 04:34 PM
BARCODE NO.	: 01528360	**COLLECTION DATE**	: 04/Apr/2025 04:51PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 04/Apr/2025 06:03PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

CLINICAL CHEMISTRY/BIOCHEMISTRY

UREA

UREA: SERUM *by UREASE - GLUTAMATE DEHYDROGENASE (GLDH)*	29.62	mg/dL	10.00 - 50.00

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mr. SHYAM LAL CHOPRA**		
AGE/ GENDER	: 87 YRS/MALE	**PATIENT ID**	: 1818096
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012504040045**
REFERRED BY	:	**REGISTRATION DATE**	: 04/Apr/2025 04:34 PM
BARCODE NO.	: 01528360	**COLLECTION DATE**	: 04/Apr/2025 04:51PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 04/Apr/2025 06:03PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
CREATININE			
CREATININE: SERUM *by ENZYMATIC, SPECTROPHOTOMETRY*	1.16	mg/dL	0.40 - 1.40

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mr. SHYAM LAL CHOPRA**		
AGE/ GENDER	: 87 YRS/MALE	**PATIENT ID**	: 1818096
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012504040045**
REFERRED BY	:	**REGISTRATION DATE**	: 04/Apr/2025 04:34 PM
BARCODE NO.	: 01528360	**COLLECTION DATE**	: 04/Apr/2025 04:51PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 04/Apr/2025 06:03PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

URIC ACID

URIC ACID: SERUM *by URICASE - OXIDASE PEROXIDASE*	6.7	mg/dL	3.60 - 7.70

INTERPRETATION:-

1.GOUT occurs when high levels of Uric Acid in the blood cause crystals to form & accumulate around a joint.
2.Uric Acid is the end product of purine metabolism . Uric acid is excreted to a large degree by the kidneys and to a smaller degree in the intestinal tract by microbial degradation.

INCREASED:-

(A).DUE TO INCREASED PRODUCTION:-

1.Idiopathic primary gout.
2.Excessive dietary purines (organ meats,legumes,anchovies, etc).
3.Cytolytic treatment of malignancies especially leukemais & lymphomas.
4.Polycythemai vera & myeloid metaplasia.
5.Psoriasis.
6.Sickle cell anaemia etc.

(**B).DUE TO DECREASED EXCREATION (BY KIDNEYS)**

1.Alcohol ingestion.
2.Thiazide diuretics.
3.Lactic acidosis.
4.Aspirin ingestion (less than 2 grams per day).
5.Diabetic ketoacidosis or starvation.
6.Renal failure due to any cause etc.

DECREASED:-

(A).DUE TO DIETARY DEFICIENCY

1.Dietary deficiency of Zinc, Iron and molybdenum.
2.Fanconi syndrome & Wilsons disease.
3.Multiple sclerosis .
4.Syndrome of inappropriate antidiuretic hormone (SIADH) secretion & low purine diet etc.

(B).DUE TO INCREASED EXCREATION

1.Drugs:-Probenecid , sulphinpyrazone, aspirin doses (more than 4 grams per day), corticosterroids and ACTH, anti-coagulants and estrogens etc.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mr. SHYAM LAL CHOPRA**		
AGE/ GENDER	: 87 YRS/MALE	**PATIENT ID**	: 1818096
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012504040045**
REFERRED BY	:	**REGISTRATION DATE**	: 04/Apr/2025 04:35 PM
BARCODE NO.	: 01528360	**COLLECTION DATE**	: 04/Apr/2025 04:51PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 04/Apr/2025 06:43PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

TUMOUR MARKER

PROSTATE SPECIFIC ANTIGEN (PSA) - TOTAL

PROSTATE SPECIFIC ANTIGEN (PSA) - TOTAL: SERUM	1.2	ng/mL	0.0 - 4.0

by CLIA (CHEMILUMINESCENCE IMMUNOASSAY)

INTERPRETATION:

NOTE:

1. This is a recommended test for detection of prostate cancer along with Digital Rectal Examination (DRE) in males above 50 years of age.
2. False negative / positive results are observed in patients receiving mouse monoclonal antibodies for diagnosis or therapy
3. PSA levels may appear consistently elevated / depressed due to the interference by heterophilic antibodies & nonspecific protein binding
4. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels
5. PSA values regardless of levels should not be interpreted as absolute evidence of the presence or absence of disease. All values should be correlated with clinical findings and results of other investigations
6. Sites of Non-prostatic PSA production are breast epithelium, salivary glands, peri-urethral & anal glands, cells of male urethra & breast milk
7. Physiological decrease in PSA level by 18% has been observed in hospitalized / sedentary patients either due to supine position or suspended sexual activity
8. The concentration of PSA in a given specimen, determined with assays from different manufacturers, may not be comparable due to differences in assay methods, calibration, and reagent specificity.

RECOMMENDED TESTING INTERVALS

1. Preoperatively (Baseline)
2. 2-4 Days Post operatively
3. Prior to discharge from hospital
4. Monthly Follow Up if levels are high and showing a rising trend

POST SURGERY	FREQUENCY OF TESTING
1st Year	Every 3 Months
2nd Year	Every 4 Months
3rd Year Onwards	Every 6 Months

CLINICAL USE:

1. An aid in the early detection of Prostate cancer when used in conjunction with Digital rectal examination in males more than 50 years of age and in those with two or more affected first degree relatives.
2. Followup and management of Prostate cancer patients.
3. Detect metastatic or persistent disease in patients following surgical or medical treatment of Prostate cancer

INCREASED LEVEL:

1. Prostate cancer
2. Benign Prostatic Hyperplasia
3. Prostatitis

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mr. SHYAM LAL CHOPRA**		
AGE/ GENDER	: 87 YRS/MALE	**PATIENT ID**	: 1818096
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012504040045**
REFERRED BY	:	**REGISTRATION DATE**	: 04/Apr/2025 04:35 PM
BARCODE NO.	: 01528360	**COLLECTION DATE**	: 04/Apr/2025 04:51PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 04/Apr/2025 06:43PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

4. Genitourinary infections

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mr. SHYAM LAL CHOPRA**		
AGE / GENDER	: 87 YRS/MALE	**PATIENT ID**	: 1818096
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012504040045**
REFERRED BY	:	**REGISTRATION DATE**	: 04/Apr/2025 04:34 PM
BARCODE NO.	: 01528360	**COLLECTION DATE**	: 04/Apr/2025 04:51PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 04/Apr/2025 05:03PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

CLINICAL PATHOLOGY

URINE ROUTINE & MICROSCOPIC EXAMINATION

Test Name	Value	Unit	Biological Reference interval
PHYSICAL EXAMINATION			
QUANTITY RECIEVED	10	ml	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
COLOUR	AMBER YELLOW		PALE YELLOW
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
TRANSPARANCY	CLEAR		CLEAR
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
SPECIFIC GRAVITY	1.01		1.002 - 1.030
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
CHEMICAL EXAMINATION			
REACTION	ACIDIC		
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
PROTEIN	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
SUGAR	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
pH	<=5.0		5.0 - 7.5
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
BILIRUBIN	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
NITRITE	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.			
UROBILINOGEN	Normal	EU/dL	0.2 - 1.0
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
KETONE BODIES	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
BLOOD	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
ASCORBIC ACID	NEGATIVE (-ve)		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			
MICROSCOPIC EXAMINATION			

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mr. SHYAM LAL CHOPRA**		
AGE/ GENDER	: 87 YRS/MALE	**PATIENT ID**	: 1818096
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012504040045**
REFERRED BY	:	**REGISTRATION DATE**	: 04/Apr/2025 04:34 PM
BARCODE NO.	: 01528360	**COLLECTION DATE**	: 04/Apr/2025 04:51PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 04/Apr/2025 05:03PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
RED BLOOD CELLS (RBCs) *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)	/HPF	0 - 3
PUS CELLS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	3-5	/HPF	0 - 5
EPITHELIAL CELLS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	2-3	/HPF	ABSENT
CRYSTALS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	ABSENT		ABSENT

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mr. SHYAM LAL CHOPRA**		
AGE/ GENDER	: 87 YRS/MALE	**PATIENT ID**	: 1818096
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012504040045**
REFERRED BY	:	**REGISTRATION DATE**	: 04/Apr/2025 04:34 PM
BARCODE NO.	: 01528360	**COLLECTION DATE**	: 04/Apr/2025 04:51PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 06/Apr/2025 04:31PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

MICROBIOLOGY

CULTURE AEROBIC BACTERIA AND ANTIBIOTIC SENSITIVITY: URINE

CULTURE AND SUSCEPTIBILITY: URINE

DATE OF SAMPLE	04-04-2025
SPECIMEN SOURCE	URINE
INCUBATION PERIOD *by AUTOMATED BROTH CULTURE*	48 HOURS
CULTURE *by AUTOMATED BROTH CULTURE*	STERILE
ORGANISM *by AUTOMATED BROTH CULTURE*	NO AEROBIC PYOGENIC ORGANISM GROWN AFTER 48 HOURS OF INCUBATION AT 37*C

AEROBIC SUSCEPTIBILITY: URINE

INTERPRETATION:

1. In urine culture and sensitivity, presence of more than 100,000 organism per mL in midstream sample of urine is considered clinically significant. However in symptomatic patients , a smaller number of bacteria (100 to 10000/mL) may signify infection.
2. Colony count of 100 to 10000/ mL indicate infection, if isolate from specimen obtained by suprapubic aspiration or “in-and-out” catheterization or from patients with indwelling catheters.

SUSCEPTIBILITY:

1. A test interpreted as **SENSTITIVE** implies that infection due to isolate may be appropriately treated with the dosage of an antimicrobial agent recommended for that type of infection and infecting species, unless otherwise indicated..
2. A test interpreted as **INTERMEDIATE** implies that the” Infection due to the isolate may be appropriately treated in body sites where the drugs are physiologically concentrated or when a high dosage of drug can be used”.
3. A test interpreted as **RESISTANT** implies that the “isolates are not inhibited by the usually achievable concentration of the agents with normal dosage, schedule and/or fall in the range where specific microbial resistance mechanism are likely (e.g. beta-lactamases), and clinical efficacy has not been reliable in treatment studies.

CAUTION:

Conditions which can cause a false Negative culture:

1. Patient is on antibiotics. Please repeat culture post therapy.
2. Anaerobic bacterial infection.
3. Fastidious aerobic bacteria which are not able to grow on routine culture media.
4. Besides all these factors, at least in 25-40 % of cases there is no direct correlation between in vivo clinical picture.
5. Renal tuberculosis to be confirmed by AFB studies.

*** End Of Report ***

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)