

**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |                                        |                          |                        |
|-----------------------|----------------------------------------|--------------------------|------------------------|
| <b>NAME</b>           | : Mr. WASIM                            | <b>PATIENT ID</b>        | : 1826715              |
| <b>AGE/ GENDER</b>    | : 24 YRS/MALE                          | <b>REG. NO./LAB NO.</b>  | : 012504110035         |
| <b>COLLECTED BY</b>   | :                                      | <b>REGISTRATION DATE</b> | : 11/Apr/2025 11:40 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 11/Apr/2025 12:19PM  |
| <b>BARCODE NO.</b>    | : 01528805                             | <b>REPORTING DATE</b>    | : 11/Apr/2025 12:20PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

## CLINICAL PATHOLOGY

### URINE ROUTINE & MICROSCOPIC EXAMINATION

#### PHYSICAL EXAMINATION

|                                            |              |    |               |
|--------------------------------------------|--------------|----|---------------|
| QUANTITY RECIEVED                          | 10           | ml |               |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY |              |    |               |
| COLOUR                                     | AMBER YELLOW |    | PALE YELLOW   |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY |              |    |               |
| TRANSPARANCY                               | CLEAR        |    | CLEAR         |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY |              |    |               |
| SPECIFIC GRAVITY                           | 1.02         |    | 1.002 - 1.030 |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY |              |    |               |

#### CHEMICAL EXAMINATION

|                                             |                |       |                |
|---------------------------------------------|----------------|-------|----------------|
| REACTION                                    | ACIDIC         |       |                |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY  |                |       |                |
| PROTEIN                                     | Negative       |       | NEGATIVE (-ve) |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY  |                |       |                |
| SUGAR                                       | Negative       |       | NEGATIVE (-ve) |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY  |                |       |                |
| pH                                          | <=5.0          |       | 5.0 - 7.5      |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY  |                |       |                |
| BILIRUBIN                                   | Negative       |       | NEGATIVE (-ve) |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY  |                |       |                |
| NITRITE                                     | Negative       |       | NEGATIVE (-ve) |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY. |                |       |                |
| UROBILINOGEN                                | Normal         | EU/dL | 0.2 - 1.0      |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY  |                |       |                |
| KETONE BODIES                               | Negative       |       | NEGATIVE (-ve) |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY  |                |       |                |
| BLOOD                                       | Negative       |       | NEGATIVE (-ve) |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY  |                |       |                |
| ASCORBIC ACID                               | NEGATIVE (-ve) |       | NEGATIVE (-ve) |
| by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY  |                |       |                |

#### MICROSCOPIC EXAMINATION



  
**DR.VINAY CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
**DR.YUGAM CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

|                       |                                        |                          |                        |
|-----------------------|----------------------------------------|--------------------------|------------------------|
| <b>NAME</b>           | : Mr. WASIM                            | <b>PATIENT ID</b>        | : 1826715              |
| <b>AGE/ GENDER</b>    | : 24 YRS/MALE                          | <b>REG. NO./LAB NO.</b>  | : 012504110035         |
| <b>COLLECTED BY</b>   | :                                      | <b>REGISTRATION DATE</b> | : 11/Apr/2025 11:40 AM |
| <b>REFERRED BY</b>    | :                                      | <b>COLLECTION DATE</b>   | : 11/Apr/2025 12:19PM  |
| <b>BARCODE NO.</b>    | : 01528805                             | <b>REPORTING DATE</b>    | : 11/Apr/2025 12:20PM  |
| <b>CLIENT CODE.</b>   | : KOS DIAGNOSTIC LAB                   |                          |                        |
| <b>CLIENT ADDRESS</b> | : 6349/1, NICHOLSON ROAD, AMBALA CANTT |                          |                        |

| Test Name                                                                                | Value          | Unit | Biological Reference interval |
|------------------------------------------------------------------------------------------|----------------|------|-------------------------------|
| RED BLOOD CELLS (RBCs)<br><i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>           | NEGATIVE (-ve) | /HPF | 0 - 3                         |
| PUS CELLS<br><i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>                        | 2-3            | /HPF | 0 - 5                         |
| EPITHELIAL CELLS<br><i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>                 | 0-2            | /HPF | ABSENT                        |
| CRYSTALS<br><i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>                         | NEGATIVE (-ve) |      | NEGATIVE (-ve)                |
| CASTS<br><i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>                            | NEGATIVE (-ve) |      | NEGATIVE (-ve)                |
| BACTERIA<br><i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>                         | NEGATIVE (-ve) |      | NEGATIVE (-ve)                |
| OTHERS<br><i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i>                           | NEGATIVE (-ve) |      | NEGATIVE (-ve)                |
| TRICHOMONAS VAGINALIS (PROTOZOA)<br><i>by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT</i> | ABSENT         |      | ABSENT                        |

\*\*\* End Of Report \*\*\*



  
 DR.VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR.YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)

