



		y Chopra ogy & Microbiology) Consultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. RANDHIR SINGH			
AGE/ GENDER	: 59 YRS/MALE	PATI	ENT ID	: 1538078
COLLECTED BY	:	REG. I	NO./LAB NO.	: 042407040001
REFERRED BY	:	REGIS	STRATION DATE	: 04/Jul/2024 10:38 AM
BARCODE NO.	: A0524869	COLL	ECTION DATE	:04/Jul/202402:45PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAH	BAD REPO	RTING DATE	:04/Jul/202403:26PM
CLIENT ADDRESS	: 6349/1, NICHOLSON RO	AD, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	C	LINICAL CHEMISTRY/	BIOCHEMISTR	Y
		CHOLESTEROL:	SERUM	
			ma/dl	OPTIMAL: < 200.0
CHOLESTEROL TOTA by CHOLESTEROL OX		131.86	mg/dL	BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.

NATIONAL LIPID ASSOCIATION RECOMMENDATIONS (NLA-2014)	CHOLESTEROL IN ADULTS (mg/dL)	CHOLESTEROL IN ADULTS (mg/dL)
DESIRABLE	< 200.0	< 170.0
BORDERLINE HIGH	200.0 - 239.0	171.0 - 199.0
HIGH	>= 240.0	>= 200.0

NOTE:

Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.
As per National Lipid association - 2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







A NOT	MD (Pathology & Chairman & Cons			0 (Pathology) t Pathologist
	: Mr. RANDHIR SINGH			150070
AGE/ GENDER	: 59 YRS/MALE		PATIENT ID	: 1538078
COLLECTED BY	:		REG. NO./LAB NO.	: 042407040001
EFERRED BY BARCODE NO.	: : A0524869		REGISTRATION DATE COLLECTION DATE	: 04/Jul/2024 10:38 AM : 04/Jul/2024 02:45PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD		REPORTING DATE	: 04/Jul/2024 03:26PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A			. 04/ Jul/ 2024 03.201 M
LIENT ADDRESS	. 0340/ 1, Menolson Road, F		1	
Test Name		Value	Unit	Biological Reference interval
		U	RIC ACID	
JRIC ACID: SERUM				
INIO AOID, JENUIVI		5.7	mg/dL	3.60 - 7.70
by URICASE - OXIDAS NTERPRETATION:- 1.GOUT occurs when 2.Uric Acid is the end ntestinal tract by mi NCREASED:- A).DUE TO INCREASE 1.Idiopathic primary 2.Excessive dietary p	high levels of Uric Acid in the blc product of purine metabolism . U crobial degradation. D PRODUCTION:-	ood cause cryst. Jric acid is excre hovies, etc).	eted to a large degree by th	
by URICASE - OXIDAS NTERPRETATION:- .GOUT occurs when Uric Acid is the end testinal tract by mi NCREASED:- A).DUE TO INCREASE .Idiopathic primary .Excessive dietary p .Cytolytic treatmen .Polycythemai vera .Psoriasis. .Sickle cell anaemia B).DUE TO DECREASE .Alcohol ingestion. .Thiazide diuretics. .Lactic acidosis. .Aspirin ingestion (I .Diabetic ketoacido .Renal failure due to DECREASED:- A).DUE TO DIETARY I .Dietary deficiency .Fanconi syndrome .Multiple sclerosis .Syndrome of inapp. B).DUE TO INCREASE	high levels of Uric Acid in the blo product of purine metabolism . U crobial degradation. D PRODUCTION:- gout. urines (organ meats,legumes,ancl t of malignancies especially leuke & myeloid metaplasia. etc. DEXCREATION (BY KIDNEYS) ess than 2 grams per day). sis or starvation. o any cause etc. DEFICIENCY of Zinc, Iron and molybdenum. & Wilsons disease.	ood cause cryst. Jric acid is excre hovies, etc). mais & lympho	als to form & accumulate an eted to a large degree by th mas. & low purine diet etc.	round a joint. e kidneys and to a smaller degree in the
by URICASE - OXIDAS NTERPRETATION:- .GOUT occurs when .Uric Acid is the end testinal tract by mi NCREASED:- A).DUE TO INCREASE .Idiopathic primary .Excessive dietary p .Cytolytic treatmen .Polycythemai vera .Psoriasis .Sickle cell anaemia B).DUE TO DECREASE .Alcohol ingestion. .Thiazide diuretics. .Lactic acidosis. .Aspirin ingestion (I .Diabetic ketoacido .Renal failure due to DECREASED:- A).DUE TO DIETARY I .Dietary deficiency .Fanconi syndrome .Multiple sclerosis .Syndrome of inapp. B).DUE TO INCREASE	high levels of Uric Acid in the blo product of purine metabolism . U crobial degradation. D PRODUCTION:- gout. urines (organ meats,legumes,ancl t of malignancies especially leuke & myeloid metaplasia. etc. DEXCREATION (BY KIDNEYS) ess than 2 grams per day). sis or starvation. o any cause etc. DEFICIENCY of Zinc, Iron and molybdenum. & Wilsons disease.	ood cause cryst. Jric acid is excre hovies, etc). mais & lympho	als to form & accumulate an eted to a large degree by th mas. & low purine diet etc.	round a joint.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com

