

Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mr. ROHIT	PATIENT ID	: 1604988
AGE/ GENDER	: 33 YRS/MALE	REG. NO./LAB NO.	: 042409070002
COLLECTED BY	:	REGISTRATION DATE	: 07/Sep/2024 09:16 AM
REFERRED BY	:	COLLECTION DATE	: 07/Sep/2024 03:33PM
BARCODE NO.	: A0465442	REPORTING DATE	: 07/Sep/2024 04:51PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

CLINICAL PATHOLOGY
SEMEN ANALYSIS/SEMINOGRAM


PHYSICAL EXAMINATION


TIME OF SPECIMEN COLLECTION	07-09-2024	AM/PM	
DURATION OF ABSTINENCE	3 DAYS	DAYS	2 - 7
TYPE OF STONE	FRESH		
LIQUIFACTION TIME AT 37°C	< 30 MINS	MINS	30 - 60
VOLUME	2.2	ML	
COLOUR	WHITISH OPAQUE		WHITISH OPAQUE
VISCOSITY	VISCOUS		VISCOUS
pH	gH		5.0 - 7.5

AUTOMMATED SEMEN ANALYSIS, GOLD STANDARD, WHO APPROVED (SOA GOLD)

TOTAL SPERM CONCENTRATION	86.5	Millions/mL	12 - 16
<i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>			
TOTAL MOTILITY (GRADE A + GRABE B + GRADE C)	43	%	> = 42.0
<i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>			
RAPIDLY PROGRESSIVE MOTILITY (GRADE A)	32	%	> = 30.0
<i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>			
SLOWLY PROGRESSIVE MOTILITY (GRADE B)	6	%	>= 30
<i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>			
NON PROGRESSIVE MOTILITY (GRADE C)	5	%	<= 1
<i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>			
IMMOTILE	57	%	
<i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>			
MORPHOLOGY NORMAL	7	%	> = 4.0
<i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>			
MOTILE SPERM CONCENTRATION	37.2	Millions/mL	> = 6.0
<i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>			
RAPIDLY PROGRESSIVE MOTILE SPERM CONCENTRATION	27.8	Millions/mL	> = 5.0
<i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>			
SLOWLY PROGRESSIVE MOTILE SPERM CONCENTRATION	4.9	Millions/mL	
<i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>			




DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS , MD (PATHOLOGY)



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	: Mr. ROHIT	PATIENT ID	: 1604988
AGE/ GENDER	: 33 YRS/MALE	REG. NO./LAB NO.	: 042409070002
COLLECTED BY	:	REGISTRATION DATE	: 07/Sep/2024 09:16 AM
REFERRED BY	:	COLLECTION DATE	: 07/Sep/2024 03:33PM
BARCODE NO.	: A0465442	REPORTING DATE	: 07/Sep/2024 04:51PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
FUNCTIONAL SPERM CONCENTRATION <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	5.5	Millions/mL	
VELOCITY (AVERAGE PATH VELOCITY) <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	50	Mic/sec	> = 5
SPERM MOTILE INDEX (SMI) <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	242		> = 80
<u>TOTAL PER EJACULATION</u>			
TOTAL SPERM NUMBER <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	190.3	Millions/ejc.	> = 39.0
TOTAL MOTILE SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	81.9	Millions/ejc.	> = 16.0
TOTAL PROGRESSIVE MOTILE SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	71.9	Millions/ejc.	> = 12.0
TOTAL FUNCTIONAL SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	12.1	Millions/ejc.	
TOTAL MORPHOLOGY NORMAL SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	13.3	Millions/ejc.	> = 2.0
<u>MANUAL MICROSCOPY AND MORPHOLOGY</u>			
VITALITY <i>by MICROSCOPY</i>	67	%	
RED BLOOD CELLS (RBCs) <i>by MICROSCOPY</i>	NOT DETECTED	/HPF	NOT DETECTED
PUS CELLS <i>by MICROSCOPY</i>	0-3	/HPF	0 - 5
EPITHELIAL CELLS <i>by MICROSCOPY</i>	0-1	/HPF	ABSENT
AGGLUTINATES <i>by MICROSCOPY</i>	NOT DETECTED		NOT DETECTED
AMORPHOUS DEPOSITS/ROUND CELLS/DEBRIS <i>by MICROSCOPY</i>	NOT DETECTED		NOT DETECTED
BACTERIA <i>by MICROSCOPY</i>	NEGATIVE (-ve)		NEGATIVE (-ve)
HEAD DEFECTS <i>by MICROSCOPY</i>	38	%	
PIN HEADS <i>by MICROSCOPY</i>	9	%	



DR. VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR. YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	: Mr. ROHIT	PATIENT ID	: 1604988
AGE/ GENDER	: 33 YRS/MALE	REG. NO./LAB NO.	: 042409070002
COLLECTED BY	:	REGISTRATION DATE	: 07/Sep/2024 09:16 AM
REFERRED BY	:	COLLECTION DATE	: 07/Sep/2024 03:33PM
BARCODE NO.	: A0465442	REPORTING DATE	: 07/Sep/2024 04:51PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
NECK AND MID-PIECE DEFECTS <i>by MICROSCOPY</i>	27	%	
TAIL DEFECTS <i>by MICROSCOPY</i>	16	%	
CYTOPLASMIC DROPLETS <i>by MICROSCOPY</i>	2	%	
ACROSOME/NUCLEUS DEFECTS <i>by MICROSCOPY</i>	1	%	

CHEMICAL EXAMINATION

SEMEN FRUCTOSE (QUALITATIVE)

POSITIVE (+ve)

POSITIVE (+ve)

by QUALITATIVE METHOD USING RESORCINOL

INTERPRETATION:

- Fructose is the energy source for sperm motility. A positive fructose is considered normal.
- Azoospermia and fructose negative results may indicate an absence of seminal vesicles / vas deferens in the area of seminal vesicles / obstruction of seminal vesicles.

*** End Of Report ***



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY)

