

(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

/cmm

4000 - 11000

NAME : Mr. SURJEET SINGH

**AGE/ GENDER** : 62 YRS/MALE **PATIENT ID** : 1605025

COLLECTED BY : REG. NO./LAB NO. : 042409070005

 REFERRED BY
 : 07/Sep/2024 10:39 AM

 BARCODE NO.
 : A0465438
 COLLECTION DATE
 : 07/Sep/2024 03:30PM

 CLIENT CODE.
 : KOS DIAGNOSTIC SHAHBAD
 REPORTING DATE
 : 07/Sep/2024 03:47PM

9190

**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

# HAEMATOLOGY TOTAL LEUCOCYTE COUNT (TLC)

TOTAL LEUCOCYTE COUNT (TLC)
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)





(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mr. SURJEET SINGH

**AGE/ GENDER** : 62 YRS/MALE **PATIENT ID** : 1605025

COLLECTED BY : REG. NO./LAB NO. : 042409070005

 REFERRED BY
 : 07/Sep/2024 10:39 AM

 BARCODE NO.
 : A0465437
 COLLECTION DATE
 : 07/Sep/2024 03:29PM

 CLIENT CODE.
 : KOS DIAGNOSTIC SHAHBAD
 REPORTING DATE
 : 07/Sep/2024 05:17PM

**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

### **CLINICAL CHEMISTRY/BIOCHEMISTRY**

#### KIDNEY FUNCTION TEST (COMPLETE)

91.87 <sup>H</sup>	mg/dL	10.00 - 50.00
5.32 <sup>H</sup>	mg/dL	0.40 - 1.40
42.93 <sup>H</sup>	mg/dL	7.0 - 25.0
8.07 <sup>L</sup>	RATIO	10.0 - 20.0
17.27	RATIO	
5.88	mg/dL	3.60 - 7.70
8.14 <sup>L</sup>	mg/dL	8.50 - 10.60
4.44	mg/dL	2.30 - 4.70
132.3 <sup>L</sup>	mmol/L	135.0 - 150.0
3.53	mmol/L	3.50 - 5.00
99.23	mmol/L	90.0 - 110.0
11.5		
RESULT RECHECK	CED TWICE	
KINDLY CORRELATE CLINICALLY		
	5.32 <sup>H</sup> 42.93 <sup>H</sup> 8.07 <sup>L</sup> 17.27 5.88 8.14 <sup>L</sup> 4.44 132.3 <sup>L</sup> 3.53 99.23 11.5 RESULT RECHECK	5.32 <sup>H</sup> mg/dL 42.93 <sup>H</sup> mg/dL 8.07 <sup>L</sup> RATIO  17.27 RATIO 5.88 mg/dL 8.14 <sup>L</sup> mg/dL 4.44 mg/dL  132.3 <sup>L</sup> mmol/L 3.53 mmol/L 99.23 mmol/L  11.5  RESULT RECHECKED TWICE

ADVICE <u>INTERPRETATION:</u>

To differentiate between pre- and post renal azotemia.



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)





(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mr. SURJEET SINGH

AGE/ GENDER : 62 YRS/MALE **PATIENT ID** : 1605025

**COLLECTED BY** : 042409070005 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 07/Sep/2024 10:39 AM : A0465437 BARCODE NO. **COLLECTION DATE** : 07/Sep/2024 03:29PM

CLIENT CODE. : KOS DIAGNOSTIC SHAHBAD REPORTING DATE : 07/Sep/2024 05:17PM

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval** 

#### **INCREASED RATIO (>20:1) WITH NORMAL CREATININE:**

- 1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.
- 2. Catabolic states with increased tissue breakdown.
- 3. GI haemorrhage.
- 4. High protein intake.
- 5. Impaired renal function plus
- 6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet, burns, surgery, cachexia, high fever).
- 7. Urine reabsorption (e.g. ureter colostomy)
- 8. Reduced muscle mass (subnormal creatinine production)
- 9. Certain drugs (e.g. tetracycline, glucocorticoids)

#### INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:

- 1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).
- 2. Prerenal azotemia superimposed on renal disease.

#### DECREASED RATIO (<10:1) WITH DECREASED BUN:

- 1. Acute tubular necrosis.
- 2. Low protein diet and starvation.
- 3. Severe liver disease.
- 4. Other causes of decreased urea synthesis.
- 5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).
- 6. Inherited hyperammonemias (urea is virtually absent in blood).
- 7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

#### DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

- 1. Phenacimide therapy (accelerates conversion of creatine to creatinine).
- Rhabdomyolysis (releases muscle creatinine).
- 3. Muscular patients who develop renal failure.

#### **INAPPROPIATE RATIO:**

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement). **ESTIMATED GLOMERULAR FILTERATION RATE**:

LOTIVIATED GEOWIERGEAR TIETERATION RATE.						
CKD STAGE	DESCRIPTION	GFR ( mL/min/1.73m2 )	ASSOCIATED FINDINGS			
G1	Normal kidney function	>90	No proteinuria_			
G2	Kidney damage with	>90	Presence of Protein,			
	normal or high GFR		Albumin or cast in urine			
G3a	Mild decrease in GFR	60 -89				
G3b	Moderate decrease in GFR	30-59				



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mr. SURJEET SINGH

AGE/ GENDER : 62 YRS/MALE **PATIENT ID** : 1605025

: 042409070005 COLLECTED BY REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 07/Sep/2024 10:39 AM BARCODE NO. **COLLECTION DATE** : 07/Sep/2024 03:29PM : A0465437

CLIENT CODE. : KOS DIAGNOSTIC SHAHBAD REPORTING DATE : 07/Sep/2024 05:17PM

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name		Value	Unit	Biological Reference interval
G4	Severe decrease in GFR	15-29		
G5	Kidney failure	<15		

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a

neasure of functioning nephrons of the kidney.

2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage

5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure

6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C

7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration). ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated

**End Of Report** 



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana