



	Dr. Vinay Chopi MD (Pathology & Mic Chairman & Consulta	crobiology)	ME	n Chopra 9 (Pathology) t Pathologist
	Mr. LABH SINGH 55 YRS/MALE		PATIENT ID REG. NO./LAB NO. REGISTRATION DATE	: 1613958 : 042409150002 : 15/Sep/2024 12:37 PM
BARCODE NO. : CLIENT CODE. :	A0465506 KOS DIAGNOSTIC SHAHBAD 6349/1, NICHOLSON ROAD, AMI		COLLECTION DATE REPORTING DATE	: 15/Sep/2024 03:26PM : 15/Sep/2024 04:01PM
Test Name		Value	Unit	Biological Reference interval
	MEDIBUD	DY ADVA	NCE HEALTH CHECH	(UP
	COL	MPLETE BLO	DOD COUNT (CBC)	
RED BLOOD CELLS (RBC	S) COUNT AND INDICES			
HAEMOGLOBIN (HB)		16.3	gm/dL	12.0 - 17.0
by CALORIMETRIC RED BLOOD CELL (RBC)	COUNT	5.49 ^H	Millions	/cmm 3.50 - 5.00
<i>by HYDRO DYNAMIC FOC</i> PACKED CELL VOLUME (USING, ELECTRICAL IMPEDENCE PCV)	48	%	40.0 - 54.0
by CALCULATED BY AUTO MEAN CORPUSCULAR V	OMATED HEMATOLOGY ANALYZER	87.4	fL	80.0 - 100.0
	DMATED HEMATOLOGY ANALYZER	29.7		27.0 - 34.0
by CALCULATED BY AUTO	DMATED HEMATOLOGY ANALYZER		pg	
	EMOGLOBIN CONC. (MCHC) DMATED HEMATOLOGY ANALYZER	33.9	g/dL	32.0 - 36.0
RED CELL DISTRIBUTION	I WIDTH (RDW-CV) DMATED HEMATOLOGY ANALYZER	12.8	%	11.00 - 16.00
RED CELL DISTRIBUTION	N WIDTH (RDW-SD)	41.8	fL	35.0 - 56.0
by CALCOLATED BY AUTO MENTZERS INDEX by CALCULATED	DMATED HEMATOLOGY ANALYZER	15.92	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDEX by CALCULATED		20.38	RATIO	BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS (V	<u>VBCS)</u>			
TOTAL LEUCOCYTE COU	NT (TLC) ' sf cube & microscopy	5920	/cmm	4000 - 11000
NUCLEATED RED BLOOD) CELLS (nRBCS)	NIL		0.00 - 20.00
by AUTOMATED 6 PART F NUCLEATED RED BLOOD by CALCULATED BY AUTO DIFFERENTIAL LEUCOCY	DCELLS (nRBCS) % DMATED HEMATOLOGY ANALYZER	NIL	%	< 10 %
NEUTROPHILS	SF CUBE & MICROSCOPY	54	%	50 - 70





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





Dr. Vinay Chop MD (Pathology & Mi Chairman & Consult		licrobiology)	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. LABH SINGH			
AGE/ GENDER	: 55 YRS/MALE	PA	TIENT ID	: 1613958
COLLECTED BY	:	RE	G. NO./LAB NO.	: 042409150002
REFERRED BY	:	RE	GISTRATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465506	CO	LLECTION DATE	: 15/Sep/2024 03:26PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	RE	PORTING DATE	: 15/Sep/2024 04:01PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	IBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
LYMPHOCYTES		36	%	20 - 40
EOSINOPHILS	Y BY SF CUBE & MICROSCOPY	4	%	1 - 6
MONOCYTES	Y BY SF CUBE & MICROSCOPY Y BY SF CUBE & MICROSCOPY	6	%	2 - 12
BASOPHILS by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	0	%	0 - 1
ABSOLUTE LEUKOCY ABSOLUTE NEUTROI	PHIL COUNT	3197	/cmm	2000 - 7500
ABSOLUTE LYMPHO	y by sf cube & microscopy CYTE COUNT y by sf cube & microscopy	2131	/cmm	800 - 4900
ABSOLUTE EOSINOP		237	/cmm	40 - 440
ABSOLUTE MONOCY		355	/cmm	80 - 880
ABSOLUTE BASOPHI	L COUNT y by sf cube & microscopy	0	/cmm	0 - 110
PLATELETS AND OTI	HER PLATELET PREDICTIVE MARKE	ERS.		
PLATELET COUNT (P	LT) FOCUSING, ELECTRICAL IMPEDENCE	201000	/cmm	150000 - 450000
PLATELETCRIT (PCT)	OCUSING, ELECTRICAL IMPEDENCE	0.24	%	0.10 - 0.36
MEAN PLATELET VO		12	fL	6.50 - 12.0
PLATELET LARGE CEI		79000	/cmm	30000 - 90000
-	OCUSING, ELECTRICAL IMPEDENCE	39.3	%	11.0 - 45.0
-	TION WIDTH (PDW) FOCUSING, ELECTRICAL IMPEDENCE ICTED ON EDTA WHOLE BLOOD	16.4	%	15.0 - 17.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com







	Dr. Vinay Choj MD (Pathology & M Chairman & Consul	licrobiology)	Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mr. LABH SINGH			
AGE/ GENDER	: 55 YRS/MALE	PA	TIENT ID	: 1613958
COLLECTED BY	:	RE	G. NO./LAB NO.	: 042409150002
REFERRED BY	:	RE	GISTRATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465506		LLECTION DATE	: 15/Sep/2024 03:26PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD		PORTING DATE	: 15/Sep/2024 05:05PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AN			
Test Name		Value	Unit	Biological Reference interval
	GLYCO	DSYLATED HAEN	/IOGLOBIN (HBA1C)	
GLYCOSYLATED HAEN WHOLE BLOOD	MOGLOBIN (HbA1c): rmance liquid chromatography)	4.8	%	4.0 - 6.4
ESTIMATED AVERAGI		91.06	mg/dL	60.00 - 140.00
INTERI RETATION.	AS PER AMERICAN D	ABETES ASSOCIATIO	ON (ADA):	
	REFERENCE GROUP			
	REFERENCE GROUP	GLYCO	OSYLATED HEMOGLOGIB	(HBAIC) in %
Non di	REFERENCE GROUP abetic Adults >= 18 years	GLYCO	OSYLATED HEMOGLOGIB <5.7	(HBAIC) in %
Non di A	REFERENCE GROUP abetic Adults >= 18 years t Risk (Prediabetes)	GLYCO	25.7 5.7 - 6.4	(HBAIC) in %
Non di A	REFERENCE GROUP abetic Adults >= 18 years	GLYCO	Sylated Hemoglogib <5.7	(HBAIC) in %
Non di A	REFERENCE GROUP abetic Adults >= 18 years t Risk (Prediabetes)		25.7 5.7 – 6.4 >= 6.5 Age > 19 Years	
Non dia A D	REFERENCE GROUP abetic Adults >= 18 years t Risk (Prediabetes) iagnosing Diabetes	Goals of	SylATED HEMOGLOGIB <5.7	< 7.0
Non dia A D	REFERENCE GROUP abetic Adults >= 18 years t Risk (Prediabetes)		SylATED HEMOGLOGIB <5.7	

COMMENTS:

1.Glycosylated hemoglobin (HbA1c) test is three monthly monitoring done to assess compliace with therapeutic regimen in diabetic patients. 2.Since Hb1c reflects long term fluctuations in blood glucose concentration, a diabetic patient who has recently under good control may still have high concentration of HbAlc. Converse is true for a diabetic previously under good control but now poorly controlled.

3. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targetting a goal of < 7.0% may not be appropriate.

4. High HbA1c (>9.0 -9.5 %) is strongly associated with risk of development and rapid progression of microvascular and nerve complications 5. Any condition that shorten RBC life span like acute blood loss, hemolytic anemia falsely lower HbA1c results.

6.HbA1c results from patients with HbSS,HbSC and HbD must be interpreted with caution, given the pathological processes including anemia, increased red cell turnover, and transfusion requirement that adversely impact HbA1c as a marker of long-term gycemic control.

7.Specimens from patients with polycythemia or post-splenctomy may exhibit increse in HbA1c values due to a somewhat longer life span of the red cells.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



	Dr. Vinay Cho MD (Pathology & M Chairman & Const	Microbiology)	Dr. Yugam MD (CEO & Consultant F	Pathology)
NAME	: Mr. LABH SINGH			
AGE/ GENDER	: 55 YRS/MALE	PATIE	NT ID	: 1613958
COLLECTED BY	:	REG. N	O./LAB NO.	: 042409150002
REFERRED BY	:	REGIST	FRATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465506	COLLE	CTION DATE	: 15/Sep/2024 03:26PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	REPOR	TING DATE	: 15/Sep/2024 04:09PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	ERYTHF	ROCYTE SEDIMENTA	TION RATE (ESR	
	MENTATION RATE (ESR)	6	mm/1st hr	0 - 20
2. An ESR can be affe as C-reactive protein 3. This test may also condition with LOV A low ESR can be see polycythaemia), sigr as sickle cells in sickl NOTE: I. ESR and C - reactive 2. Generally, ESR doe 8. CRP is not affected 4. If the ESR is elevat 5. Women tend to ha b. Drugs such as dext	be used to monitor disease activity ematosus N ESR in with conditions that inhibit the r ificantly high white blood cell cou- e cell anaemia) also lower the ESI e protein (C-RP) are both markers of s not change as rapidly as does CR by as many other factors as is ESR ed, it is typically a result of two typ ve a higher ESR, and menstruation	nflammation. For this re y and response to thera normal sedimentation o unt (leucocytosis), and s R. of inflammation. RP, either at the start of , making it a better marl pes of proteins, globulir and pregnancy can cau	eason, the ESR is typi py in both of the ab of red blood cells, suc- some protein abnorn inflammation or as ker of inflammation. is or fibrinogen. se temporary elevat	ically used in conjunction with other test such ove diseases as well as some others, such as ch as a high red blood cell count malities. Some changes in red cell shape (such it resolves.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







	Dr. Vinay Ch MD (Pathology & Chairman & Con		Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mr. LABH SINGH			
AGE/ GENDER	: 55 YRS/MALE	PA	TIENT ID	: 1613958
COLLECTED BY	:	RE	G. NO./LAB NO.	: 042409150002
REFERRED BY	:	RE	GISTRATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465504	CO	LLECTION DATE	: 15/Sep/2024 03:27PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	RE	PORTING DATE	: 15/Sep/2024 05:11PM
CLIENT CODE.				-
	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
CLIENT ADDRESS		AMBALA CANTT	Unit	Biological Reference interval
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	Value	Unit Y/BIOCHEMISTR	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	Value	Y/BIOCHEMISTR	

A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT







		& Microbiology) nsultant Pathologist		i Chopra (Pathology) Pathologist
NAME AGE/ GENDER COLLECTED BY REFERRED BY BARCODE NO. CLIENT CODE. CLIENT ADDRESS	: Mr. LABH SINGH : 55 YRS/MALE : : : A0465505 : KOS DIAGNOSTIC SHAHBAI : 6349/1, NICHOLSON ROAD	REG. REGI COLI D REPO	ENT ID NO./LAB NO. STRATION DATE ECTION DATE DRTING DATE	: 1613958 : 042409150002 : 15/Sep/2024 12:37 PM : 15/Sep/2024 03:26PM : 15/Sep/2024 05:11PM
Test Name		Value	Unit	Biological Reference interval
		LIPID PROFILE	: BASIC	
CHOLESTEROL TOTAL by CHOLESTEROL OXI		185.02	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239. HIGH CHOLESTEROL: > OR = 240
TRIGLYCERIDES: SERU	JM iate oxidase (enzymatic)	117.26	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199. HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL (D		40.8	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: SE by CALCULATED, SPEC		120.77	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159. HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTER by CALCULATED, SPEC		144.22 ^H	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189. HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL: S		23.45	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SERUN by CALCULATED, SPEC	1	487.3	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL R by CALCULATED, SPEC	ATIO: SERUM	4.53 ^H	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SERU by CALCULATED, SPEC		2.96	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com







	Dr. Vinay Che MD (Pathology & Chairman & Cons		Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. LABH SINGH			
AGE/ GENDER	: 55 YRS/MALE	PATI	ENT ID	: 1613958
COLLECTED BY	:	REG.	NO./LAB NO.	: 042409150002
REFERRED BY	:	REGI	STRATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465505	COLI	ECTION DATE	: 15/Sep/2024 03:26PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	REPO	DRTING DATE	: 15/Sep/2024 05:11PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
TRIGLYCERIDES/HD		2.87 ^L	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

 Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
 NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com









Dr. Vinay Chopra Dr. Yugam Chopra MD (Pathology) MD (Pathology & Microbiology) Chairman & Consultant Pathologist **CEO & Consultant Pathologist** NAME : Mr. LABH SINGH AGE/ GENDER : 55 YRS/MALE **PATIENT ID** :1613958 **COLLECTED BY** :042409150002 REG. NO./LAB NO. **REFERRED BY REGISTRATION DATE** :15/Sep/2024 12:37 PM : **BARCODE NO.** : A0465505 **COLLECTION DATE** :15/Sep/2024 03:26PM CLIENT CODE. : KOS DIAGNOSTIC SHAHBAD **REPORTING DATE** :15/Sep/2024 05:11PM **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value Unit **Biological Reference interval** LIVER FUNCTION TEST (COMPLETE) **BILIRUBIN TOTAL: SERUM** 1.24^H mg/dL INFANT: 0.20 - 8.00 by DIAZOTIZATION, SPECTROPHOTOMETRY ADULT: 0.00 - 1.20 BILIRUBIN DIRECT (CONJUGATED): SERUM 0.26 0.00 - 0.40 mg/dL by DIAZO MODIFIED, SPECTROPHOTOMETRY BILIRUBIN INDIRECT (UNCONJUGATED): SERUM 0.98 0.10 - 1.00 mg/dL by CALCULATED, SPECTROPHOTOMETRY SGOT/AST: SERUM 18.7 U/L by IFCC, WITHOUT PYRIDOXAL PHOSPHATE

SGPT/ALT: SERUM	17.7	U/L	0.00 - 49.00
by IFCC, WITHOUT PYRIDOXAL PHOSPHATE	1.07	DATIO	0.00 4/ 00
AST/ALT RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	1.06	RATIO	0.00 - 46.00
ALKALINE PHOSPHATASE: SERUM	125.87	U/L	40.0 - 130.0
by PARA NITROPHENYL PHOSPHATASE BY AMINO METH	HYL		
PROPANOL			
GAMMA GLUTAMYL TRANSFERASE (GGT): SERUM	20.19	U/L	0.00 - 55.0
by SZASZ, SPECTROPHTOMETRY			
TOTAL PROTEINS: SERUM	6.5	gm/dL	6.20 - 8.00
	2.00	ana (all	
ALBUMIN: SERUM by BROMOCRESOL GREEN	3.88	gm/dL	3.50 - 5.50
GLOBULIN: SERUM	2.62	gm/dL	2.30 - 3.50
by CALCULATED, SPECTROPHOTOMETRY	2.02	gin/uL	2.30 - 3.30
A : G RATIO: SERUM	1.48	RATIO	1.00 - 2.00
by CALCULATED, SPECTROPHOTOMETRY			

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



7.00 - 45.00





	Dr. Vinay Chop MD (Pathology & M Chairman & Consul	licrobiology)	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. LABH SINGH			
AGE/ GENDER	: 55 YRS/MALE	PAT	FIENT ID	: 1613958
COLLECTED BY	:	REG	G. NO./LAB NO.	: 042409150002
REFERRED BY	:	REG	GISTRATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465505	COI	LECTION DATE	: 15/Sep/2024 03:26PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	REP	PORTING DATE	: 15/Sep/2024 05:11PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	IBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
HEPATOCELLULAR C	ARCINOMA & CHRONIC HEPATITIS		> 1.3 (Slightly Inc	reased)

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com







HEALTHCARE & DIAGNOSTICS Dr. Yugam Chopra MD (Pathology) Chairman & Consultant Pathologist **CEO & Consultant Pathologist**

Unit

Biological Reference interval

NAME	: Mr. LABH SINGH		
AGE/ GENDER	: 55 YRS/MALE	PATIENT ID	: 1613958
COLLECTED BY	:	REG. NO./LAB NO.	: 042409150002
REFERRED BY	:	REGISTRATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465505	COLLECTION DATE	: 15/Sep/2024 03:26PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	REPORTING DATE	: 15/Sep/2024 05:11PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Value

Dr. Vinay Chopra

MD (Pathology & Microbiology)

к	DNEY FUNCTION TE	ST (COMPLETE)	
UREA: SERUM	23.19	mg/dL	10.00 - 50.00
by UREASE - GLUTAMATE DEHYDROGENASE (GLDH)		0	
CREATININE: SERUM by ENZYMATIC, SPECTROPHOTOMETERY	0.91	mg/dL	0.40 - 1.40
BLOOD UREA NITROGEN (BUN): SERUM by CALCULATED, SPECTROPHOTOMETRY	10.84	mg/dL	7.0 - 25.0
BLOOD UREA NITROGEN (BUN)/CREATININE RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	11.91	RATIO	10.0 - 20.0
UREA/CREATININE RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY	25.48	RATIO	
URIC ACID: SERUM by URICASE - OXIDASE PEROXIDASE	6.21	mg/dL	3.60 - 7.70
CALCIUM: SERUM by ARSENAZO III, SPECTROPHOTOMETRY	9.43	mg/dL	8.50 - 10.60
PHOSPHOROUS: SERUM by phosphomolybdate, spectrophotometry ELECTROLYTES	3.29	mg/dL	2.30 - 4.70
SODIUM: SERUM by ISE (ION SELECTIVE ELECTRODE)	139	mmol/L	135.0 - 150.0
POTASSIUM: SERUM by ISE (ION SELECTIVE ELECTRODE)	4.1	mmol/L	3.50 - 5.00
CHLORIDE: SERUM by ISE (ION SELECTIVE ELECTRODE) ESTIMATED GLOMERULAR FILTERATION RATE	104.25	mmol/L	90.0 - 110.0
ESTIMATED GLOMERULAR FILTERATION RATE (eGFR): SERUM by CALCULATED	99.5		

INTERPRETATION:

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

Page 10 of

Test Name

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com





GE/ GENDER: 55 YRS/MALEPATIENT ID: 1613958OLLECTED BY:REG. NO./LAB NO.: 042409150002EFERRED BY:REGISTRATION DATE: 15/Sep/2024 12:37 PMARCODE NO.: A0465505COLLECTION DATE: 15/Sep/2024 03:26PMLIENT CODE.: KOS DIAGNOSTIC SHAHBADREPORTING DATE: 15/Sep/2024 05:11PMLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT: 15/Sep/2024 05:11PM				am Chopra 1D (Pathology) ant Pathologist		
OLLECTED BY : REG. NO./LAB NO. : 042409150002 EFERRED BY : REGISTRATION DATE : 15/Sep/2024 12:37 PM ARCODE NO. : A0465505 COLLECTION DATE : 15/Sep/2024 03:26PM LIENT CODE. : KOS DIAGNOSTIC SHAHBAD REPORTING DATE : 15/Sep/2024 05:11PM LIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT : 15/Sep/2024 05:11PM est Name Value Unit Biological Reference interval .GI haemorrhage. High protein intake. Biological Reference interval Biological Reference interval Biological Reference interval </th <th>NAME</th> <th>: Mr. LABH SIN</th> <th>GH</th> <th></th> <th></th> <th></th>	NAME	: Mr. LABH SIN	GH			
EFERRED BY : REGISTRATION DATE : 15/Sep/2024 12:37 PM ARCODE NO. : A0465505 COLLECTION DATE : 15/Sep/2024 03:26PM LIENT CODE. : KOS DIAGNOSTIC SHAHBAD REPORTING DATE : 15/Sep/2024 05:11PM LIENT ADDRESS : : 6349/1, NICHOLSON ROAD, AMBALA CANTT Biological Reference interval . GI haemorrhage. . . Biological Reference interval Biological Reference interval 	AGE/ GENDER	: 55 YRS/MALE			PATIENT ID	: 1613958
ARCODE NO. : A0465505 COLLECTION DATE : 15/Sep/2024 03:26PM LIENT CODE. : KOS DIAGNOSTIC SHAHBAD REPORTING DATE : 15/Sep/2024 05:11PM LIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT est Name Value Unit Biological Reference interval GI haemorrhage. High protein intake. Impaired renal function plus Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet urns, surgery, cachexia, high fever). Urine reabsorption (e.g. ureter colostomy) Reduced muscle mass (subnormal creatinine production) Certain drugs (e.g. tetracycline, glucocorticoids) UREASED RATIO (<20:1) WITH ELEVATED CREATININE LEVELS: Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Pretein diet and starvation. Severe liver disease. Other causes of decreased urea synthesis. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid). Inherited hyperammonemias (urea is virtually absent in blood).	COLLECTED BY	:			REG. NO./LAB NO.	: 042409150002
ARCODE NO. : A0465505 COLLECTION DATE : 15/Sep/2024 03:26PM LIENT CODE. : KOS DIAGNOSTIC SHAHBAD REPORTING DATE : 15/Sep/2024 05:11PM LIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT est Name Value Unit Biological Reference interval GI haemorrhage. High protein intake. Impaired renal function plus Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet urns, surgery, cachexia, high fever). Urine reabsorption (e.g. ureter colostomy) Reduced muscle mass (subnormal creatinine production) Certain drugs (e.g. tetracycline, glucocorticoids) UREASED RATIO (<20:1) WITH ELEVATED CREATININE LEVELS: Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Pretein diet and starvation. Severe liver disease. Other causes of decreased urea synthesis. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid). Inherited hyperammonemias (urea is virtually absent in blood).	REFERRED BY	:			REGISTRATION DATE	: 15/Sep/2024 12:37 PM
LIENT CODE. : KOS DIAGNOSTIC SHAHBAD REPORTING DATE : 15/Sep/2024 05:11PM LIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT Biological Reference interval est Name Value Unit Biological Reference interval . GI haemorrhage. High protein intake. . . Impaired renal function plus . . . Excess protein intake or production or tissue breakdown (e.g. infection, Gl bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet urns, surgery, cachexia, high fever). . . Urine reabsorption (e.g. ureter colostomy) . . . Reduced muscle mass (subnormal creatinine production) . . . Certain drugs (e.g. tetracycline, glucocorticoids) . . VCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS: . . . Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). . . Prerenal azotemia superimposed on renal disease. . . ECREASED RATIO (<10:1) WITH DECREASED BUN :		· A0465505				•
LIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT est Name Value Unit Biological Reference interval . GI haemorrhage. . High protein intake. . Impaired renal function plus . Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet urns, surgery, cachexia, high fever). . Urine reabsorption (e.g. ureter colostomy) . Beduced muscle mass (subnormal creatinine production) . Certain drugs (e.g. tetracycline, glucocorticoids) VCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS: . obstructive uropathy). . Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). . Prerenal azotemia fully aspendent disease. ECREASED RATIO (>20:1) WITH DECREASED BUN : . Acute tubular necrosis. . Low protein diet and starvation. . Severe liver disease. . Other causes of decreased urea synthesis. . Repeated dialysis (urea rather than creatine diffuses out of extracellular fluid). . Inherited hyperammonemias (urea is virtually absent in blood).			ТІС ЅНАНВАД			1
est Name Value Unit Biological Reference interval . GI haemorrhage. . High protein intake. . Impaired renal function plus . Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet urns, surgery, cachexia, high fever). . Urine reabsorption (e.g. ureter colostomy) . Urine reabsorption (e.g. ureter colostomy) . Reduced muscle mass (subnormal creatinine production) . Certain drugs (e.g. tetracycline, glucocorticoids) VCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS: . Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). . Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). . Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). . Prerenal azotemia superimposed on renal disease. ECREASED RATIO (<10:1) WITH DECREASED BUN :						. 15/ Sep/ 2024 03.111 M
 GI haemorrhage. High protein intake. Impaired renal function plus Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet, urns, surgery, cachexia, high fever). Urine reabsorption (e.g. ureter colostomy) Reduced muscle mass (subnormal creatinine production) Certain drugs (e.g. tetracycline, glucocorticoids) VCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS: Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia superimposed on renal disease. ECREASED RATIO (<10:1) WITH DECREASED BUN : Acute tubular necrosis. Low protein diet and starvation. Severe liver disease. Other causes of decreased urea synthesis. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid). Inherited hyperammonemias (urea is virtually absent in blood). 	LIENI ADDRESS	. 0349/1, MOII	OLSON KOAD, AN	VIDALA CANTI		
 GI haemorrhage. High protein intake. Impaired renal function plus Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet, urns, surgery, cachexia, high fever). Urine reabsorption (e.g. ureter colostomy) Reduced muscle mass (subnormal creatinine production) Certain drugs (e.g. tetracycline, glucocorticoids) UCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS: Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy). Prerenal azotemia superimposed on renal disease. ECREASED RATIO (<10:1) WITH DECREASED BUN : Acute tubular necrosis. Low protein diet and starvation. Severe liver disease. Other causes of decreased urea synthesis. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid). Inherited hyperammonemias (urea is virtually absent in blood). 	Test Name			Value	Unit	Biological Peference interval
	5. Impaired renal fu 6. Excess protein int ourns, surgery, cach 7. Urine reabsorptio 8. Reduced muscle r 9. Certain drugs (e.g	nction plus ake or production exia, high fever). n (e.g. ureter colos nass (subnormal ci tetracycline, gluc	tomy) reatinine product ocorticoids)	own (e.g. infect		

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio). 2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein ,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Patholog		(Pathology)
NAME	: Mr. LABH SINGH		
AGE/ GENDER	: 55 YRS/MALE	PATIENT ID	: 1613958
COLLECTED BY	:	REG. NO./LAB NO.	: 042409150002
REFERRED BY	:	REGISTRATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465505	COLLECTION DATE	: 15/Sep/2024 03:26PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	REPORTING DATE	: 15/Sep/2024 05:11PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANT	ГТ	
Test Name	Value	Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	MD (Pathology & Mic	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist CEO & Consultant		(Pathology)
NAME	: Mr. LABH SINGH			
AGE/ GENDER	: 55 YRS/MALE		PATIENT ID	: 1613958
COLLECTED BY	:		REG. NO./LAB NO.	: 042409150002
REFERRED BY	:		REGISTRATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465505		COLLECTION DATE	: 15/Sep/2024 03:26PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD		REPORTING DATE	: 15/Sep/2024 05:11PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB	Value	Unit	Biological Reference interval
		ENDOC	RINOLOGY	
	THY	ROID FUNC	TION TEST: TOTAL	
TRIIODOTHYRONINE by CMIA (CHEMILUMINE	(T3): SERUM ESCENT MICROPARTICLE IMMUNOASSAY	0.813)	ng/mL	0.35 - 1.93
THYROXINE (T4): SER by CMIA (CHEMILUMINE	UM ESCENT MICROPARTICLE IMMUNOASSAY,	6.88)	μgm/dL	4.87 - 12.60
	NG HORMONE (TSH): SERUM ESCENT MICROPARTICLE IMMUNOASSAY ASENSITIVE	1.636)	μIU/mL	0.35 - 5.50

CLINICAL CONDITION T3 T4 TSH Primary Hypothyroidism: Reduced Reduced Increased (Significantly) Subclinical Hypothyroidism: Normal or Low Normal Normal or Low Normal High Reduced (at times undetectable) Primary Hyperthyroidism: Increased Increased Subclinical Hyperthyroidism: Normal or High Normal Normal or High Normal Reduced

LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (eg: phenytoin , salicylates).

3. Serum T4 levles in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothroidism, pregnancy, phenytoin therapy.

TRIIODOTH	YRONINE (T3)	THYROX	INE (T4)	THYROID STIMUL	ATING HORMONE (TSH)
Age	Refferance Range (ng/mL)	Age	Refferance Range (µg/dL)	Age	Reference Range (μIU/mL)
0 - 7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days – 6 Months	0.70 - 8.40





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt - 133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





	Dr. Vinay Chopra MD (Pathology & Microbiolog Chairman & Consultant Patho		(Pathology)
NAME	: Mr. LABH SINGH		
AGE/ GENDER	: 55 YRS/MALE	PATIENT ID	: 1613958
COLLECTED BY	:	REG. NO./LAB NO.	: 042409150002
REFERRED BY	:	REGISTRATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465505	COLLECTION DATE	: 15/Sep/2024 03:26PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	REPORTING DATE	: 15/Sep/2024 05:11PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CA	NTT	
Test Name	Value	Unit	Biological Reference interval

Test Name			Value	Unit		Biological Reference interva
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00	
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50	
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87-13.20	11 – 19 Years	0.50 - 5.50	
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35-5.50	
	RECON	IMENDATIONS OF TSH LI	EVELS DURING PREG	NANCY (μIU/mL)		
	1st Trimester			0.10 - 2.50		
	2nd Trimester			0.20 - 3.00		
	3rd Trimester			0.30 - 4.10		

INCREASED TSH LEVELS:

1. Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2.Hypothyroid patients receiving insufficient thyroid replacement therapy.

3. Hashimotos thyroiditis

4.DRUGS: Amphetamines, idonie containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goitre & Thyroiditis.

2. Over replacement of thyroid harmone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4.Secondary pituatary or hypothalmic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8. Pregnancy: 1st and 2nd Trimester





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist			(Pathology)
NAME	: Mr. LABH SINGH			
AGE/ GENDER	: 55 YRS/MALE		PATIENT ID	: 1613958
COLLECTED BY	:		REG. NO./LAB NO.	: 042409150002
REFERRED BY	:		REGISTRATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465505		COLLECTION DATE	: 15/Sep/2024 03:26PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAI)	REPORTING DATE	: 15/Sep/2024 05:11PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
			AMINS YDROXY VITAMIN D3	
	DROXY VITAMIN D3): SERUM INESCENCE IMMUNOASSAY)	29.2 ^L	ng/mL	DEFICIENCY: < 20.0 INSUFFICIENCY: 20.0 - 30.0 SUFFICIENCY: 30.0 - 100.0 TOXICITY: > 100.0
	ICIENT:	< 20	n	g/mL
INSUF	FICIENT:	21 - 29	n	g/mL
	ED RANGE:	30 - 100 > 100		g/mLg/mL
issue and tightly bo 3. Vitamin D plays a boosphate reabsorp 4. Severe deficiency in DecREASED: 1. Lack of sunshine e 2. Inadequate intake 3. Depressed Hepatic 4. Secondary to adva 5. Osteoporosis and 3 5. Enzyme Inducing c NCREASED: 1. Hypervitaminosis severe hypercalcemi CAUTION: Replacem	bund by a transport protein whil primary role in the maintenance tion, skeletal calcium deposition may lead to failure to mineralize xposure. , malabsorption (celiac disease) c Vitamin D 25- hydroxylase activ nced Liver disease Secondary Hyperparathroidism frugs: anti-epileptic drugs like pf D is Rare, and is seen only after ia and hyperphophatemia. ent therapy in deficient individu	e in circulation. e of calcium homeo , calcium mobiliza : newly formed ost /ity /Mild to Moderate enytoin, phenoba prolonged exposu als must be monito	ostatis. It promotes calciur ition, mainly regulated by p teoid in bone, resulting in r deficiency) rbital and carbamazepine, re to extremely high doses pred by periodic assessmer	port form of Vitamin D, being stored in adipose n absorption, renal calcium absorption and parathyroid harmone (PTH). ickets in children and osteomalacia in adults. that increases Vitamin D metabolism. of Vitamin D. When it occurs, it can result in it of Vitamin D levels in order to prevent <i>iency due to excess of melanin pigment which</i>
hypervitaminosis D NOTE:-Dark coloured interefere with Vitam	nin D absorption.	, 3	1 5	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







	Dr. Vinay Cho MD (Pathology & N Chairman & Consu	licrobiology)	Dr. Yugam MD EO & Consultant	(Pathology)
NAME	: Mr. LABH SINGH			
AGE/ GENDER	: 55 YRS/MALE	PATIENT		: 1613958
COLLECTED BY	:		/LAB NO.	: 042409150002
REFERRED BY	:		ATION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO. CLIENT CODE.	: A0465507 : KOS DIAGNOSTIC SHAHBAD		TION DATE ING DATE	: 15/Sep/2024 03:38PM
CLIENT CODE.	: 6349/1, NICHOLSON ROAD, A		ING DATE	: 15/Sep/2024 03:59PM
CLIENT ADDRESS	. 0343/ 1, MCHOLSON ROAD, A			
Test Name		Value	Unit	Biological Reference interval
		CLINICAL PATHO	LOGY	
	URINE RO	UTINE & MICROSCOF		[ION
PHYSICAL EXAMINA				
QUANTITY RECIEVE		10	ml	
	CTANCE SPECTROPHOTOMETRY	10		
		AMBER YELLOW		PALE YELLOW
TRANSPARANCY	TANCE SPECTROPHOTOMETRY	CLEAR		CLEAR
-	TANCE SPECTROPHOTOMETRY			
SPECIFIC GRAVITY	TANCE SPECTROPHOTOMETRY	1.01		1.002 - 1.030
CHEMICAL EXAMINA				
REACTION		ACIDIC		
-	TANCE SPECTROPHOTOMETRY			
PROTEIN	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
SUGAR		Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY			
pH by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	6.5		5.0 - 7.5
BILIRUBIN		Negative		NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY.	Negative		NEGATIVE (-VE)
UROBILINOGEN		Normal	EU/dL	0.2 - 1.0
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
BLOOD		Negative		NEGATIVE (-ve)
ASCORBIC ACID	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY			

MICROSCOPIC EXAMINATION

57 250

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana

0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

Page 16 of 17







Dr. Vinay Chopra Dr. MD (Pathology & Microbiology) Chairman & Consultant Pathologist CEO & Co

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mr. LABH SINGH			
AGE/ GENDER	: 55 YRS/MALE	PATIENT I	D	: 1613958
COLLECTED BY	:	REG. NO./I	LAB NO.	: 042409150002
REFERRED BY	:	REGISTRA	TION DATE	: 15/Sep/2024 12:37 PM
BARCODE NO.	: A0465507	COLLECTIO	ON DATE	: 15/Sep/2024 03:38PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	REPORTIN	IG DATE	: 15/Sep/2024 03:59PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	/IBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
				0.0

RED BLOOD CELLS (RBCs)	NEGATIVE (-ve)	/HPF	0 - 3	
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		() IDE		
PUS CELLS	2-4	/HPF	0 - 5	
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT				
EPITHELIAL CELLS	1-2	/HPF	ABSENT	
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT				
CRYSTALS	NEGATIVE (-ve)		NEGATIVE (-ve)	
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT				
CASTS	NEGATIVE (-ve)		NEGATIVE (-ve)	
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT				
BACTERIA	NEGATIVE (-ve)		NEGATIVE (-ve)	
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT				
OTHERS	NEGATIVE (-ve)		NEGATIVE (-ve)	
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT				
TRICHOMONAS VAGINALIS (PROTOZOA)	ABSENT		ABSENT	
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	ADJENT		ADJENT	
by MICROSCOFT ON CENTRIFUGED URINART SEDIMENT				

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com

