

Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. KAMINI	PATIENT ID	: 1622401
AGE/ GENDER	: 27 YRS/FEMALE	REG. NO./LAB NO.	: 042409230007
COLLECTED BY	:	REGISTRATION DATE	: 23/Sep/2024 02:00 PM
REFERRED BY	:	COLLECTION DATE	: 23/Sep/2024 03:31PM
BARCODE NO.	: A0465575	REPORTING DATE	: 23/Sep/2024 04:14PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

IMMUNOPATHOLOGY/SEROLOGY

DENGUE FEVER COMBO SCREENING - (NS1 ANTIGEN, IgG AND IgM)

DENGUE NS1 ANTIGEN - SCREENING by ICT (IMMUNOCHROMATOGRAPHY)	NEGATIVE (-ve)	NEGATIVE (-ve)
DENGUE ANTIBODY IgG - SCREENING by ICT (IMMUNOCHROMATOGRAPHY)	NEGATIVE (-ve)	NEGATIVE (-ve)
DENGUE ANTIBODY IgM - SCREENING by ICT (IMMUNOCHROMATOGRAPHY)	NEGATIVE (-ve)	NEGATIVE (-ve)

INTERPRETATION:-

- 1.This is a solid phase immunochromatographic ELISA test for the qualitative detection of the specific IgG and IgM antibodies against the Dengue virus.
- 2.The IgM antibodies take a minimum of 5-10 days in primary infection and 4-5 days in secondary infections to test positive and hence are suitable for the diagnosis of dengue fever only when the fever is approximately one week old.
- 3.The IgG antibodies develop at least two weeks after exposure to primary infection and subsequently remain positive for the rest of the life. A positive result is incapable of differentiating a current infection from a past infection.
- 4.The Dengue NS-1 antigen test is most suited for early diagnosis (within the first week of exposure).

*** End Of Report ***




 DR.VINAY CHOPRA

CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA

CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)

