

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



KOS Diagnostic Lab (A Unit of KOS Healthcare)

ISO 9001 : 2008 CERTIFIED LAB			EXCELLENCE IN HEALTHCARE & DIAGNOSTICS		
	<b>Dr. Vinay Cho</b> MD (Pathology & Chairman & Cons		Dr. Yugan MD CEO & Consultant	(Pathology)	
NAME AGE/ GENDER COLLECTED BY REFERRED BY BARCODE NO. CLIENT CODE. CLIENT ADDRESS	: <b>Mr. RAM PAL</b> : 64 YRS/MALE : : : A0465778 : KOS DIAGNOSTIC SHAHBAD : 6349/1, NICHOLSON ROAD, A	REGIS COLLI REPO	ENT ID NO./LAB NO. TRATION DATE ECTION DATE RTING DATE	: 1647600 : 042410190001 : 19/Oct/2024 08:57 AM : 19/Oct/2024 04:18PM : 19/Oct/2024 05:06PM	
Test Name		Value	Unit	Biological Reference interval	1
CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE FASTING (F)					
GLUCOSE FASTING (F by GLUCOSE OXIDAS	): PLASMA E - PEROXIDASE (GOD-POD)	140.89 <sup>H</sup>	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0	
INTERPRETATION IN ACCORDANCE WITH 1. A fasting plasma gl 2. A fasting plasma gl test (after consumptio 3. A fasting plasma gl such patients. A fasting		onsidered normal. ng/dl is considered as gl imended for all such pat s highly suggestive of di s of 125 mg/dl on both o		prediabetic. A fasting and post-prandial blood at post-prandial is strongly recommended for al atory for diabetic state.	I
*** End Of Report ***					
	DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROS	DR.YUGAM CHO CONSULTANT P BIOLOGY) MBBS , MD (PA	ATHOLOGIST		

