

**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

<b>NAME</b>	: Mr. RAJESH KUMAR	<b>PATIENT ID</b>	: 1658496
<b>AGE/ GENDER</b>	: 50 YRS/MALE	<b>REG. NO./LAB NO.</b>	: 042411020006
<b>COLLECTED BY</b>	:	<b>REGISTRATION DATE</b>	: 02/Nov/2024 11:54 AM
<b>REFERRED BY</b>	:	<b>COLLECTION DATE</b>	: 02/Nov/2024 02:54PM
<b>BARCODE NO.</b>	: A0465852	<b>REPORTING DATE</b>	: 02/Nov/2024 05:03PM
<b>CLIENT CODE.</b>	: KOS DIAGNOSTIC SHAHBAD		
<b>CLIENT ADDRESS</b>	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------


**CLINICAL CHEMISTRY/BIOCHEMISTRY**


**UREA**

UREA: SERUM by UREASE - GLUTAMATE DEHYDROGENASE (GLDH)	<b>175.48<sup>H</sup></b>	mg/dL	10.00 - 50.00
---	---------------------------	-------	---------------

Rechecked



  
 DR.VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR.YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.

Dr. Vinay Chopra  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

Dr. Yugam Chopra  
 MD (Pathology)  
 CEO & Consultant Pathologist

<b>NAME</b>	: Mr. RAJESH KUMAR	<b>PATIENT ID</b>	: 1658496
<b>AGE/ GENDER</b>	: 50 YRS/MALE	<b>REG. NO./LAB NO.</b>	: 042411020006
<b>COLLECTED BY</b>	:	<b>REGISTRATION DATE</b>	: 02/Nov/2024 11:54 AM
<b>REFERRED BY</b>	:	<b>COLLECTION DATE</b>	: 02/Nov/2024 02:54PM
<b>BARCODE NO.</b>	: A0465852	<b>REPORTING DATE</b>	: 02/Nov/2024 05:03PM
<b>CLIENT CODE.</b>	: KOS DIAGNOSTIC SHAHBAD		
<b>CLIENT ADDRESS</b>	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------


**CREATININE**


CREATININE: SERUM <i>by ENZYMATIC, SPECTROPHOTOMETRY</i>	<b>11.97<sup>H</sup></b>	mg/dL	0.40 - 1.40
---	--------------------------	-------	-------------

Rechecked

\*\*\* End Of Report \*\*\*



  
 DR.VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR.YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



TEST PERFORMED AT: KOS DIAGNOSTIC LAB, AMBALA CANTT.