



		ogy & Microbiology) Consultant Pathologist	Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mr. SURESH BATRA			
AGE/ GENDER	: 48 YRS/MALE	PAT	IENT ID	: 1596076
COLLECTED BY	:	REG	. NO./LAB NO.	: 042411140001
REFERRED BY	:	REG	ISTRATION DATE	: 14/Nov/2024 10:42 AM
BARCODE NO.	: A0465964	COL	LECTION DATE	: 14/Nov/2024 03:29PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHI	BAD REP	ORTING DATE	: 14/Nov/2024 05:01PM
CLIENT ADDRESS	: 6349/1, NICHOLSON RO	OAD, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
Test Name	Π	Value MMUNOPATHOLO VDRL TI	GY/SEROLOG	
VDRL		MMUNOPATHOLO	GY/SEROLOG	
	тодгарн у S	MMUNOPATHOLO VDRL TI	GY/SEROLOG	Y

COMMENTS:

1. This is a screening test for syphilis which is useful for following the progression of disease and response to therapy. Rising titers are of immense value in confirming the diagnosis.

Reactive results must be correlated with supporting clinical, historical and epidemiological evidence to arrive at a final diagnosis.
Biological false positive reactions exhibit low titers and are seen in conditions like Viral and Bacterial infections, Mycoplasma infection, Chlamydia infection, Malaria, Immunizations, Pregnancy, Autoimmune disorders & past history of Treponemal infection.
Subsequent testing of sera by one of specific treponemal antigen such as TPHA & FTA-ABS is recommended in these cases

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

