

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



NAME: Mrs. ANCHAAGE/ GENDER: 33 YRS/FEMCOLLECTED BY:REFERRED BY:BARCODE NO.: A1259925CLIENT CODE.: KOS DIAGNO				
COLLECTED BY:REFERRED BY:BARCODE NO.: A1259925	ALE			
REFERRED BY : BARCODE NO. : A1259925		PATIENT ID	:1	1569167
BARCODE NO. : A1259925		REG. NO./LAE	B NO. : (042411210002
		REGISTRATIO	DN DATE : 2	21/Nov/2024 01:23 PM
CLIENT CODE. : KOS DIAGNO		COLLECTION		21/Nov/2024 03:23PM
		REPORTING I	DATE : 2	21/Nov/2024 03:31PM
CLIENT ADDRESS : 6349/1, NIC	HOLSON ROAD, AMBALA CA	ANTI		
Test Name	Value	e	Unit	Biological Reference interval
	SWASTHYA	WELLNESS PA	NEL: 15.0	
	COMPLETI	E BLOOD COUNT	Г (СВС)	
RED BLOOD CELLS (RBCS) COU	NT AND INDICES			
HAEMOGLOBIN (HB)	12.4	1	gm/dL	12.0 - 16.0
by CALORIMETRIC RED BLOOD CELL (RBC) COUNT	4.28	3	Millions/cmr	m 3.50 - 5.00
by HYDRO DYNAMIC FOCUSING, ELECT PACKED CELL VOLUME (PCV)	38.1	l	%	37.0 - 50.0
by CALCULATED BY AUTOMATED HEM. MEAN CORPUSCULAR VOLUME (1	ACV) 89		fL	80.0 - 100.0
by CALCULATED BY AUTOMATED HEM. MEAN CORPUSCULAR HAEMOGL	OBIN (MCH) 28.9)	pg	27.0 - 34.0
by CALCULATED BY AUTOMATED HEM. MEAN CORPUSCULAR HEMOGLO	BIN CONC. (MCHC) 32.5	5	g/dL	32.0 - 36.0
by CALCULATED BY AUTOMATED HEM. RED CELL DISTRIBUTION WIDTH	(RDW-CV) 16.2	ен	%	11.00 - 16.00
by CALCULATED BY AUTOMATED HEM. RED CELL DISTRIBUTION WIDTH	(RDW-SD) 53.3	3	fL	35.0 - 56.0
by CALCULATED BY AUTOMATED HEM. MENTZERS INDEX	20.7	79	RATIO	BETA THALASSEMIA TRAIT: <
by CALCULATED				13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDEX	33.6		RATIO	BETA THALASSEMIA TRAIT:<
by CALCOLATED				65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS (WBCS)				
TOTAL LEUCOCYTE COUNT (TLC) by FLOW CYTOMETRY BY SF CUBE & N		0	/cmm	4000 - 11000
NUCLEATED RED BLOOD CELLS by AUTOMATED 6 PART HEMATOLOGY	(nRBCS) NIL			0.00 - 20.00
NUCLEATED RED BLOOD CELLS	nRBCS) % NIL		%	< 10 %





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



Page 1 of 11





Dr. Vinay Chopra Dr. Yugam Chopra MD (Pathology & Microbiology) MD (Pathology) Chairman & Consultant Pathologist **CEO & Consultant Pathologist** NAME : Mrs. ANCHAL GARG **AGE/ GENDER** : 33 YRS/FEMALE **PATIENT ID** :1569167 **COLLECTED BY** REG. NO./LAB NO. :042411210002 **REFERRED BY REGISTRATION DATE** : 21/Nov/2024 01:23 PM **BARCODE NO. COLLECTION DATE** : 21/Nov/2024 03:23PM : A1259925 CLIENT CODE. : KOS DIAGNOSTIC SHAHBAD **REPORTING DATE** : 21/Nov/2024 03:31PM **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value Unit **Biological Reference interval DIFFERENTIAL LEUCOCYTE COUNT (DLC) NEUTROPHILS** 63 % 50 - 70 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY LYMPHOCYTES 23 % 20 - 40 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY EOSINOPHILS 3 % 1 - 6 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY MONOCYTES 11 % 2 - 12by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY BASOPHILS 0 % 0 - 1 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY **ABSOLUTE LEUKOCYTES (WBC) COUNT** ABSOLUTE NEUTROPHIL COUNT 2892 2000 - 7500 /cmm by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE LYMPHOCYTE COUNT 1056 800 - 4900 /cmm by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE EOSINOPHIL COUNT 138 /cmm 40 - 440 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE MONOCYTE COUNT 505 /cmm 80 - 880 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE BASOPHIL COUNT 0 /cmm 0 - 110 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY PLATELETS AND OTHER PLATELET PREDICTIVE MARKERS. PLATELET COUNT (PLT) 150000 - 450000 403000 /cmm by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE 0.41^H PLATELETCRIT (PCT) % 0.10 - 0.36 by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE MEAN PLATELET VOLUME (MPV) 10 fL 6.50 - 12.0 by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE 30000 - 90000 PLATELET LARGE CELL COUNT (P-LCC) /cmm 107000^H by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE % PLATELET LARGE CELL RATIO (P-LCR) 26.511.0 - 45.0 by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PLATELET DISTRIBUTION WIDTH (PDW) 15.0 - 17.0 16 %

by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Chopra MD (Pathology & Microbiolog ₎ Chairman & Consultant Pathol		(Pathology)
NAME	: Mrs. ANCHAL GARG		
AGE/ GENDER	: 33 YRS/FEMALE	PATIENT ID	: 1569167
COLLECTED BY	:	REG. NO./LAB NO.	: 042411210002
REFERRED BY	:	REGISTRATION DATE	: 21/Nov/2024 01:23 PM
BARCODE NO.	: A1259925	COLLECTION DATE	: 21/Nov/2024 03:23PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	REPORTING DATE	: 21/Nov/2024 03:31PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CAN	NTT	
Test Name	Value	Unit	Biological Reference interval





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







	M	r. Vinay Chopra D (Pathology & Micro airman & Consultant		Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mrs. ANCHAL	GARG			
AGE/ GENDER	: 33 YRS/FEMAL	E	РАТ	TENT ID	: 1569167
COLLECTED BY	:		REG	. NO./LAB NO.	: 042411210002
REFERRED BY	:		REG	ISTRATION DATE	: 21/Nov/2024 01:23 PM
BARCODE NO.	: A1259923		COL	LECTION DATE	: 21/Nov/2024 03:23PM
CLIENT CODE.	: KOS DIAGNOST	TC SHAHBAD	REP	ORTING DATE	: 21/Nov/2024 04:29PM
CLIENT ADDRESS	: 6349/1, NICHC	LSON ROAD, AMBA	LA CANTT		
Test Name			Value	Unit	Biological Reference interval
		CLINICAL (CHEMISTRY	Y/BIOCHEMIST	TRY
		G	LUCOSE FAS	STING (F)	
GLUCOSE FASTIN	G (F): PLASMA Se - peroxidase (go		97.73	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0

IN ACCRDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES: 1. A fasting plasma glucose level below 100 mg/dl is considered normal. 2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood

test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



Page 4 of 11





	Dr. Vinay Cho MD (Pathology & N Chairman & Consu	1icrobiology)		(Pathology)
NAME : Mrs. A	ANCHAL GARG			
AGE/ GENDER : 33 YR	S/FEMALE		PATIENT ID	: 1569167
COLLECTED BY :			REG. NO./LAB NO.	: 042411210002
REFERRED BY :			REGISTRATION DATE	: 21/Nov/2024 01:23 PM
BARCODE NO. : A1259	9924		COLLECTION DATE	: 21/Nov/2024 03:23PM
CLIENT CODE. : KOS D	IAGNOSTIC SHAHBAD		REPORTING DATE	: 21/Nov/2024 04:29PM
CLIENT ADDRESS : 6349/	1, NICHOLSON ROAD, A	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		I IPIN PR	OFILE : BASIC	
HOLESTEROL TOTAL: SER		185.15	mg/dL	OPTIMAL: < 200.0
by CHOLESTEROL OXIDASE PA		105.15	ling/ uL	BORDERLINE HIGH: 200.0 -
				239.0
				HIGH CHOLESTEROL: > OR = 240.0
FRIGLYCERIDES: SERUM		124.22	mg/dL	OPTIMAL: < 150.0
by GLYCEROL PHOSPHATE OXIL	DASE (ENZYMATIC)		0	BORDERLINE HIGH: 150.0 -
				199.0 HIGH: 200.0 - 499.0
				VERY HIGH: $> OR = 500.0$
HDL CHOLESTEROL (DIREC	CT): SERUM	62.46	mg/dL	LOW HDL: < 30.0
by SELECTIVE INHIBITION			-	BORDERLINE HIGH HDL: 30.0
				60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: SERUM	Л	97.85	mg/dL	OPTIMAL: < 100.0
by CALCULATED, SPECTROPHO	TOMETRY		0	ABOVE OPTIMAL: 100.0 - 129.
				BORDERLINE HIGH: 130.0 - 159.0
				HIGH: 160.0 - 189.0
				VERY HIGH: > OR = 190.0
NON HDL CHOLESTEROL: S by CALCULATED, SPECTROPHO		122.69	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.
by CALCOLATED, SI LOTIOT HO	TOMETRY			BORDERLINE HIGH: 160.0 -
				189.0
				HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL: SERU	M	24.84	mg/dL	0.00 - 45.00
by CALCULATED, SPECTROPHO				
FOTAL LIPIDS: SERUM by calculated, spectropho	TOMETRY	494.52	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL RATIO		2.96	RATIO	LOW RISK: 3.30 - 4.40
by CALCULATED, SPECTROPHO	TOMETRY			AVERAGE RISK: 4.50 - 7.0
				MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
				11011 MJR. > 11.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

yhoira

KOS Central Lab:6349/1, Nicholson Road, Ambala Cantt -133 001, HaryanaKOS Molecular Lab:IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana0171-2643898, +91 99910 43898care@koshealthcare.comwww.koshealthcare.comwww.koshealthcare.com







		hopra & Microbiology) nsultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. ANCHAL GARG			
AGE/ GENDER	: 33 YRS/FEMALE	Р	ATIENT ID	: 1569167
COLLECTED BY	:	R	EG. NO./LAB NO.	: 042411210002
REFERRED BY	:	R	EGISTRATION DATE	: 21/Nov/2024 01:23 PM
BARCODE NO.	: A1259924	C	OLLECTION DATE	: 21/Nov/2024 03:23PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAI	D R	EPORTING DATE	: 21/Nov/2024 04:29PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
LDL/HDL RATIO: S by CALCULATED, SPE		1.57	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/H	IDL RATIO: SERUM	1.99 ^L	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for

Total Cholesterol, Triglycerides, HDL & LDL Cholesterol. 2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	Dr. Vinay Chopi MD (Pathology & Mic Chairman & Consulta	crobiology)		(Pathology)
NAME	: Mrs. ANCHAL GARG			
AGE/ GENDER	: 33 YRS/FEMALE]	PATIENT ID	: 1569167
COLLECTED BY	:]	REG. NO./LAB NO.	: 042411210002
REFERRED BY	:]	REGISTRATION DATE	: 21/Nov/2024 01:23 PM
BARCODE NO.	: A1259924	(COLLECTION DATE	: 21/Nov/2024 03:23PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	1	REPORTING DATE	: 21/Nov/2024 04:29PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMI	BALA CANTT		
Test Name		Value	Unit	Biological Reference interval
BILIRUBIN TOTAL	: SERUM	FUNCTION 0.44	TEST (COMPLETE) mg/dL	INFANT: 0.20 - 8.00
•	PECTROPHOTOMETRY			ADULT: 0.00 - 1.20
	Γ (CONJUGATED): SERUM SPECTROPHOTOMETRY	0.16	mg/dL	0.00 - 0.40
BILIRUBIN INDIRE	CCT (UNCONJUGATED): SERUM	0.28	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PY	[/RIDOXAL PHOSPHATE	19.5	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PY	[/RIDOXAL PHOSPHATE	10.3	U/L	0.00 - 49.00
AST/ALT RATIO: S		1.89	RATIO	0.00 - 46.00
ALKALINE PHOSPI by PARA NITROPHEN PROPANOL	HATASE: SERUM YL PHOSPHATASE BY AMINO METHYL	89.29	U/L	40.0 - 130.0
GAMMA GLUTAMY by SZASZ, SPECTROF	L TRANSFERASE (GGT): SERUM	22.53	U/L	0.00 - 55.0
TOTAL PROTEINS: by BIURET, SPECTRO	SERUM	6.57	gm/dL	6.20 - 8.00
ALBUMIN: SERUM		3.96	gm/dL	3.50 - 5.50
GLOBULIN: SERUN by CALCULATED, SPE	1	2.61	gm/dL	2.30 - 3.50
A : G RATIO: SERUM by CALCULATED. SPECTROPHOTOMETRY		1.52	RATIO	1.00 - 2.00

by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







	Dr. Vinay Chopra MD (Pathology & Microt Chairman & Consultant I	iology) ME	m Chopra D (Pathology) ht Pathologist
NAME	: Mrs. ANCHAL GARG		
AGE/ GENDER	: 33 YRS/FEMALE	PATIENT ID	: 1569167
COLLECTED BY	:	REG. NO./LAB NO.	: 042411210002
REFERRED BY	:	REGISTRATION DATE	: 21/Nov/2024 01:23 PM
BARCODE NO.	: A1259924	COLLECTION DATE	: 21/Nov/2024 03:23PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	REPORTING DATE	: 21/Nov/2024 04:29PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBAL	A CANTT	
Test Name	V	alue Unit	Biological Reference interval

Test Name	Value	Unit	Biological Reference interval

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTIC SIGNIFICANCE:	

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







Dr. Vinay Cho MD (Pathology & M Chairman & Consu		1icrobiology)	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. ANCHAL GARG			
AGE/ GENDER	: 33 YRS/FEMALE	P	ATIENT ID	: 1569167
COLLECTED BY	:	R	EG. NO./LAB NO.	: 042411210002
REFERRED BY	:	R	EGISTRATION DATE	: 21/Nov/2024 01:23 PM
BARCODE NO.	: A1259924	C	OLLECTION DATE	: 21/Nov/2024 03:23PM
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	R	EPORTING DATE	: 21/Nov/2024 04:29PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	KIDNI	EY FUNCTION	TEST (COMPLETE))
UREA: SERUM		15.87	mg/dL	10.00 - 50.00
-	NATE DEHYDROGENASE (GLDH)	0.00		0.40 - 1.20
CREATININE: SER		0.82	mg/dL	0.40 - 1.20
BLOOD UREA NITROGEN (BUN): SERUM		7.42	mg/dL	7.0 - 25.0
by CALCULATED, SPECTROPHOTOMETRY BLOOD UREA NITROGEN (BUN)/CREATININE		9.05 ^L	RATIO	10.0 - 20.0
RATIO: SERUM		0.00		
UREA/CREATININ	ECTROPHOTOMETRY E RATIO: SERUM	19.35	RATIO	
by CALCULATED, SPI	ECTROPHOTOMETRY			
URIC ACID: SERUN by URICASE - OXIDAS		7.42 ^H	mg/dL	2.50 - 6.80
CALCIUM: SERUM		9.32	mg/dL	8.50 - 10.60
by ARSENAZO III, SPE PHOSPHOROUS: SI		2.44	ma/dI	2.30 - 4.70
	DATE, SPECTROPHOTOMETRY	2.44	mg/dL	2.30 - 4.70
<u>ELECTROLYTES</u>				
SODIUM: SERUM		142.5	mmol/L	135.0 - 150.0
by ISE (ION SELECTIN POTASSIUM: SERU		4.21	mmol/L	3.50 - 5.00
by ISE (ION SELECTI)	/E ELECTRODE)			
CHLORIDE: SERUN by ISE (ION SELECTIV		106.88	mmol/L	90.0 - 110.0
	<u>IERULAR FILTERATION RATE</u>			
ESTIMATED GLOM (eGFR): SERUM by CALCULATED INTERPRETATION:	ERULAR FILTERATION RATE	96.8		
	een nre- and nost renal azotemia			

To differentiate between pre- and post renal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT





	Dr. Vinay Chc MD (Pathology & I Chairman & Const	Microbiology)	Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist		
NAME	: Mrs. ANCHAL GARG				
AGE/ GENDER	: 33 YRS/FEMALE	PATIENT ID	: 1569167		
COLLECTED BY	:	REG. NO./LAB NO	. : 04241121	0002	
REFERRED BY		REGISTRATION I			
BARCODE NO.	: A1259924	COLLECTION DAT			
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	REPORTING DAT	E : 21/Nov/202	24 04:29PM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT			
Test Name		Value Ur	nit Biol	logical Reference interval	
7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (< ⁷	superimposed on renal disease. 0:1) WITH DECREASED BUN :	tion)	rrotoxicosis, Cushing's sy e uropathy).		
7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia DECREASED RATIO (< 1. Acute tubular necr 2. Low protein diet ar 3. Severe liver disease 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (< 1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther ESTIMATED GLOMERI CKD STAGE G1	(e.g. ureter colostomy) ass (subnormal creatinine productetracycline, glucocorticoids) 0:1) WITH ELEVATED CREATININE I (BUN rises disproportionately mo superimposed on renal disease. 0:1) WITH DECREASED BUN : osis. d starvation. 2. creased urea synthesis. urea rather than creatinine diffus monemias (urea is virtually absen of inappropiate antidiuretic harmo 0:1) WITH INCREASED CREATININE py (accelerates conversion of create eleases muscle creatinine). who develop renal failure. : sis (acetoacetate causes false increated creased BUN/creatinine ratio). apy (interferes with creatinine me ULAR FILTERATION RATE: 	tion) EVELS: by the second of extracellular fluid). t in blood). ne) due to tubular secretion of ure time to creatinine). rease in creatinine with certain me easurement). GFR (mL/min/1.73m2) on >90	e uropathy). a. thodologies,resulting in ASSOCIATED FINDIN No proteinuria	normal ratio when dehydrat	
7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. NCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (1. Acute tubular necr 2. Low protein diet ar 3. Severe liver disease 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (1. Phenacimide thera 2. Rhabdomyolysis (r 8. Muscular patients NAPPROPIATE RATIO 1. Diabetic ketoacido 5. Nould produce an in 2. Cephalosporin ther STIMATED GLOMERL OKD STAGE	(e.g. ureter colostomy) ass (subnormal creatinine productetracycline, glucocorticoids) 0:1) WITH ELEVATED CREATININE I (BUN rises disproportionately mo superimposed on renal disease. 0:1) WITH DECREASED BUN : osis. d starvation. 2. creased urea synthesis. urea rather than creatinine diffus monemias (urea is virtually absen of inappropiate antidiuretic harmo 0:1) WITH INCREASED CREATININE py (accelerates conversion of create eleases muscle creatinine). who develop renal failure. : sis (acetoacetate causes false increated creased BUN/creatinine ratio). apy (interferes with creatinine me ILAR FILTERATION RATE: DESCRIPTION Normal kidney function Kidney damage with	tion) EVELS: by the theorem of the transmission of transmission of the transmission of transmissio	e uropathy). a. thodologies,resulting in ASSOCIATED FINDIN No proteinuria Presence of Protein	normal ratio when dehydrat	
7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. NCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia 2. Prerenal azotemia 2. Cow protein diet ar 3. Severe liver disease 4. Other causes of de 5. Repeated dialysis (5. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. 7. Phenacimide thera 7. Rhabdomyolysis (r 7. Diabetic ketoacido fould produce an in 7. Cephalosporin ther 5. STIMATED GLOMERL 6. G1	(e.g. ureter colostomy) ass (subnormal creatinine productetracycline, glucocorticoids) 0:1) WITH ELEVATED CREATININE I (BUN rises disproportionately mo superimposed on renal disease. 0:1) WITH DECREASED BUN : osis. d starvation. 2. creased urea synthesis. urea rather than creatinine diffus monemias (urea is virtually absen of inappropiate antidiuretic harmo 0:1) WITH INCREASED CREATININE py (accelerates conversion of create eleases muscle creatinine). who develop renal failure. : sis (acetoacetate causes false increate creased BUN/creatinine ratio). apy (interferes with creatinine me ULAR FILTERATION RATE: DESCRIPTION Normal kidney function Kidney damage with normal or high GFR	tion) EVELS: pre than creatinine) (e.g. obstructiv es out of extracellular fluid). t in blood). ne) due to tubular secretion of ure time to creatinine). Trease in creatinine with certain me easurement). Trease in creatinine with certain me easurement with certain with certain me easurement with certain with certai	e uropathy). a. thodologies,resulting in ASSOCIATED FINDIN No proteinuria	normal ratio when dehydrat	
7. Urine reabsorption 3. Reduced muscle m 4. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia DECREASED RATIO (1. Acute tubular necr 2. Low protein diet ar 3. Severe liver disease 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (< 1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther ESTIMATED GLOMERU G1 G2 G3	(e.g. ureter colostomy) ass (subnormal creatinine productetracycline, glucocorticoids) 0:1) WITH ELEVATED CREATININE I (BUN rises disproportionately mo superimposed on renal disease. 0:1) WITH DECREASED BUN : osis. d starvation. 2. creased urea synthesis. urea rather than creatinine diffus monemias (urea is virtually absen of inappropiate antidiuretic harmo 0:1) WITH INCREASED CREATININE py (accelerates conversion of create eleases muscle creatinine). who develop renal failure. : sis (acetoacetate causes false increated BUN/creatinine ratio). apy (interferes with creatinine me UAR FILTERATION RATE: DESCRIPTION Normal kidney function Kidney damage with normal or high GFR Mild decrease in GFI	tion) EVELS: ore than creatinine) (e.g. obstructiv es out of extracellular fluid). t in blood). ne) due to tubular secretion of ure time to creatinine). Trease in creatinine with certain me easurement). GFR (mL/min/1.73m2) N >90 N >9	e uropathy). a. thodologies,resulting in ASSOCIATED FINDIN No proteinuria Presence of Protein	normal ratio when dehydrat	
7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. 11. Postrenal azotemia 22. Prerenal azotemia 23. Prerenal azotemia 24. Other tubular necr 25. Low protein diet ar 26. Severe liver disease 4. Other causes of de 27. SIADH (syndrome of 28. Pregnancy. 19. Phenacimide thera 20. Rhabdomyolysis (r 20. Rhabdomyolysis (r 20. Muscular patients 20. Muscular patients 20. Muscular patients 20. CKD STAGE CKD STAGE CAL 61. G2	(e.g. ureter colostomy) ass (subnormal creatinine productetracycline, glucocorticoids) 0:1) WITH ELEVATED CREATININE I (BUN rises disproportionately mo superimposed on renal disease. 0:1) WITH DECREASED BUN : osis. d starvation. 2. creased urea synthesis. urea rather than creatinine diffus monemias (urea is virtually absen of inappropiate antidiuretic harmo 0:1) WITH INCREASED CREATININE py (accelerates conversion of create eleases muscle creatinine). who develop renal failure. : sis (acetoacetate causes false increate creased BUN/creatinine ratio). apy (interferes with creatinine me ULAR FILTERATION RATE: 	tion) EVELS: ore than creatinine) (e.g. obstructiv es out of extracellular fluid). t in blood). ne) due to tubular secretion of ure time to creatinine). rease in creatinine with certain me easurement).	e uropathy). a. thodologies,resulting in ASSOCIATED FINDIN No proteinuria Presence of Protein	normal ratio when dehydrat	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)









		lue Unit		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA	CANTI		
CLIENT ADDDECC	COMO /1 NUCLICI CON DOAD AMDALA	CANTT		
CLIENT CODE.	: KOS DIAGNOSTIC SHAHBAD	REPORTING DATE	: 21/Nov/2024 04:29PM	
BARCODE NO.	: A1259924	COLLECTION DATE	: 21/Nov/2024 03:23PM	
REFERRED BY	:	REGISTRATION DATE	: 21/Nov/2024 01:23 PM	
COLLECTED BY	:	REG. NO./LAB NO.	:042411210002	
AGE/ GENDER	: 33 YRS/FEMALE	PATIENT ID	: 1569167	
NAME	: Mrs. ANCHAL GARG			
	MD (Pathology & Microbiology) Chairman & Consultant Pathologist CEO & Consultant Pathologist			
	Dr. Vinay Chopra	Dr. Yugan	n Chopra	

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated

End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com

