

Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

| | | | |
|-----------------------|----------------------------------------|--------------------------|------------------------|
| NAME | : Mr. VIJAY KUMAR DUA | PATIENT ID | : 1438768 |
| AGE/ GENDER | : 63 YRS/MALE | REG. NO./LAB NO. | : 042501280002 |
| COLLECTED BY | : | REGISTRATION DATE | : 28/Jan/2025 03:03 PM |
| REFERRED BY | : | COLLECTION DATE | : 28/Jan/2025 03:23PM |
| BARCODE NO. | : A1260403 | REPORTING DATE | : 28/Jan/2025 07:35PM |
| CLIENT CODE. | : KOS DIAGNOSTIC SHAHBAD | | |
| CLIENT ADDRESS | : 6349/1, NICHOLSON ROAD, AMBALA CANTT | | |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

CLINICAL CHEMISTRY/BIOCHEMISTRY

GLUCOSE FASTING (F)

| | | | |
|--------------------------------------------------------------------------|-------|-------|-------------------------------------------------------------------------|
| GLUCOSE FASTING (F): PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) | 89.55 | mg/dL | NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > OR = 126.0 |
|--------------------------------------------------------------------------|-------|-------|-------------------------------------------------------------------------|

INTERPRETATION

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A fasting plasma glucose level below 100 mg/dl is considered normal.
2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.




DR. VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR. YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

| | | | |
|-----------------------|----------------------------------------|--------------------------|------------------------|
| NAME | : Mr. VIJAY KUMAR DUA | PATIENT ID | : 1438768 |
| AGE/ GENDER | : 63 YRS/MALE | REG. NO./LAB NO. | : 042501280002 |
| COLLECTED BY | : | REGISTRATION DATE | : 28/Jan/2025 03:03 PM |
| REFERRED BY | : | COLLECTION DATE | : 28/Jan/2025 03:23PM |
| BARCODE NO. | : A1260404 | REPORTING DATE | : 28/Jan/2025 07:35PM |
| CLIENT CODE. | : KOS DIAGNOSTIC SHAHBAD | | |
| CLIENT ADDRESS | : 6349/1, NICHOLSON ROAD, AMBALA CANTT | | |

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

GLUCOSE POST PRANDIAL (PP)

| | | | |
|---------------------------------------------------------------------------------|-------|-------|--------------------------------------------------------------------------|
| GLUCOSE POST PRANDIAL (PP): PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) | 136.8 | mg/dL | NORMAL: < 140.00 PREDIABETIC: 140.0 - 200.0 DIABETIC: > OR = 200.0 |
|---------------------------------------------------------------------------------|-------|-------|--------------------------------------------------------------------------|

INTERPRETATION

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A post-prandial plasma glucose level below 140 mg/dl is considered normal.
2. A post-prandial glucose level between 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
3. A post-prandial plasma glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.

*** End Of Report ***




 DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)

