【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU			
AGE/ GENDER	: 47 YRS/FEMALE		PATIENT ID	: 1292563
COLLECTED BY	:		REG. NO./LAB NO.	: 122407090013
REFERRED BY	:		REGISTRATION DATE	: 09/Jul/2024 10:10 AM
BARCODE NO.	: 12503506		COLLECTION DATE	: 09/Jul/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	JTE	REPORTING DATE	:09/Jul/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	LA CITY - HA	ARYANA	
Test Name		Value	Unit	Biological Reference interval
	SWAS	THYA WI	ELLNESS PANEL: 1.2	
	CON	/IPLETE BL	OOD COUNT (CBC)	
<u>RED BLOOD CELLS (</u> I	RBCS) COUNT AND INDICES			
HAEMOGLOBIN (HB)	11.6 ^L	gm/dL	12.0 - 16.0
RED BLOOD CELL (RE	BC) COUNT	3.62	Millions/cr	mm 3.50 - 5.00
	OCUSING, ELECTRICAL IMPEDENCE			
PACKED CELL VOLUN by CALCULATED BY	VIE (PCV) AUTOMATED HEMATOLOGY ANALYZER	33.5 ^L	%	37.0 - 50.0
MEAN CORPUSCULA	R VOLUME (MCV)	92.6	KR fl	80.0 - 100.0
	AUTOMATED HEMATOLOGY ANALYZER	32.1	20	27.0.24.0
	R HAEMOGLOBIN (MCH)	32.1	pg	27.0 - 34.0
MEAN CORPUSCULA	R HEMOGLOBIN CONC. (MCHC)	34.7	g/dL	32.0 - 36.0
	AUTOMATED HEMATOLOGY ANALYZER TION WIDTH (RDW-CV)	13.2	%	11.00 - 16.00
	AUTOMATED HEMATOLOGY ANALYZER	13.2	/0	11.00 - 10.00
	TION WIDTH (RDW-SD)	45.4	fL	35.0 - 56.0
by CALCULATED BY A MENTZERS INDEX	AUTOMATED HEMATOLOGY ANALYZER	25.58	RATIO	BETA THALASSEMIA TRAIT: < 13
by CALCULATED		25.56	KATIO	IRON DEFICIENCY ANEMIA: >13
GREEN & KING INDE	X	33.82	RATIO	BETA THALASSEMIA TRAIT: < =
by CALCULATED				65.0
				IRON DEFICIENCY ANEMIA: > 6
WHITE BLOOD CELL	<u>s (WBCS)</u>			
TOTAL LEUCOCYTE C		6660	/cmm	4000 - 11000
-	Y BY SF CUBE & MICROSCOPY OCYTE COUNT (DLC)			
		FF	0/	F0 70
NEUTROPHILS by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	55	%	50 - 70
LYMPHOCYTES		36	%	20 - 40
,	Y BY SF CUBE & MICROSCOPY			
Eosinophils		3	%	1 - 6

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU				
AGE/ GENDER	: 47 YRS/FEMALE		PATIENT ID	: 1292563	
COLLECTED BY	:		REG. NO./LAB NO.	: 122407090013	
REFERRED BY	:	REGISTRATION DATE COLLECTION DATE		: 09/Jul/2024 10:10 AM	
BARCODE NO.	: 12503506			: 09/Jul/2024 10:53AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE	REPORTING DATE	:09/Jul/2024 12:59PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	LA CITY - HA	ARYANA		
Test Name		Value	Unit	Biological Reference interval	
by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY				
MONOCYTES		6	%	2 - 12	
by FLOW CYTOMETR BASOPHILS	Y BY SF CUBE & MICROSCOPY	0	%	0 - 1	
	Y BY SF CUBE & MICROSCOPY	0	/0	0 - 1	
	YTES (WBC) COUNT				
ABSOLUTE NEUTRO	PHIL COUNT	3663	/cmm	2000 - 7500	
	Y BY SF CUBE & MICROSCOPY				
ABSOLUTE LYMPHO		2398 ^L	/cmm	800 - 4900	
<i>by FLOW CYTOMETR</i> ABSOLUTE EOSINOF	BY BY SF CUBE & MICROSCOPY	200	Icmm	40 - 440	
	Y BY SF CUBE & MICROSCOPY	200	/cmm	40 - 440	
ABSOLUTE MONOC		400	/cmm	80 - 880	
,	Y BY SF CUBE & MICROSCOPY				
	IL COUNT BY BY SF CUBE & MICROSCOPY	0	/cmm	0 - 110	
	HER PLATELET PREDICTIVE MARKER	RS.			
PLATELET COUNT (P	PLT)	149000 ^L	/cmm	150000 - 450000	
<i>Бу НҮДКО ДҮМАМІС</i> PLATELETCRIT (PCT)	FOCUSING, ELECTRICAL IMPEDENCE	0.16	%	0.10 - 0.36	
· · · ·	FOCUSING, ELECTRICAL IMPEDENCE	0.10	70	0.10 0.00	
MEAN PLATELET VC		10	fL	6.50 - 12.0	
•	FOCUSING, ELECTRICAL IMPEDENCE	42000	1	20000 00000	
PLATELET LARGE CE	LL COUNT (P-LCC) FOCUSING, ELECTRICAL IMPEDENCE	43000	/cmm	30000 - 90000	
PLATELET LARGE CE		28.9	%	11.0 - 45.0	
	FOCUSING, ELECTRICAL IMPEDENCE				
	TION WIDTH (PDW)	16.2	%	15.0 - 17.0	
	FOCUSING, ELECTRICAL IMPEDENCE				
NOTE: TEST CONDU	JCTED ON EDTA WHOLE BLOOD				





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

	: Mrs. NEERU			
AGE/ GENDER	: 47 YRS/FEMALE	PA	TIENT ID	: 1292563
COLLECTED BY	:	RE	G. NO./LAB NO.	: 122407090013
REFERRED BY	:	RE	GISTRATION DATE	: 09/Jul/2024 10:10 AM
BARCODE NO.	: 12503506	CO	LLECTION DATE	: 09/Jul/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	FITUTE RE	PORTING DATE	:09/Jul/202401:11PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HARYA	ANA	
Test Name		Value	Unit	Biological Reference interval
	ERYTH	ROCYTE SEDIME	NTATION RATE (ESR)
	ERYTH MENTATION RATE (ESR) RGREN AUTOMATED METHOD	ROCYTE SEDIME 31 ^H	NTATION RATE (ESR mm/1st hi	

1. ESR and C - reactive protein (C-RP) are both markers of inflammation.

2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.

 3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while environment of a structure of the start of aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU			
AGE/ GENDER	: 47 YRS/FEMALE	PAT	TENT ID	: 1292563
COLLECTED BY	:	REG	. NO./LAB NO.	: 122407090013
REFERRED BY	:	REG	ISTRATION DATE	: 09/Jul/2024 10:10 AM
BARCODE NO.	: 12503506	COI	LECTION DATE	: 09/Jul/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE REP	ORTING DATE	:09/Jul/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AI	MBALA CITY - HARYA	NA	
Test Name		Value	Unit	Biological Reference interval
Test Name	CLIN	Value ICAL CHEMISTR GLUCOSE FA	//BIOCHEMISTR	

A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU			
AGE/ GENDER	: 47 YRS/FEMALE		PATIENT ID	: 1292563
COLLECTED BY	:		REG. NO./LAB NO.	: 122407090013
REFERRED BY	:		REGISTRATION DATE	: 09/Jul/2024 10:10 AM
BARCODE NO.	: 12503506		COLLECTION DATE	: 09/Jul/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE	REPORTING DATE	: 09/Jul/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AN	MBALA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PI	ROFILE : BASIC	
CHOLESTEROL TOTA	I · SERUM	150.46	mg/dL	OPTIMAL: < 200.0
by CHOLESTEROL OX		100.10	ing, at	BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.
TRIGLYCERIDES: SER by GLYCEROL PHOSP	UM HATE OXIDASE (ENZYMATIC)	64.76	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL (by SELECTIVE INHIBITI		70.34	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: S by CALCULATED, SPE		69.17	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTE by CALCULATED, SPE		80.12	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL: by CALCULATED, SPE		12.95	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SERUN by CALCULATED, SPE	M	367.68	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL F by CALCULATED, SPE	RATIO: SERUM	2.14	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SER by CALCULATED, SPE		0.98	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



Page 5 of 16

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU		
AGE/ GENDER	: 47 YRS/FEMALE	PATIENT ID	: 1292563
COLLECTED BY	:	REG. NO./LAB NO.	: 122407090013
REFERRED BY	:	REGISTRATION DATE	: 09/Jul/2024 10:10 AM
BARCODE NO.	: 12503506	COLLECTION DATE	: 09/Jul/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:09/Jul/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	IARYANA	
Test Name	Value	Unit	Biological Reference interval

	Talao	onit	Biological Reference interval
TRIGLYCERIDES/HDL RATIO: SERUM	0.92 ^L	RATIO	3.00 - 5.00
by CALCULATED, SPECTROPHOTOMETRY			

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU				
AGE/ GENDER	: 47 YRS/FEMALE		PATIENT ID	: 1292563	
COLLECTED BY : REFERRED BY :			REG. NO./LAB NO.	: 122407090013	
			REGISTRATION DATE	: 09/Jul/2024 10:10 AM	
BARCODE NO.	: 12503506		COLLECTION DATE	: 09/Jul/2024 10:53AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	ITUTE	REPORTING DATE	:09/Jul/2024 12:59PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	BALA CITY - H	ARYANA		
Test Name		Value	Unit	Biological Reference interval	
	LIV	ER FUNCTIO	ON TEST (COMPLETE)		
BILIRUBIN TOTAL: S	ERUM PECTROPHOTOMETRY	0.51	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20	
	CONJUGATED): SERUM	0.24	mg/dL	0.00 - 0.40	
BILIRUBIN INDIRECT	(UNCONJUGATED): SERUM	0.27	mg/dL	0.10 - 1.00	
SGOT/AST: SERUM		21.62	U/L	7.00 - 45.00	
SGPT/ALT: SERUM	RIDOXAL PHOSPHATE	32.62	U/L	0.00 - 49.00	
AST/ALT RATIO: SER	UM	0.66	RATIO	0.00 - 46.00	
ALKALINE PHOSPHA by para nitrophen propanol	TASE: SERUM YL PHOSPHATASE BY AMINO METHYL	87.33	U/L	40.0 - 130.0	
GAMMA GLUTAMYL by SZASZ, SPECTROF	. TRANSFERASE (GGT): SERUM	26.63	U/L	0.00 - 55.0	
TOTAL PROTEINS: SE by BIURET, SPECTRO		7.02	gm/dL	6.20 - 8.00	
ALBUMIN: SERUM by bromocresol g	REEN	4.35	gm/dL	3.50 - 5.50	
GLOBULIN: SERUM by CALCULATED, SPE	ECTROPHOTOMETRY	2.67	gm/dL	2.30 - 3.50	
A : G RATIO: SERUM		1.63	RATIO	1.00 - 2.00	

by CALCULATED, SPECTROPHOTOMETRY

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



INTERPRETATION



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU		
AGE/ GENDER	: 47 YRS/FEMALE	PATIENT ID	: 1292563
COLLECTED BY	:	REG. NO./LAB NO.	: 122407090013
REFERRED BY	:	REGISTRATION DATE	: 09/Jul/2024 10:10 AM
BARCODE NO.	: 12503506	COLLECTION DATE	: 09/Jul/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 09/Jul/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name	Value	Unit	Biological Reference interval
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS		> 1.3 (Slightly Increased)	

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



▼0171-2532620, 8222896961 **■** pkrjainhealthcare@gmail.com

NAME : Mr	s. NEERU					
AGE/ GENDER : 47	YRS/FEMALE		PATIENT ID	: 1292563		
COLLECTED BY :			REG. NO./LAB NO.	: 122407090013		
REFERRED BY :		REGISTRATION DATE		: 09/Jul/2024 10:10 AM		
BARCODE NO. : 125	503506		COLLECTION DATE	: 09/Jul/2024 10:53AM		
CLIENT CODE. : P.K.R JAIN HEALTHCAR		STITUTE	REPORTING DATE	: 09/Jul/2024 12:59PM		
CLIENT ADDRESS : NA	SIRPUR, HISSAR ROAD, A	MBALA CITY - HA	ARYANA			
Test Name		Value	Unit	Biological Reference interval		
	кі	DNEY FUNCTI	ON TEST (COMPLETE)			
UREA: SERUM by UREASE - GLUTAMATE DE	EHYDROGENASE (GLDH)	24.36	mg/dL	10.00 - 50.00		
CREATININE: SERUM by ENZYMATIC, SPECTROPH	OTOMETERY	0.63	mg/dL	0.40 - 1.20		
BLOOD UREA NITROGEN (by CALCULATED, SPECTROF	PHOTOMETRY	11.38	mg/dL	7.0 - 25.0		
BLOOD UREA NITROGEN (RATIO: SERUM by CALCULATED, SPECTROF		18.06	RATIO	10.0 - 20.0		
UREA/CREATININE RATIO: by CALCULATED, SPECTROF		38.67	RATIO			
URIC ACID: SERUM by URICASE - OXIDASE PERC	DXIDASE	3.24	mg/dL	2.50 - 6.80		
CALCIUM: SERUM by ARSENAZO III, SPECTROP	PHOTOMETRY	10.43	mg/dL	8.50 - 10.60		
PHOSPHOROUS: SERUM by phosphomolybdate, s ELECTROLYTES	PECTROPHOTOMETRY	2.91	mg/dL	2.30 - 4.70		
SODIUM: SERUM by ISE (ION SELECTIVE ELEC	TRODE)	140	mmol/L	135.0 - 150.0		
POTASSIUM: SERUM by ISE (ION SELECTIVE ELEC	TRODE)	4.1	mmol/L	3.50 - 5.00		
CHLORIDE: SERUM by ISE (ION SELECTIVE ELEC ESTIMATED GLOMERULAR	,	105	mmol/L	90.0 - 110.0		
ESTIMATED GLOMERULAR (eGFR): SERUM by calculated INTERPRETATION:	R FILTERATION RATE	110				

To differentiate between pre- and post renal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



PKR JAIN HEALTHCARE INSTITUTE

NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU		
AGE/ GENDER	: 47 YRS/FEMALE	PATIENT ID	: 1292563
COLLECTED BY	:	REG. NO./LAB NO.	: 122407090013
REFERRED BY	:	REGISTRATION DATE	: 09/Jul/2024 10:10 AM
BARCODE NO.	: 12503506	COLLECTION DATE	: 09/Jul/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	:09/Jul/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	
Test Name	Value	Unit	Biological Reference interval
 GI haemorrhage. High protein intake 			
5. Impaired renal fur			
	ike or production or tissue breakdown (e.g. inf	ection, GI bleeding, thyrotoxic	osis, Cushing's syndrome, high protein diet,
burns, surgery, cache			
Urine reabsorption	n (e.g. ureter colostomy)		

8. Reduced muscle mass (subnormal creatinine production)

9. Certain drugs (e.g. tetracycline, glucocorticoids)

INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis.

2. Low protein diet and starvation.

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

- 6. Inherited hyperammonemias (urea is virtually absent in blood).
- 7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.
- 8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU		
AGE/ GENDER	: 47 YRS/FEMALE	PATIENT ID	: 1292563
COLLECTED BY	:	REG. NO./LAB NO.	: 122407090013
REFERRED BY	:	REGISTRATION DATE	: 09/Jul/2024 10:10 AM
BARCODE NO.	: 12503506	COLLECTION DATE	: 09/Jul/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 09/Jul/2024 12:59PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU			
AGE/ GENDER	: 47 YRS/FEMALE	PATIENT I	(D	: 1292563
COLLECTED BY	:	REG. NO. /]	LAB NO.	: 122407090013
REFERRED BY	:	REGISTRA	TION DATE	: 09/Jul/2024 10:10 AM
BARCODE NO.	: 12503506	COLLECTI	ON DATE	: 09/Jul/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUT	TE Reportin	IG DATE	:09/Jul/202401:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - HARYANA		
Test Name		Value	Unit	Biological Reference interval
		ENDOCRINOLOG	GY	
	THYR	OID FUNCTION TES	T: TOTAL	
TRIIODOTHYRONINI		OID FUNCTION TES	S T: TOTAL ng/mL	0.35 - 1.93
by CMIA (CHEMILUMIN THYROXINE (T4): SE	E (T3): SERUM NESCENT MICROPARTICLE IMMUNOASSAY)			0.35 - 1.93 4.87 - 12.60
by CMIA (CHEMILUMIN THYROXINE (T4): SE by CMIA (CHEMILUMIN THYROID STIMULAT	E (T3): SERUM NESCENT MICROPARTICLE IMMUNOASSAY) RUM NESCENT MICROPARTICLE IMMUNOASSAY) ING HORMONE (TSH): SERUM NESCENT MICROPARTICLE IMMUNOASSAY)	1.362	ng/mL	

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and trilodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	T3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (eg: phenytoin , salicylates).

3. Serum T4 levies in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothroidism, pregnancy, phenytoin therapy.

TRIIODOTH	(RONINE (T3)	THYROXINE (T4)		THYROID STIMUL	ATING HORMONE (TSH)
Age	Refferance Range (ng/mL)	Age	Refferance Range (µg/dL)	Age	Reference Range (µIU/mL)
0 - 7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days – 6 Months	0.70 - 8.40





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA

CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU		
AGE/ GENDER	: 47 YRS/FEMALE	PATIENT ID	: 1292563
COLLECTED BY	:	REG. NO./LAB NO.	: 122407090013
REFERRED BY	:	REGISTRATION DATE	: 09/Jul/2024 10:10 AM
BARCODE NO.	: 12503506	COLLECTION DATE	: 09/Jul/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 09/Jul/2024 01:38PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	ARYANA	

Test Name			Value	Unit		Biological Re	eference interval
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00		
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50		
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87- 13.20	11 – 19 Years	0.50 - 5.50		
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35-5.50		
	RECO	MMENDATIONS OF TSH LI	EVELS DURING PRE	GNANCY (µIU/mL)			
	1st Trimester			0.10 - 2.50			
	2nd Trimester			0.20 - 3.00			
	3rd Trimester			0.30 - 4.10			

INCREASED TSH LEVELS:

1.Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2.Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis

4.DRUGS: Amphetamines, idonie containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goitre & Thyroiditis.

2. Over replacement of thyroid harmone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4. Secondary pituatary or hypothalmic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8.Pregnancy: 1st and 2nd Trimester





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU			
AGE/ GENDER	: 47 YRS/FEMALE	PA	FIENT ID	: 1292563
COLLECTED BY	:	REG	G. NO./LAB NO.	: 122407090013
REFERRED BY	:	REG	GISTRATION DATE	: 09/Jul/2024 10:10 AM
BARCODE NO.	: 12503506	CO	LECTION DATE	: 09/Jul/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE IN	STITUTE RE	PORTING DATE	: 09/Jul/2024 04:06PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	AMBALA CITY - HARYA	NA	
Test Name		Value	Unit	Biological Reference interval
	И	MUNOPATHOL	OGY/SEROLOGY	
		C-REACTIVE PR	OTEIN (CRP)	
SERUM by NEPHLOMETRY	N (CRP) QUANTITATIVE:	2.76	mg/L	0.0 - 6.0
 CRP levels can incr proliferation. CRP levels (Quanti rejection, and to mor 4. As compared to ES 	tative) has been used to assess hitor these inflammatory proces R, CRP shows an earlier rise in i	more) after severe trai activity of inflammator sses. Inflammatory disorders	uma, bacterial infection y disease, to detect inf s which begins in 4-6 hr	n, inflammation, surgery, or neoplastic fections after surgery, to detect transplant rs, the intensity of the rise being higher than conditions like Apemia, Polycythemia etc.

and the recovery being earlier than ESR. Unlike ESR, CRP levels are not influenced by hematologic conditions like Anemia, Polycythemia etc., 5. Elevated values are consistent with an acute inflammatory process.

1. Elevated C-reactive protein (CRP) values are nonspecific and should not be interpreted without a complete clinical history.

2. Oral contraceptives may increase CRP levels.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU					
AGE/ GENDER	: 47 YRS/FEMALE	PATIE	ENT ID	: 1292563		
COLLECTED BY	:	REG. N	NO./LAB NO.	: 122407090013		
REFERRED BY	:	REGIS	TRATION DATE	: 09/Jul/2024 10:10 AM		
BARCODE NO.	: 12503506		ECTION DATE	: 09/Jul/2024 10:53AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST		RTING DATE	: 09/Jul/2024 12:59PM		
CLIENT ADDRESS		. 00/ Jul/ 2024 12.001 W				
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA					
Test Name		Value	Unit	Biological Reference interval		
		CLINICAL PATH	IOLOGY			
	URINE RO	OUTINE & MICROSC	OPIC EXAMINAT	ΓΙΟΝ		
PHYSICAL EXAMINA	TION					
QUANTITY RECIEVE	C	20	ml			
	TANCE SPECTROPHOTOMETRY					
COLOUR		PALE YELLOW		PALE YELLOW		
<i>by DIP STICK/REFLEC</i> TRANSPARANCY	TANCE SPECTROPHOTOMETRY			CLEAR		
	TANCE SPECTROPHOTOMETRY	HAZY		CLEAR		
SPECIFIC GRAVITY		1.02		1.002 - 1.030		
	TANCE SPECTROPHOTOMETRY	1.02		1.002 1.000		
CHEMICAL EXAMINA	ATION					
REACTION		ACIDIC				
	TANCE SPECTROPHOTOMETRY					
PROTEIN		NEGATIVE (-ve)		NEGATIVE (-ve)		
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY						
SUGAR		NEGATIVE (-ve)		NEGATIVE (-ve)		
-	TANCE SPECTROPHOTOMETRY	6.5		5.0 - 7.5		
pH by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		C.0		5.0 - 7.5		
BILIRUBIN		NEGATIVE (-ve)		NEGATIVE (-ve)		
	TANCE SPECTROPHOTOMETRY					
NITRITE		NEGATIVE (-ve)		NEGATIVE (-ve)		
	TANCE SPECTROPHOTOMETRY.					
UROBILINOGEN		NOT DETECTED	EU/dL	0.2 - 1.0		
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			NEGATIVE (-ve)		
	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-VC)		
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY BLOOD		NEGATIVE (-ve)		NEGATIVE (-ve)		
	TANCE SPECTROPHOTOMETRY					
ASCORBIC ACID		NEGATIVE (-ve)		NEGATIVE (-ve)		
-	TANCE SPECTROPHOTOMETRY					
MICROSCOPIC EXAN	<u>/IINATION</u>					

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

NEGATIVE (-ve)

NEGATIVE (-ve)

ABSENT

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. NEERU					
AGE/ GENDER	: 47 YRS/FEMALE	PATIENT	ID	: 1292563		
COLLECTED BY	:	REG. NO.	/LAB NO.	: 122407090013		
REFERRED BY	:	REGISTR	ATION DATE	: 09/Jul/2024 10:10 AM		
BARCODE NO.	: 12503506	COLLECT	ION DATE	: 09/Jul/2024 10:53AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE REPORT	ING DATE	:09/Jul/2024 12:59PM		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA					
Test Name		Value	Unit	Biological Reference interval		
RED BLOOD CELLS (RBCs) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT						
•	,	NEGATIVE (-ve)	/HPF	0 - 3		
by MICROSCOPY ON C PUS CELLS	,	NEGATIVE (-ve) 8-10	/HPF /HPF	0 - 3 0 - 5		
by MICROSCOPY ON C PUS CELLS by MICROSCOPY ON C EPITHELIAL CELLS	CENTRIFUGED URINARY SEDIMENT					
by MICROSCOPY ON O PUS CELLS by MICROSCOPY ON O EPITHELIAL CELLS by MICROSCOPY ON O CRYSTALS	CENTRIFUGED URINARY SEDIMENT	8-10	/HPF	0 - 5		

BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT OTHERS

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

* * * End Of Report *

NEGATIVE (-ve)

NEGATIVE (-ve)

ABSENT



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

