PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. KRISHAN LAL				
AGE/ GENDER	: 50 YRS/MALE	PAT	IENT ID	: 1549146	
COLLECTED BY	:	REG	. NO./LAB NO.	: 122407180009	
REFERRED BY	:	REG	ISTRATION DATE	: 18/Jul/2024 09:38 AM	
BARCODE NO.	: 12503656	COL	LECTION DATE	: 18/Jul/2024 09:41AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE I	INSTITUTE REP	ORTING DATE	: 18/Jul/2024 01:36PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD	ROAD, AMBALA CITY - HARYANA			
Test Name		Value	Unit	Biological Reference interval	
	CL	INICAL CHEMISTRY	/BIOCHEMISTR	Y	
		URIC AC	CID		
URIC ACID: SERUM		4.88	mg/dL	3.60 - 7.70	
1.GOUT occurs when 2.Uric Acid is the end intestinal tract by mic INCREASED:- (A).DUE TO INCREASEI 1.Idiopathic primary (2.Excessive dietary pu 3.Cytolytic treatment	high levels of Uric Acid in the product of purine metabolisn crobial degradation. D PRODUCTION:- gout. irines (organ meats,legumes, of malignancies especially le	n . Uric acid is excreted to anchovies, etc).	orm & accumulate ard a large degree by the	ound a joint. e kidneys and to a smaller degree in the	
INTERPRETATION:- 1.GOUT occurs when 2.Uric Acid is the end ntestinal tract by mid NCREASED:- (A).DUE TO INCREASEI 1.Idiopathic primary (2) 2.Excessive dietary pu 3.Cytolytic treatment 4.Polycythemai vera 8 5.Psoriasis. 5.Sickle cell anaemia (B).DUE TO DECREASE 1.Alcohol ingestion. 2.Thiazide diuretics.	high levels of Uric Acid in the product of purine metabolism crobial degradation. D PRODUCTION:- gout. irines (organ meats,legumes, of malignancies especially le & myeloid metaplasia.	n . Uric acid is excreted to anchovies, etc).	orm & accumulate ard a large degree by the	ound a joint. • kidneys and to a smaller degree in the	
INTERPRETATION:- 1.GOUT occurs when 2.Uric Acid is the end intestinal tract by mid INCREASED:- (A).DUE TO INCREASED 1.Idiopathic primary (2) 2.Excessive dietary pu 3.Cytolytic treatment 4.Polycythemai vera 2 5.Psoriasis. 6.Sickle cell anaemia (B).DUE TO DECREASED 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (lef 5.Diabetic ketoacidos 6.Renal failure due to	high levels of Uric Acid in the product of purine metabolism crobial degradation. D PRODUCTION:- gout. Irines (organ meats,legumes, of malignancies especially le & myeloid metaplasia. etc. D EXCREATION (BY KIDNEYS) ess than 2 grams per day).	n . Uric acid is excreted to anchovies, etc).	orm & accumulate ard a large degree by the	ound a joint. • kidneys and to a smaller degree in the	
INTERPRETATION:- 1.GOUT occurs when 2.Uric Acid is the end intestinal tract by mid INCREASED:- (A).DUE TO INCREASED 1.Idiopathic primary (2) 2.Excessive dietary pu 3.Cytolytic treatment 4.Polycythemai vera 2 5.Psoriasis. 6.Sickle cell anaemia (B).DUE TO DECREASED 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (lef 5.Diabetic ketoacidos 6.Renal failure due to DECREASED:- (A).DUE TO DIETARY D 1.Dietary deficiency o 2.Fanconi syndrome	high levels of Uric Acid in the product of purine metabolism crobial degradation. D PRODUCTION:- gout. Irines (organ meats,legumes, of malignancies especially le & myeloid metaplasia. etc. D EXCREATION (BY KIDNEYS) ess than 2 grams per day). sis or starvation. any cause etc. EFICIENCY f Zinc, Iron and molybdenum	n . Uric acid is excreted to anchovies, etc). ukemais & lymphomas.	orm & accumulate ard a large degree by the	bund a joint. E kidneys and to a smaller degree in the	
INTERPRETATION:- 1.GOUT occurs when 2.Uric Acid is the end intestinal tract by mid INCREASED:- (A).DUE TO INCREASEI 1.Idiopathic primary 9 2.Excessive dietary pu 3.Cytolytic treatment 4.Polycythemai vera 8 5.Psoriasis. 6.Sickle cell anaemia (B).DUE TO DECREASEI 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (lef 5.Diabetic ketoacidos 6.Renal failure due to DECREASED:- (A).DUE TO DIETARY D 1.Dietary deficiency o 2.Fanconi syndrome 3.Multiple sclerosis.	high levels of Uric Acid in the product of purine metabolism crobial degradation. D PRODUCTION:- gout. irines (organ meats,legumes, of malignancies especially le & myeloid metaplasia. etc. D EXCREATION (BY KIDNEYS) ess than 2 grams per day). sis or starvation. any cause etc. EFICIENCY f Zinc, Iron and molybdenum & Wilsons disease.	n . Uric acid is excreted to anchovies, etc). ukemais & lymphomas.	a large degree by the	bund a joint. A kidneys and to a smaller degree in the	



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. KRISHAN LAL			
AGE/ GENDER	: 50 YRS/MALE		PATIENT ID	: 1549146
COLLECTED BY	:		REG. NO./LAB NO.	: 122407180009
REFERRED BY	:		REGISTRATION DATE	: 18/Jul/2024 09:38 AM
BARCODE NO.	ARCODE NO. : 12503656		COLLECTION DATE	: 18/Jul/2024 09:41AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE	REPORTING DATE	: 18/Jul/2024 04:34PM
CLIENT ADDRESS	SS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		RYANA	
Test Name		Value	Unit	Biological Reference interval
Test Name		Value	Unit	Biological Reference inte
		AM	IYLASE	
AMYLASE - SERUM by CNPG 3 , SPECTRO	OPHOTOMETRY	45.95	IU/L	0 - 90

INTERPRETATION

COMMENTS

1.Amylase is produced in the Pancreas and most of the elevation in serum is due to increased rate of Amylase entry into the blood stream / decreased rate of clearance or both.

2.Serum Amylase rises within 6 to 48 hours of onset of Acute pancreatitis in 80% of patients, but is not proportional to the severity of the disease.

3.Activity usually returns to normal in 3-5 days in patients with milder edematous form of the disease.
4.Values persisting longer than this period suggest continuing necrosis of pancreas or Pseudocyst formation.
5.Approximately 20% of patients with Pancreatitis have normal or near normal activity.
6.Hyperlipemic patients with Pancreatitis also show spuriously normal Amylase levels due to suppression of Amylase activity by triglyceride.
7.Low Amylase levels are seen in Chronic Pancreatitis, Congestive Heart failure, 2nd & 3rd trimesters of pregnancy, Gastrointestinal cancer & bare fortunes. bone fractures.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

Test Name	Value Unit Biological Reference			
ULIEN I ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - F	1AKIANA		
CLIENT ADDRESS				
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 18/Jul/2024 09:41AM : 18/Jul/2024 04:34PM	
BARCODE NO.	: 12503656 COLLECTION DAT	COLLECTION DATE		
REFERRED BY	:	REGISTRATION DATE	: 18/Jul/2024 09:38 AM	
COLLECTED BY	:	REG. NO./LAB NO.	: 122407180009	
AGE/ GENDER	: 50 YRS/MALE	PATIENT ID	: 1549146	
NAME	: Mr. KRISHAN LAL			

LIPASE - SERUM 9.13 U/L 0 - 60 by METHYL RESORUFIN, SPECTROPHOTOMETRY

INTERPRETATION

1. Pancreas is the major and primary source of serum lipase though lipases are also present in liver, stomach, intestine, WBC, fat cells and milk.

2. In acute pancreatitis, serum lipase becomes elevated at the same time as amylase and remains high for 7-10 days.

3. Increased lipase activity rarely lasts longer than 14 days.

4. Prolonged increase suggests poor prognosis or presence of a cyst.

5. The combined use of serum lipase and serum amylase is effective in ruling out acute pancreatitis.

INCREASED LEVEL:

1. Acute & Chronic pancreatitis 2. Obstruction of pancreatic duct

3. Non pancreatic conditions like renal diseases, acute cholecystitis, intestinal obstruction, duodenal ulcer, alcoholism, diabetic ketoacidosis and following endoscopic retrograde cholangiopancreatography NOTE:

1. Elevations 2 to 50 times the upper reference have been reported. The increase in serum lipase is not necessarily proportional to the severity of the attack. Normalization is not necessarily a sign of resolution. ADVICE:

Concomitant testing of serum amylase and lipase is highly recommended to establish a diagnosis of pancreatic injury



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. KRISHAN LAL				
AGE/ GENDER	: 50 YRS/MALE	PA	FIENT ID	: 1549146	
COLLECTED BY	:	RE	G. NO./LAB NO.	: 122407180009	
REFERRED BY	:	RE	GISTRATION DATE	: 18/Jul/2024 09:38 AM	
BARCODE NO.	: 12503656	CO	LLECTION DATE	: 18/Jul/2024 09:41AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	TITUTE RE I	PORTING DATE	: 18/Jul/2024 02:36PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HARYA	NA	. 10, Jul 2021 02.001 M	
Test Name		Value	Unit	Biological Reference interval	
		CLINICAL PA	THOLOGY		
	URINE RC	DUTINE & MICRO	SCOPIC EXAMINAT	ION	
PHYSICAL EXAMINA	TION				
QUANTITY RECIEVED) TANCE SPECTROPHOTOMETRY	25	ml		
COLOUR		PALE YELLOW		PALE YELLOW	
-	TANCE SPECTROPHOTOMETRY	CLEAR		CLEAR	
TRANSPARANCY by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY SPECIFIC GRAVITY		CLEAR	CELAK		
		1.02 PKK	1.002 - 1.030		
	TANCE SPECTROPHOTOMETRY				
CHEMICAL EXAMINA	ATION				
REACTION		ACIDIC			
-	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve		NEGATIVE (-ve)	
PROTEIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY SUGAR		NEGATIVE (-VE	=)	NEGATIVE (-ve)	
		NEGATIVE (-ve	e)	NEGATIVE (-ve)	
•	TANCE SPECTROPHOTOMETRY				
pH	TANCE SPECTROPHOTOMETRY	5.5		5.0 - 7.5	
BILIRUBIN	TANCE SPECIFICITIONETRY	NEGATIVE (-ve	2)	NEGATIVE (-ve)	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY			5)		
NITRITE		NEGATIVE (-ve	e)	NEGATIVE (-ve)	
	TANCE SPECTROPHOTOMETRY.			0.2 1.0	
UROBILINOGEN by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NOT DETECTE	D EU/dL	0.2 - 1.0	
KETONE BODIES		NEGATIVE (-ve	e)	NEGATIVE (-ve)	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY ASCORBIC ACID					
		NEGATIVE (-ve	e)	NEGATIVE (-ve)	
		NEGATIVE (-ve	<i>5</i>)	NEGATIVE (-ve)	
	TANCE SPECTROPHOTOMETRY		~)		
MICROSCOPIC EXAN	<u>IINATION</u>				



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA

CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. KRISHAN LAL				
AGE/ GENDER	: 50 YRS/MALE	PATIEN	T ID	: 1549146	
COLLECTED BY	:	REG. NO)./LAB NO.	: 122407180009	
REFERRED BY	:	REGIST	RATION DATE	: 18/Jul/2024 09:38 AM	
BARCODE NO.	: 12503656	COLLEC	TON DATE	: 18/Jul/2024 09:41AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE REPOR	FING DATE	: 18/Jul/2024 02:36PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	BALA CITY - HARYANA			
Test Name		Value	Unit	Biological Reference interval	
RED BLOOD CELLS (F	BCs) CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3	
PUS CELLS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	3-4	/HPF	0 - 5	
EPITHELIAL CELLS	CENTRIFUGED URINARY SEDIMENT	1-2	/HPF	ABSENT	
CRYSTALS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
CASTS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
BACTERIA by MICROSCOPY ON C		NEGATIVE (-ve)		NEGATIVE (-ve)	

OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report

NEGATIVE (-ve)

ABSENT





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



NEGATIVE (-ve)

ABSENT