A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO			
AGE/ GENDER	: 45 YRS/FEMALE		PATIENT ID	: 1554955
COLLECTED BY	:		REG. NO./LAB NO.	: 122407200003
REFERRED BY	:		REGISTRATION DATE	: 20/Jul/2024 08:28 AM
BARCODE NO.	: 12503693		COLLECTION DATE	: 20/Jul/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE	REPORTING DATE	: 20/Jul/2024 12:19PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	LA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
	SWAS	THYA WE	LLNESS PANEL: 1.0	
	CON	MPLETE BL	OOD COUNT (CBC)	
RED BLOOD CELLS (R	BCS) COUNT AND INDICES			
HAEMOGLOBIN (HB)		11.5 ^L	gm/dL	12.0 - 16.0
by CALORIMETRIC RED BLOOD CELL (RE by HYDRO DYNAMIC F	C) COUNT OCUSING, ELECTRICAL IMPEDENCE	4.13	Millions/cr	mm 3.50 - 5.00
PACKED CELL VOLUN	IE (PCV)	33.4 ^L	%	37.0 - 50.0
MEAN CORPUSCULA	AUTOMATED HEMATOLOGY ANALYZER R VOLUME (MCV) UTOMATED HEMATOLOGY ANALYZER	81 P	KR fl	80.0 - 100.0
	R HAEMOGLOBIN (MCH)	27.8	pg	27.0 - 34.0
•	UTOMATED HEMATOLOGY ANALYZER R HEMOGLOBIN CONC. (MCHC)	34.3	g/dL	32.0 - 36.0
by CALCULATED BY A	UTOMATED HEMATOLOGY ANALYZER			
	ION WIDTH (RDW-CV) UTOMATED HEMATOLOGY ANALYZER	13.9	%	11.00 - 16.00
RED CELL DISTRIBUT	ION WIDTH (RDW-SD) UTOMATED HEMATOLOGY ANALYZER	42.6	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED		19.61	RATIO	BETA THALASSEMIA TRAIT: < 13. IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDE by CALCULATED	X	27.22	RATIO	BETA THALASSEMIA TRAIT: < = 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS	<u>S (WBCS)</u>			
TOTAL LEUCOCYTE C by FLOW CYTOMETRY DIFFERENTIAL LEUCO	BY SF CUBE & MICROSCOPY	8080	/cmm	4000 - 11000
NEUTROPHILS	BY SF CUBE & MICROSCOPY	56	%	50 - 70
LYMPHOCYTES	BY SF CUBE & MICROSCOPY	32	%	20 - 40
EOSINOPHILS		4	%	1 - 6

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



Page 1 of 15

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO			
AGE/ GENDER	: 45 YRS/FEMALE		PATIENT ID	: 1554955
COLLECTED BY	:		REG. NO./LAB NO.	: 122407200003
REFERRED BY	:		REGISTRATION DATE	: 20/Jul/2024 08:28 AM
BARCODE NO.	: 12503693		COLLECTION DATE	: 20/Jul/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE	REPORTING DATE	: 20/Jul/2024 12:19PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	ALA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
by FLOW CYTOMETRY	BY SF CUBE & MICROSCOPY			
MONOCYTES		8	%	2 - 12
by FLOW CYTOMETRY BASOPHILS	Y BY SF CUBE & MICROSCOPY	0	%	0 - 1
	BY SF CUBE & MICROSCOPY	U	70	0-1
ABSOLUTE LEUKOCY				
ABSOLUTE NEUTROP	PHIL COUNT	4525	/cmm	2000 - 7500
,	BY SF CUBE & MICROSCOPY			
ABSOLUTE LYMPHOC		2586 ^L	/cmm	800 - 4900
ABSOLUTE EOSINOPI	Y BY SF CUBE & MICROSCOPY	323	/cmm	40 - 440
	Y BY SF CUBE & MICROSCOPY	323	KR /um	40 - 440
ABSOLUTE MONOCY	TE COUNT	646	/cmm	80 - 880
,	BY SF CUBE & MICROSCOPY			
	COUNT Y BY SF CUBE & MICROSCOPY	0	/cmm	0 - 110
-	IER PLATELET PREDICTIVE MARKE	RS.		
PLATELET COUNT (PL		297000	/cmm	150000 - 450000
	OCUSING, ELECTRICAL IMPEDENCE	277000	/ drifti	
PLATELETCRIT (PCT)		0.32	%	0.10 - 0.36
	OCUSING, ELECTRICAL IMPEDENCE	11	EI.	
MEAN PLATELET VOL by HYDRO DYNAMIC F	UIVIE (IVIPV)	11	fL	6.50 - 12.0
PLATELET LARGE CEL	L COUNT (P-LCC)	97000 ^H	/cmm	30000 - 90000
		32.6	%	11.0 45.0
PLATELET LARGE CEL by HYDRO DYNAMIC F	L KATIU (P-LUR) OCUSING, ELECTRICAL IMPEDENCE	JZ.0	70	11.0 - 45.0
PLATELET DISTRIBUT		15.8	%	15.0 - 17.0
by HYDRO DYNAMIC F	OCUSING, ELECTRICAL IMPEDENCE			
NOTE: TEST CONDU	CTED ON EDTA WHOLE BLOOD			



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO			
AGE/ GENDER	: 45 YRS/FEMALE]	PATIENT ID	: 1554955
COLLECTED BY	:]	REG. NO./LAB NO.	: 122407200003
REFERRED BY			REGISTRATION DATE	: 20/Jul/2024 08:28 AM
	·			
BARCODE NO.	: 12503693		COLLECTION DATE	: 20/Jul/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE I	NSTITUTE	REPORTING DATE	: 20/Jul/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD,	AMBALA CITY - HAF	2YANA	
Test Name		Value	Unit	Biological Reference interval
GLYCOSYLATED HAEM(GLYCOSYLATED HA 6.4	EMOGLOBIN (HBA1C) %	4.0 - 6.4
WHOLE BLOOD	IANCE LIQUID CHROMATOGRAPHY)	0.4	70	1.0 0.1
•	PLASMA GLUCOSE MANCE LIQUID CHROMATOGRAPHY)	136.98	mg/dL	60.00 - 140.00
<u>INTERPRETATION:</u>		IABETES ASSOCIATION (A		
RF	FERENCE GROUP		ATED HEMOGLOGIB (HBAIC) i	n %
	etic Adults >= 18 years		<5.7	
	Risk (Prediabetes)		5.7 - 6.4	
Dia	gnosing Diabetes		>= 6.5	
			Age > 19 Years	
T 1		Goals of Ther		
Inerapeutic	goals for glycemic control	Actions Sugge		
		Cool of the se	Age < 19 Years	
L		Goal of thera	ару: <7.5	

COMMENTS:

1.Glycosylated hemoglobin (HbA1c) test is three monthly monitoring done to assess compliace with therapeutic regimen in diabetic patients. 2. Since Hb1c reflects long term fluctuations in blood glucose concentration, a diabetic patient who has recently under good control may still have high concentration of

HbAlc. Converse is true for a diabetic previously under good control but now poorly controlled. 3. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targetting a goal of < 7.0% may not be

appropiate 4.High

HbA1c (>9.0 -9.5 %) is strongly associated with risk of development and rapid progression of microvascular and nerve complications 5.Any condition that shorten RBC life span like acute blood loss, hemolytic anemia falsely lower HbA1c results.

6.HbA1c results from patients with HbSS,HbSC and HbD must be interpreted with caution, given the pathological processes including anemia, increased red cell turnover, and transfusion requirement that adversely impact HbA1c as a marker of long-term gycemic control.

7. Specimens from patients with polycythemia or post-splenctomy may exhibit increse in HbA1c values due to a somewhat longer life span of the red cells.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



NAME : Mrs. GURMELO **AGE/ GENDER** : 45 YRS/FEMALE **PATIENT ID** :1554955 **COLLECTED BY** REG. NO./LAB NO. : 122407200003 : **REFERRED BY REGISTRATION DATE** : 20/Jul/2024 08:28 AM : **BARCODE NO.** :12503693 **COLLECTION DATE** : 20/Jul/2024 08:30AM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE **REPORTING DATE** : 20/Jul/2024 04:42PM **CLIENT ADDRESS** : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA Test Name Value Unit **Biological Reference interval**

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE © 0171-2532620, 8222896961 ⊠ pkrjainhealthcare@gmail.com





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO				
AGE/ GENDER	: 45 YRS/FEMALE	PAT	TIENT ID : 1	554955	
COLLECTED BY	:	REG	G. NO./LAB NO. : 1	22407200003	
REFERRED BY	:	REG	GISTRATION DATE : 2	0/Jul/2024 08:28 AM	
BARCODE NO.	: 12503693	COI	LIECTION DATE : 2	0/Jul/2024 08:30AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE IN	STITUTE REI	PORTING DATE : 2	0/Jul/2024 03:33PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - HARYA	NA		
Test Name		Value	Unit	Biological Refer	ence interval
	ERYT	HROCYTE SEDIMEN	VTATION RATE (ESR)		
by MODIFIED WESTER	MENTATION RATE (ESR) RGREN AUTOMATED METHOD	27 ^H	mm/1st hr	0 - 20	
immune disease, but	fic test because an elevated resu does not tell the health practiti ected by other conditions beside	ioner exactly where the	e inflammation is in the bod	y or what is causing it.	

as C-reactive protein

3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as some others, such as systemic lupus erythematosus

CONDITION WITH LOW ESR

A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood cell count

(polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such as sickle cells in sickle cell anaemia) also lower the ESR.

NOTE:

1. ESR and C - reactive protein (C-RP) are both markers of inflammation.

2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.

 3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while explicit contraceptives are the process. aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

NAME	: Mrs. GURMELO				
AGE/ GENDER	: 45 YRS/FEMALE	PAT	FIENT ID	: 1554955	
COLLECTED BY	:	REG	G. NO./LAB NO.	: 1224072000	03
REFERRED BY	:	REG	GISTRATION DATE	: 20/Jul/2024 0	8:28 AM
BARCODE NO.	: 12503693	COL	LECTION DATE	: 20/Jul/2024 08	8:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE REI	PORTING DATE	: 20/Jul/2024 12	2:19PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - HARYA	NA		
Test Name		Value	Unit	Biolog	ical Reference interval
				_	
	CLIN	ICAL CHEMISTR	Y/BIOCHEMISTR'	(
		GLUCOSE FA	STING (F)		

2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO			
AGE/ GENDER	: 45 YRS/FEMALE		PATIENT ID	: 1554955
COLLECTED BY	:		REG. NO./LAB NO.	: 122407200003
REFERRED BY	:		REGISTRATION DATE	: 20/Jul/2024 08:28 AM
BARCODE NO.	: 12503693		COLLECTION DATE	: 20/Jul/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE	REPORTING DATE	: 20/Jul/2024 12:19PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AN	MBALA CITY - HAF	RYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PRO	FILE : BASIC	
CHOLESTEROL TOTA by CHOLESTEROL OX		231.32 ^H	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.
TRIGLYCERIDES: SER by GLYCEROL PHOSP	UM HATE OXIDASE (ENZYMATIC)	118.11	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL (by SELECTIVE INHIBITI		65.9	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: S by CALCULATED, SPE		141.8 ^H	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTE by CALCULATED, SPE		165.42 ^H	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL:		23.62	mg/dL	0.00 - 45.00
by CALCULATED, SPE TOTAL LIPIDS: SERUN by CALCULATED, SPE	N	580.75	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL F by CALCULATED, SPE	ratio: serum	3.51	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SER by CALCULATED, SPE		2.15	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO		
AGE/ GENDER	: 45 YRS/FEMALE	PATIENT ID	: 1554955
COLLECTED BY	:	REG. NO./LAB NO.	: 122407200003
REFERRED BY	:	REGISTRATION DATE	: 20/Jul/2024 08:28 AM
BARCODE NO.	: 12503693	COLLECTION DATE	: 20/Jul/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 20/Jul/2024 12:19PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - I	HARYANA	
Test Name	Value	Unit	Biological Reference interval

Test Name	value	Unit	Biological Reference Interval	
TRIGLYCERIDES/HDL RATIO: SERUM	1.79 ^L	RATIO	3.00 - 5.00	

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO			
AGE/ GENDER	: 45 YRS/FEMALE	P	ATIENT ID	: 1554955
COLLECTED BY	:	R	EG. NO./LAB NO.	: 122407200003
REFERRED BY	:	R	EGISTRATION DATE	: 20/Jul/2024 08:28 AM
BARCODE NO.	: 12503693	C	OLLECTION DATE	: 20/Jul/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	ITUTE R	EPORTING DATE	: 20/Jul/2024 12:19PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	BALA CITY - HARY	YANA	
Test Name		Value	Unit	Biological Reference interva
	LIV	ER FUNCTION	TEST (COMPLETE)	
BILIRUBIN TOTAL: S	ERUM PECTROPHOTOMETRY	0.57	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	CONJUGATED): SERUM	0.14	mg/dL	0.00 - 0.40
	(UNCONJUGATED): SERUM	0.43	mg/dL	0.10 - 1.00
by CALCULATED, SPE SGOT/AST: SERUM		43.89	U/L	7.00 - 45.00
SGPT/ALT: SERUM	RIDOXAL PHOSPHATE	54.93 ^H	U/L	0.00 - 49.00
AST/ALT RATIO: SER		0.8	RATIO	0.00 - 46.00
by CALCULATED, SPE ALKALINE PHOSPHA by PARA NITROPHEN PROPANOL		ر 168.35 ^H	U/L	40.0 - 130.0
	L TRANSFERASE (GGT): SERUM	262.72 ^H	U/L	0.00 - 55.0
TOTAL PROTEINS: SE by BIURET, SPECTRO	ERUM	7.28	gm/dL	6.20 - 8.00
ALBUMIN: SERUM	REEN	4.21	gm/dL	3.50 - 5.50
GLOBULIN: SERUM by CALCULATED, SPE	ECTROPHOTOMETRY	3.07	gm/dL	2.30 - 3.50
A : G RATIO: SERUM		1.37	RATIO	1.00 - 2.00

by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO		
AGE/ GENDER	: 45 YRS/FEMALE	PATIENT ID	: 1554955
COLLECTED BY	:	REG. NO./LAB NO.	: 122407200003
REFERRED BY	:	REGISTRATION DATE	: 20/Jul/2024 08:28 AM
BARCODE NO.	: 12503693	COLLECTION DATE	: 20/Jul/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 20/Jul/2024 12:19PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	

Test Name Value Unit Biological Reference interv
--

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO				
AGE/ GENDER	: 45 YRS/FEMALE		PATIENT ID	: 1554955	
COLLECTED BY	:		REG. NO./LAB NO.	: 122407200003	
REFERRED BY	:		REGISTRATION DATE	: 20/Jul/2024 08:28 AM	
BARCODE NO.	: 12503693		COLLECTION DATE	: 20/Jul/2024 08:30AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS'	TITUTE	REPORTING DATE	: 20/Jul/2024 12:19PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	HISSAR ROAD, AMBALA CITY - HARYANA			
Test Name		Value	Unit	Biological Reference interval	
	KIE	ONEY FUNCTI	ON TEST (COMPLETE)		
UREA: SERUM by UREASE - GLUTAMA	TE DEHYDROGENASE (GLDH)	30.55	mg/dL	10.00 - 50.00	
CREATININE: SERUM by ENZYMATIC, SPECTE		0.92	mg/dL	0.40 - 1.20	
BLOOD UREA NITROG by CALCULATED, SPEC	TROPHOTOMETRY	14.28	mg/dL	7.0 - 25.0	
BLOOD UREA NITROG RATIO: SERUM by CALCULATED, SPEC	EN (BUN)/CREATININE	15.52	RATIO	10.0 - 20.0	
UREA/CREATININE RA by CALCULATED, SPEC		33.21	RATIO		
URIC ACID: SERUM by URICASE - OXIDASE	PEROXIDASE	5.25	mg/dL	2.50 - 6.80	
CALCIUM: SERUM by ARSENAZO III, SPEC	TROPHOTOMETRY	9.42	mg/dL	8.50 - 10.60	
PHOSPHOROUS: SERU by PHOSPHOMOLYBDA ELECTROLYTES	M те, spectrophotometry	4.04	mg/dL	2.30 - 4.70	
SODIUM: SERUM by ISE (ION SELECTIVE	ELECTRODE)	142.7	mmol/L	135.0 - 150.0	
POTASSIUM: SERUM by ISE (ION SELECTIVE		4.5	mmol/L	3.50 - 5.00	
CHLORIDE: SERUM by ISE (ION SELECTIVE		107.03	mmol/L	90.0 - 110.0	
(eGFR): SERUM by CALCULATED INTERPRETATION:	JLAR FILTERATION RATE	78.3			

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO		
AGE/ GENDER	: 45 YRS/FEMALE	PATIENT ID	: 1554955
COLLECTED BY	:	REG. NO./LAB NO.	: 122407200003
REFERRED BY	:	REGISTRATION DATE	: 20/Jul/2024 08:28 AM
BARCODE NO.	: 12503693	COLLECTION DATE	: 20/Jul/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 20/Jul/2024 12:19PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	
Test Name	Value	Unit	Biological Reference interval
3. GI haemorrhage.		Unit	
 GI haemorrhage. High protein intak Impaired renal fui Excess protein intak burns, surgery, cache Urine reabsorption Reduced muscle n Certain drugs (e.g INCREASED RATIO (> 	e. Inction plus like or production or tissue breakdown (e.g. in exia, high fever). In (e.g. ureter colostomy) hass (subnormal creatinine production) tetracycline, glucocorticoids) 20:1) WITH ELEVATED CREATININE LEVELS:	fection, GI bleeding, thyrotoxic	osis, Cushing's syndrome, high protein diet
 GI haemorrhage. High protein intak Impaired renal function Excess protein intak Excess protein intak Excess protein intak burns, surgery, cache Urine reabsorption Reduced muscle n Certain drugs (e.g. INCREASED RATIO (> Postrenal azotemia Prerenal azotemia 	e. Inction plus Inke or production or tissue breakdown (e.g. in exia, high fever). In (e.g. ureter colostomy) Inass (subnormal creatinine production) Itetracycline, glucocorticoids)	fection, GI bleeding, thyrotoxic	osis, Cushing's syndrome, high protein diet

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6. Inherited hyperammonemias (urea is virtually absent in blood).

7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO		
AGE/ GENDER	: 45 YRS/FEMALE	PATIENT ID	: 1554955
COLLECTED BY	:	REG. NO./LAB NO.	: 122407200003
REFERRED BY	:	REGISTRATION DATE	: 20/Jul/2024 08:28 AM
BARCODE NO.	: 12503693	COLLECTION DATE	: 20/Jul/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 20/Jul/2024 12:19PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO			
AGE/ GENDER	: 45 YRS/FEMALE	P	ATIENT ID	: 1554955
COLLECTED BY	:	R	EG. NO./LAB NO.	: 122407200003
REFERRED BY	:	R	EGISTRATION DATE	: 20/Jul/2024 08:28 AM
BARCODE NO.	: 12503693	C	OLLECTION DATE	: 20/Jul/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	TITUTE R I	EPORTING DATE	: 20/Jul/2024 12:57PM
	: NASIRPUR, HISSAR ROAD, AM	/IBALA CITY - HARY	'ANA	
	,			
Test Name		Value	Unit	Biological Reference interva
		CLINICAL P	ATHOLOGY	
	URINE RO	OUTINE & MICR	OSCOPIC EXAMINAT	ION
PHYSICAL EXAMINATI	ON			
QUANTITY RECIEVED		25	ml	
	NCE SPECTROPHOTOMETRY			
COLOUR		PALE YELLOV	V	PALE YELLOW
TRANSPARANCY	NCE SPECTROPHOTOMETRY	CLEAR		CLEAR
	NCE SPECTROPHOTOMETRY	CLEAR		CLEAR
SPECIFIC GRAVITY		1.01		1.002 - 1.030
	NCE SPECTROPHOTOMETRY			
CHEMICAL EXAMINAT	ION			
REACTION		ACIDIC		
	NCE SPECTROPHOTOMETRY			
PROTEIN		NEGATIVE (-	ve)	NEGATIVE (-ve)
by DIP STICK/REFLECTA	NCE SPECTROPHOTOMETRY			
SUGAR		NEGATIVE (-	ve)	NEGATIVE (-ve)
	NCE SPECTROPHOTOMETRY			
pH		5.5		5.0 - 7.5
•	NCE SPECTROPHOTOMETRY			
BILIRUBIN	NCE SPECTROPHOTOMETRY	NEGATIVE (-·	ve)	NEGATIVE (-ve)
NITRITE		NEGATIVE (-•	ve)	NEGATIVE (-ve)
	NCE SPECTROPHOTOMETRY.		(0)	
UROBILINOGEN		NOT DETECT	ED EU/dL	0.2 - 1.0
by DIP STICK/REFLECTA	NCE SPECTROPHOTOMETRY			
KETONE BODIES		NEGATIVE (-•	ve)	NEGATIVE (-ve)
•	NCE SPECTROPHOTOMETRY		`	
BLOOD		NEGATIVE (-·	ve)	NEGATIVE (-ve)
	NCE SPECTROPHOTOMETRY			
ASCORBIC ACID	NCE SPECTROPHOTOMETRY	NEGATIVE (-·	vej	NEGATIVE (-ve)
MICROSCOPIC EXAMI				

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GURMELO			
AGE/ GENDER	: 45 YRS/FEMALE	PATIE	NT ID	: 1554955
COLLECTED BY	:	REG. N	O./LAB NO.	: 122407200003
REFERRED BY	:	REGIST	FRATION DATE	: 20/Jul/2024 08:28 AM
BARCODE NO.	: 12503693	COLLE	CTION DATE	: 20/Jul/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE REPOR	RTING DATE	: 20/Jul/2024 12:57PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AME	BALA CITY - HARYANA		
Test Name		Value	Unit	Biological Reference interval
RED BLOOD CELLS (F	RBCs) CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3
PUS CELLS	CENTRIFUGED URINARY SEDIMENT	3-4	/HPF	0 - 5
EPITHELIAL CELLS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	2-3	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON G	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON G	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)

by MICRU OTHERS

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report

NEGATIVE (-ve)

ABSENT





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



NEGATIVE (-ve)

ABSENT