A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI			
AGE/ GENDER	: 20 YRS/FEMALE		PATIENT ID	: 1354134
COLLECTED BY	:		REG. NO./LAB NO.	: 122407250008
REFERRED BY	:		REGISTRATION DATE	: 25/Jul/2024 12:08 PM
BARCODE NO.	: 12503803		COLLECTION DATE	: 25/Jul/2024 12:14PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	TE	REPORTING DATE	: 25/Jul/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAI	LA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
	SWAS ⁻	THYA W	ELLNESS PANEL: 1.2	
	COM	IPLETE BI	LOOD COUNT (CBC)	
RED BLOOD CELLS (R	BCS) COUNT AND INDICES			
HAEMOGLOBIN (HB) by calorimetric		13.1	gm/dL	12.0 - 16.0
RED BLOOD CELL (RB		4.99	Millions/cr	nm 3.50 - 5.00
by HYDRO DYNAMIC F	OCUSING, ELECTRICAL IMPEDENCE	38.8	%	37.0 - 50.0
	UTOMATED HEMATOLOGY ANALYZER	50.0		37.0 30.0
MEAN CORPUSCULA	R VOLUME (MCV) UTOMATED HEMATOLOGY ANALYZER	77.7 ^L	AR fL	80.0 - 100.0
MEAN CORPUSCULA	R HAEMOGLOBIN (MCH) UTOMATED HEMATOLOGY ANALYZER	26.2 ^L	pg	27.0 - 34.0
	R HEMOGLOBIN CONC. (MCHC)	33.8	g/dL	32.0 - 36.0
	UTOMATED HEMATOLOGY ANALYZER ION WIDTH (RDW-CV)	12.8	%	11.00 - 16.00
	UTOMATED HEMATOLOGY ANALYZER	1210		
	ION WIDTH (RDW-SD) UTOMATED HEMATOLOGY ANALYZER	38.3	fL	35.0 - 56.0
MENTZERS INDEX	OTOMATED HEMATOLOGY ANALYZER	15.57	RATIO	BETA THALASSEMIA TRAIT: < 13
by CALCULATED				IRON DEFICIENCY ANEMIA: >13
GREEN & KING INDE	X	19.89	RATIO	BETA THALASSEMIA TRAIT: < =
by CALCULATED				65.0 IRON DEFICIENCY ANEMIA: > 65
WHITE BLOOD CELLS	(WBCS)			INON DEFICIENCE ANELWIA. > 03
TOTAL LEUCOCYTE CO		8410	/cmm	4000 - 11000
NUCLEATED RED BLC by CALCULATED BY A		NIL		0.00 - 20.00
MICROSCOPY NUCLEATED RED BLC by CALCULATED BY A MICROSCOPY DIFFERENTIAL LEUCC	UTOMATED HEMATOLOGY ANALYZER &	NIL	%	< 10 %
	<u>_</u>			



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI			
AGE/ GENDER	: 20 YRS/FEMALE		PATIENT ID	: 1354134
COLLECTED BY	:		REG. NO./LAB NO.	: 122407250008
REFERRED BY	:		REGISTRATION DATE	: 25/Jul/2024 12:08 PM
BARCODE NO.	: 12503803		COLLECTION DATE	: 25/Jul/2024 12:14PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	ΓUTE	REPORTING DATE	: 25/Jul/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - I	HARYANA	
Test Name		Value	Unit	Biological Reference interval
NEUTROPHILS	Y BY SF CUBE & MICROSCOPY	69	%	50 - 70
LYMPHOCYTES	Y BY SF CUBE & MICROSCOPY	22	%	20 - 40
EOSINOPHILS by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY	2	%	1 - 6
MONOCYTES	Y BY SF CUBE & MICROSCOPY	7	%	2 - 12
BASOPHILS	Y BY SF CUBE & MICROSCOPY	0	%	0 - 1
ABSOLUTE LEUKOCY	(TES (WBC) COUNT			
ABSOLUTE NEUTRO	PHIL COUNT Y by sf cube & microscopy	5803	/cmm	2000 - 7500
ABSOLUTE LYMPHO	CYTE COUNT Y BY SF CUBE & MICROSCOPY	1850 ^L	/cmm	800 - 4900
ABSOLUTE EOSINOP	HIL COUNT y by sf cube & microscopy	168	/cmm	40 - 440
ABSOLUTE MONOCY		589	/cmm	80 - 880
ABSOLUTE BASOPHI by FLOW CYTOMETR	L COUNT Y by sf cube & microscopy	0	/cmm	0 - 110
PLATELETS AND OTI	HER PLATELET PREDICTIVE MARKE	<u>.RS.</u>		
PLATELET COUNT (P by HYDRO DYNAMIC F	LT) FOCUSING, ELECTRICAL IMPEDENCE	312000	/cmm	150000 - 450000
DI ATELETADIT (DAT)			A /	0.10 0.00

PLATELET COUNT (PLT)	312000
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	
PLATELETCRIT (PCT)	0.27
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	
MEAN PLATELET VOLUME (MPV)	9
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	
PLATELET LARGE CELL COUNT (P-LCC)	56000
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	
PLATELET LARGE CELL RATIO (P-LCR)	17.8
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	
PLATELET DISTRIBUTION WIDTH (PDW)	15.4
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	
NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD)



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

%

fL

%

%

/cmm

0.10 - 0.36

6.50 - 12.0

11.0 - 45.0

15.0 - 17.0

30000 - 90000

NOT VALID FOR MEDICO LEGAL PURPOSE





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI		
AGE/ GENDER	: 20 YRS/FEMALE	PATIENT ID	: 1354134
COLLECTED BY	:	REG. NO./LAB NO.	: 122407250008
REFERRED BY	:	REGISTRATION DATE	: 25/Jul/2024 12:08 PM
BARCODE NO.	: 12503803	COLLECTION DATE	: 25/Jul/2024 12:14PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 25/Jul/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	- HARYANA	

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI			
AGE/ GENDER	: 20 YRS/FEMALE	PA	TIENT ID	: 1354134
COLLECTED BY	:	RE	G. NO./LAB NO.	: 122407250008
REFERRED BY	:	RE	GISTRATION DATE	: 25/Jul/2024 12:08 PM
BARCODE NO.	: 12503803	CO	LLECTION DATE	: 25/Jul/2024 12:14PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE RE	PORTING DATE	: 25/Jul/2024 01:50PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AME	BALA CITY - HARYA	NA	
Test Name		Value	Unit	Biological Reference interval
	ERYTHR	OCYTE SEDIME	NTATION RATE (ESF	R)
by MODIFIED WESTE	MENTATION RATE (ESR) RGREN AUTOMATED METHOD	25 ^H	mm/1st h	r 0 - 20
immune disease, but	does not tell the health practitione cted by other conditions besides in	er exactly where th	e inflammation is in the	on associated with infection, cancer and auto body or what is causing it. ically used in conjunction with other test suc

3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as some others, such as systemic lupus erythematosus

CONDITION WITH LOW ESR

A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood cell count

(polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such as sickle cells in sickle cell anaemia) also lower the ESR.

NOTE:

1. ESR and C - reactive protein (C-RP) are both markers of inflammation.

2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.

 3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while explicit contraceptives are the process. aspirin, cortisone, and quinine may decrease it





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖂 pkrjainhealthcare@gmail.com

NAME : Miss. DISHA SAINI **AGE/ GENDER** : 20 YRS/FEMALE **PATIENT ID** :1354134 **COLLECTED BY** : 122407250008 REG. NO./LAB NO. **REFERRED BY REGISTRATION DATE** : 25/Jul/2024 12:08 PM **BARCODE NO.** :12503803 **COLLECTION DATE** : 25/Jul/2024 12:14PM CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE **REPORTING DATE** : 25/Jul/2024 01:21PM **CLIENT ADDRESS** : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA Value Unit **Biological Reference interval** Test Name **CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE FASTING (F)** 91.12 GLUCOSE FASTING (F): PLASMA mg/dL NORMAL: < 100.0 by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0 INTERPRETATION IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES: 1. A fasting plasma glucose level below 100 mg/dl is considered normal. 2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI			
AGE/ GENDER	: 20 YRS/FEMALE		PATIENT ID	: 1354134
COLLECTED BY	:		REG. NO./LAB NO.	: 122407250008
REFERRED BY	:		REGISTRATION DATE	: 25/Jul/2024 12:08 PM
BARCODE NO.	: 12503803		COLLECTION DATE	: 25/Jul/2024 12:14PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE	REPORTING DATE	: 25/Jul/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	/IBALA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PR	ROFILE : BASIC	
CHOLESTEROL TOTAL by CHOLESTEROL OXI		163.23	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: SERU	JM HATE OXIDASE (ENZYMATIC)	96.41	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL (E by SELECTIVE INHIBITION		54.65	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: SI by CALCULATED, SPEC		89.3	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTER by CALCULATED, SPEC		108.58	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL:		19.28	mg/dL	0.00 - 45.00
by CALCULATED, SPEC TOTAL LIPIDS: SERUN by CALCULATED, SPEC	1	422.87	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL R by CALCULATED, SPEC	ATIO: SERUM	2.99	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SERI		1.63	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



Page 6 of 16

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI			
AGE/ GENDER	: 20 YRS/FEMALE	PATIENT ID	: 1354134	
COLLECTED BY	:	REG. NO./LAB NO.	: 122407250008	
REFERRED BY	:	REGISTRATION DATE	: 25/Jul/2024 12:08 PM	
BARCODE NO.	: 12503803	COLLECTION DATE	: 25/Jul/2024 12:14PM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 25/Jul/2024 01:21PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA			
Test Name	Value	Unit	Biological Reference interval	

TRIGLYCERIDES/HDL RATIO: SERUM RATIO 3.00 - 5.00 1.76^L by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI			
AGE/ GENDER	: 20 YRS/FEMALE		PATIENT ID	: 1354134
COLLECTED BY	:		REG. NO./LAB NO.	: 122407250008
REFERRED BY	:		REGISTRATION DATE	: 25/Jul/2024 12:08 PM
BARCODE NO.	: 12503803		COLLECTION DATE	: 25/Jul/2024 12:14PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE	REPORTING DATE	: 25/Jul/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AME			
Test Name		Value	Unit	Biological Reference interval
	LIV	ER FUNCTIO	ON TEST (COMPLETE)	
BILIRUBIN TOTAL: SI by diazotization, sf		0.45	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	CONJUGATED): SERUM	0.13	mg/dL	0.00 - 0.40
BILIRUBIN INDIRECT by CALCULATED, SPE	(UNCONJUGATED): SERUM	0.32	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	22.63	U/L	7.00 - 45.00
SGPT/ALT: SERUM	RIDOXAL PHOSPHATE	26.71		0.00 - 49.00
AST/ALT RATIO: SER	UM	0.85	RATIO	0.00 - 46.00
ALKALINE PHOSPHA		109.27	U/L	40.0 - 130.0
GAMMA GLUTAMYL by szasz, spectrof	TRANSFERASE (GGT): SERUM	35.58	U/L	0.00 - 55.0
TOTAL PROTEINS: SE by BIURET, SPECTRO		7.53	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL G	REEN	4.47	gm/dL	3.50 - 5.50
GLOBULIN: SERUM by CALCULATED, SPE	CTROPHOTOMETRY	3.06	gm/dL	2.30 - 3.50
A : G RATIO: SERUM by calculated, spe		1.46	RATIO	1.00 - 2.00

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI			
AGE/ GENDER	: 20 YRS/FEMALE	PATIENT ID	: 1354134	
COLLECTED BY	:	REG. NO./LAB NO.	: 122407250008	
REFERRED BY	:	REGISTRATION DATE	: 25/Jul/2024 12:08 PM	
BARCODE NO.	: 12503803	COLLECTION DATE	: 25/Jul/2024 12:14PM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 25/Jul/2024 01:21PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA			

Test Name	Value	Unit	Biological Reference interval
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS		> 1.3 (Slightly Increased)	

DECREASED: 1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTIC SIGNIFICANCE:

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME :	Miss. DISHA SAINI				
AGE/ GENDER :	20 YRS/FEMALE		PATIENT ID	: 1354134	
COLLECTED BY :		REG. NO./LAB NO.		: 122407250008	
REFERRED BY : BARCODE NO. : 12503803		REGISTRATION DATE		: 25/Jul/2024 12:08 PM	
			COLLECTION DATE	: 25/Jul/2024 12:14PM	
CLIENT CODE. :1	P.K.R JAIN HEALTHCARE INS'	TITUTE	REPORTING DATE	: 25/Jul/2024 02:30PM	
CLIENT ADDRESS :]	NASIRPUR, HISSAR ROAD, AM	/IBALA CITY - H	ARYANA		
Test Name		Value	Unit	Biological Reference interval	
	KIE	ONEY FUNCTI	ON TEST (COMPLETE)		
UREA: SERUM		26.35	mg/dL	10.00 - 50.00	
	DEHYDROGENASE (GLDH)		Ů		
CREATININE: SERUM		0.59	mg/dL	0.40 - 1.20	
by ENZYMATIC, SPECTRO BLOOD UREA NITROGEN		12.31	mg/dL	7.0 - 25.0	
by CALCULATED, SPECTF		12.01	ing/ dL	1.0 23.0	
BLOOD UREA NITROGEN (BUN)/CREATININE		2 <mark>0.86^H</mark>	RATIO	10.0 - 20.0	
RATIO: SERUM by CALCULATED, SPECTI					
UREA/CREATININE RATI		44.66	RATIO		
by CALCULATED, SPECTR					
URIC ACID: SERUM		4.54	mg/dL	2.50 - 6.80	
by URICASE - OXIDASE PE CALCIUM: SERUM	ERUXIDASE	9.5	mg/dL	8.50 - 10.60	
by ARSENAZO III, SPECTR	OPHOTOMETRY	7.5	nig/ dL	0.00 10.00	
PHOSPHOROUS: SERUN		3.43	mg/dL	2.30 - 4.70	
•	E, SPECTROPHOTOMETRY				
ELECTROLYTES		100		105.0.150.0	
SODIUM: SERUM by ISE (ION SELECTIVE EL	FCTRODF)	139	mmol/L	135.0 - 150.0	
POTASSIUM: SERUM		4.2	mmol/L	3.50 - 5.00	
by ISE (ION SELECTIVE ELECTRODE) CHLORIDE: SERUM by ISE (ION SELECTIVE ELECTRODE)					
		104.25	mmol/L	90.0 - 110.0	
ESTIMATED GLOMERUL	,				
ESTIMATED GLOMERUL		132.2			
(eGFR): SERUM		132.2			
by CALCULATED					
INTERPRETATION:					
INCREASED PATIO (>20-1)	pre- and post renal azotemia.) WITH NORMAL CREATININE:				

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

Thopro

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

	: Miss. DISHA SAINI		
AGE/ GENDER	: 20 YRS/FEMALE	PATIENT ID	: 1354134
COLLECTED BY	:	REG. NO./LAB NO.	: 122407250008
REFERRED BY	:	REGISTRATION DATE	: 25/Jul/2024 12:08 PM
BARCODE NO.	: 12503803	COLLECTION DATE	: 25/Jul/2024 12:14PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 25/Jul/2024 02:30PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	
Test Name	Value	Unit	Biological Reference interval

INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis.

- 2. Low protein diet and starvation.
- 3. Severe liver disease.
- 4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

- 6. Inherited hyperammonemias (urea is virtually absent in blood).
- 7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.
- 8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with normal or high GFR	>90	Presence of Protein , Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI		
AGE/ GENDER	: 20 YRS/FEMALE	PATIENT ID	: 1354134
COLLECTED BY	:	REG. NO./LAB NO.	: 122407250008
REFERRED BY	:	REGISTRATION DATE	: 25/Jul/2024 12:08 PM
BARCODE NO.	: 12503803	COLLECTION DATE	: 25/Jul/2024 12:14PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 25/Jul/2024 02:30PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

💟 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI			
AGE/ GENDER	: 20 YRS/FEMALE	РАТ	TENT ID	: 1354134
COLLECTED BY	:	REG	. NO./LAB NO.	: 122407250008
REFERRED BY	:	REG	ISTRATION DATE	: 25/Jul/2024 12:08 PM
BARCODE NO.	: 12503803	COL	LECTION DATE	: 25/Jul/2024 12:14PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	TUTE Rep	ORTING DATE	: 25/Jul/2024 02:33PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - HARYA	NA	
Test Name		Value	Unit	Biological Reference interval
		ENDOCRIN	OLOGY	
	TU			
	IH	YROID FUNCTIO	N TEST: TOTAL	
TRIIODOTHYRONINE	E (T3): SERUM IESCENT MICROPARTICLE IMMUNOASSA	1.232	ng/mL	0.35 - 1.93
THYROXINE (T4): SE		7.45	μgm/dL	4.87 - 12.60
THYROID STIMULAT	ING HORMONE (TSH): SERUM IESCENT MICROPARTICLE IMMUNOASSA	1.028	µIU/mL	0.35 - 5.50

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and trilodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	T3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (eg: phenytoin , salicylates).

3. Serum T4 levles in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothroidism, pregnancy, phenytoin therapy.

TRIIODOTH	TRIIODOTHYRONINE (T3)		THYROXINE (T4)		ATING HORMONE (TSH)
Age	Refferance Range (ng/mL)	Age	Refferance Range (µg/dL)	Age	Reference Range (µIU/mL)
0 - 7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days – 6 Months	0.70 - 8.40





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 ☑ pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI		
AGE/ GENDER	: 20 YRS/FEMALE	PATIENT ID	: 1354134
COLLECTED BY	:	REG. NO./LAB NO.	: 122407250008
REFERRED BY	:	REGISTRATION DATE	: 25/Jul/2024 12:08 PM
BARCODE NO.	: 12503803	COLLECTION DATE	: 25/Jul/2024 12:14PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 25/Jul/2024 02:33PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	ARYANA	

Test Name			Value	Unit		Biologic	al Reference interval
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00		
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50		
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87- 13.20	11 – 19 Years	0.50 - 5.50		
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35-5.50		
	RECOM	MENDATIONS OF TSH LI	EVELS DURING PREC	GNANCY (µIU/mL)			
	1st Trimester			0.10 - 2.50			
	2nd Trimester			0.20 - 3.00			
	3rd Trimester			0.30 - 4.10			

INCREASED TSH LEVELS:

1.Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2.Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis

4.DRUGS: Amphetamines, idonie containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goitre & Thyroiditis.

2. Over replacement of thyroid harmone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4. Secondary pituatary or hypothalmic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8.Pregnancy: 1st and 2nd Trimester





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI			
AGE/ GENDER	: 20 YRS/FEMALE	PATI	IENT ID	: 1354134
COLLECTED BY	:	REG.	NO./LAB NO.	: 122407250008
REFERRED BY	:	REGI	STRATION DATE	: 25/Jul/2024 12:08 PM
BARCODE NO.			: 25/Jul/2024 12:14PM	
CLIENT CODE.			: 25/Jul/2024 04:22PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HARYAN	A	
Test Name		Value	Unit	Biological Reference interva
		CLINICAL PAT	HOLOGY	
	URINE RC	DUTINE & MICROS	COPIC EXAMINAT	ION
PHYSICAL EXAMINA	TION			
QUANTITY RECIEVED) TANCE SPECTROPHOTOMETRY	10	ml	
COLOUR		PALE YELLOW		PALE YELLOW
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	CLEAR		CLEAR
	TANCE SPECTROPHOTOMETRY			
SPECIFIC GRAVITY		1.02		1.002 - 1.030
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
REACTION		ACIDIC		
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
PROTEIN	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
SUGAR	TANUL SPECI KUPHUTUMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY			
pH	TANCE SPECTROPHOTOMETRY	5.5		5.0 - 7.5
BILIRUBIN	TARGE OF LOTION HOTOWEINT	NEGATIVE (-ve)		NEGATIVE (-ve)
-	TANCE SPECTROPHOTOMETRY	. ,		
NITRITE by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY.	NEGATIVE (-ve)		NEGATIVE (-ve)
UROBILINOGEN		NOT DETECTED	EU/dL	0.2 - 1.0
-	TANCE SPECTROPHOTOMETRY			
KETONE BODIES by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
BLOOD		TRACE		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY			
ASCORBIC ACID by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
MICROSCOPIC EXAM				

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. DISHA SAINI			
AGE/ GENDER : 20 YRS/FEMALE		PATIENT ID		: 1354134
COLLECTED BY	:	REG	G. NO./LAB NO.	: 122407250008 : 25/Jul/2024 12:08 PM
REFERRED BY	:	REG	STRATION DATE	
BARCODE NO. : 12503803		COLLECTION DATE		: 25/Jul/2024 12:14PM
CLIENT CODE. : P.K.R JAIN HEALTHCARE INST		TUTE REPORTING DATE		: 25/Jul/2024 04:22PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AME	BALA CITY - HARYA	NA	
Test Name		Value	Unit	Biological Reference interval
RED BLOOD CELLS (RBCs) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		3-5	/HPF	0 - 3
PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		4-6	/HPF	0 - 5
EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		2-3	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		NEGATIVE (-ve)		NEGATIVE (-ve)
		NEGATIVE (-ve)		NEGATIVE (-ve)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT OTHERS

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report

NEGATIVE (-ve)

ABSENT





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



NEGATIVE (-ve)

ABSENT