TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. SIMRAN KAUR			
AGE/ GENDER	: 9 YRS/FEMALE		PATIENT ID	: 1563731
COLLECTED BY	:		REG. NO./LAB NO.	: 122407290003
REFERRED BY	:		REGISTRATION DATE	: 29/Jul/2024 08:54 AM
BARCODE NO.	: 12503865		COLLECTION DATE	: 29/Jul/2024 09:40AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	JTE	REPORTING DATE	: 29/Jul/2024 01:09PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAI	LA CITY - H	IARYANA	
Test Name		Value	Unit	Biological Reference interval
		HAEN	MATOLOGY	
	CON	IPLETE B	LOOD COUNT (CBC)	
RED BLOOD CELLS (R	BCS) COUNT AND INDICES			
HAEMOGLOBIN (HB)		11 ^L	gm/dL	12.0 - 16.0
RED BLOOD CELL (RB	C) COUNT DCUSING, ELECTRICAL IMPEDENCE	4.6	Millions/cr	mm 3.50 - 5.50
PACKED CELL VOLUM		33.3 ^L	%	35.0 - 49.0
MEAN CORPUSCULA		72.3 ^L		80.0 - 100.0
MEAN CORPUSCULAI	R HAEMOGLOBIN (MCH) UTOMATED HEMATOLOGY ANALYZER	23.8 ^L	pg	27.0 - 34.0
MEAN CORPUSCULAR	R HEMOGLOBIN CONC. (MCHC)	33	g/dL	32.0 - 36.0
	ION WIDTH (RDW-CV) utomated hematology analyzer	16.6 ^H	%	11.00 - 16.00
RED CELL DISTRIBUTI	ON WIDTH (RDW-SD)	46.4	fL	35.0 - 56.0
MENTZERS INDEX		15.72	RATIO	BETA THALASSEMIA TRAIT: < IRON DEFICIENCY ANEMIA: >
GREEN & KING INDE	X	25.97	RATIO	BETA THALASSEMIA TRAIT: < 65.0 IRON DEFICIENCY ANEMIA: >
WHITE BLOOD CELLS	<u>(WBCS)</u>			
TOTAL LEUCOCYTE CO by FLOW CYTOMETRY DIFFERENTIAL LEUCO	BY SF CUBE & MICROSCOPY	5500	/cmm	4000 - 12000
NEUTROPHILS by FLOW CYTOMETRY	BY SF CUBE & MICROSCOPY	63	%	50 - 70
LYMPHOCYTES	BY SF CUBE & MICROSCOPY	31	%	20 - 45



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. SIMRAN KAUR			
AGE/ GENDER	: 9 YRS/FEMALE		PATIENT ID	: 1563731
COLLECTED BY	:		REG. NO./LAB NO.	: 122407290003
REFERRED BY	:		REGISTRATION DATE	: 29/Jul/2024 08:54 AM
BARCODE NO.	: 12503865		COLLECTION DATE	: 29/Jul/2024 09:40AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	TUTE	REPORTING DATE	: 29/Jul/2024 01:09PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB.			
Test Name		Value	Unit	Biological Reference interval
EOSINOPHILS by FLOW CYTOMETRY	Y BY SF CUBE & MICROSCOPY	0 ^L	%	1 - 6
VONOCYTES by FLOW CYTOMETRY	Y BY SF CUBE & MICROSCOPY	6	%	3 - 12
BASOPHILS by flow cytometry ABSOLUTE LEUKOCY	Y BY SF CUBE & MICROSCOPY TES (WBC) COLINT	0	%	0 - 1
ABSOLUTE NEUTROP	PHIL COUNT	3465	/cmm	2000 - 7500
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE LYMPHOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		1705	/cmm	800 - 4900
ABSOLUTE EOSINOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		0 ^L	KR /cmm	40 - 440
ABSOLUTE MONOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		330	/cmm	80 - 880
ABSOLUTE BASOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		0	/cmm	0 - 110
PLATELETS AND OTH	IER PLATELET PREDICTIVE MARKE	<u>RS.</u>		
PLATELET COUNT (PL by HYDRO DYNAMIC F	T) OCUSING, ELECTRICAL IMPEDENCE	158000	/cmm	150000 - 450000
PLATELETCRIT (PCT) by HYDRO DYNAMIC F	OCUSING, ELECTRICAL IMPEDENCE	0.16	%	0.10 - 0.36
MEAN PLATELET VOLUME (MPV) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE		10	fL	6.50 - 12.0
PLATELET LARGE CEL by HYDRO DYNAMIC F	L COUNT (P-LCC) ocusing, electrical impedence	50000	/cmm	30000 - 90000
PLATELET LARGE CEL by HYDRO DYNAMIC F	L RATIO (P-LCR) ocusing, electrical impedence	31.9	%	11.0 - 45.0
	ION WIDTH (PDW) ocusing, electrical impedence CTED ON EDTA WHOLE BLOOD	15.7	%	15.0 - 17.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Miss. SIMRAN KAUR						
AGE/ GENDER	: 9 YRS/FEMALE	PATI	IENT ID	: 1563731			
COLLECTED BY	:	REG.	NO./LAB NO.	: 122407290003			
REFERRED BY	:	REGI	STRATION DATE	: 29/Jul/2024 08:54 AM			
BARCODE NO.	: 12503865	COLL	LECTION DATE	: 29/Jul/2024 09:40AM			
CLIENT CODE.	: P.K.R JAIN HEALTHCARE IN	ISTITUTE REPC	DRTING DATE	: 29/Jul/2024 01:09PM			
CLIENT ADDRESS	NT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA						
Test Name		Value	Unit	Biological Reference interval			
	11	MMUNOPATHOLO	GY/SEROLOGY				
	١	WIDAL SLIDE AGGLU ⁻	TINATION TEST				
SALMONELLA TYPHI	0	WIDAL SLIDE AGGLU 1 : 160	TINATION TEST TITRE	1 : 80			
by SLIDE AGGLUTINA SALMONELLA TYPHI	О <i>тіон</i> Н			1 : 80 1 : 160			
by SLIDE AGGLUTINA	O TION H TION TYPHI AH	1 : 160	TITRE				

INTERPRETATION:

1. Titres of 1:80 or more for "O" agglutinin is considered significant.

2. Titres of 1:160 or more for "H" agglutinin is considered significant.

LIMITATIONS:

TEST PERFORMED AT KOS DIAGNOSTIC LAB. AMBALA CANTI

1.Agglutinins usually appear by 5th to 6th day of illness of enteric fever, hence a negative result in early stage is inconclusive. The titre then rises till 3rd or 4th week, after which it declines gradually.

2.Lower titres may be found in normal individuals.

3.A single positive result has less significance than the rising agglutination titre, since demonstration of rising titre four or more in 1st and 3rd week is considered as a definite evidence of infection.

4.A simultaneous rise in H agglutinins is suggestive of paratyphoid infection.

NOTE:

1. Individuals with prior infection or immunization with TAB vaccine may develop an ANAMNESTIC RESPONSE (False-Positive) during an unrelated fever i.e High titres of antibodies to various antigens. This may be differentiated by repitition of the test after a week.

2. The anamnestic response shows only a transient rise, while in enteric fever rise is sustained.

3.H agglutinins tend to persist for many months after vaccination but O agglutinins tend to disappear sooner i.e within 6 months. Therefore rise in Oagglutinins indicate recent infection.

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**

