A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH			
AGE/ GENDER	: 34 YRS/MALE		PATIENT ID	: 1575425
COLLECTED BY	:		REG. NO./LAB NO.	: 122408090008
REFERRED BY	:		REGISTRATION DATE	: 09/Aug/2024 10:30 AM
BARCODE NO.	: 12504069		COLLECTION DATE	:09/Aug/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	JTE	REPORTING DATE	:09/Aug/202401:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAI	LA CITY - HA	ARYANA	
Test Name		Value	Unit	Biological Reference interval
	SWAS	THYA WI	ELLNESS PANEL: 1.0	
	CON	/IPLETE BL	OOD COUNT (CBC)	
RED BLOOD CELLS (R	BCS) COUNT AND INDICES			
HAEMOGLOBIN (HB) by CALORIMETRIC		15.1	gm/dL	12.0 - 17.0
RED BLOOD CELL (RE		4.88	Millions/cm	nm 3.50 - 5.00
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		44.4	%	40.0 - 54.0
		91	KR fl	80.0 - 100.0
		31	pg	27.0 - 34.0
MEAN CORPUSCULA	R HEMOGLOBIN CONC. (MCHC)	34.1	g/dL	32.0 - 36.0
	ION WIDTH (RDW-CV) UTOMATED HEMATOLOGY ANALYZER	12.6	%	11.00 - 16.00
	ION WIDTH (RDW-SD) UTOMATED HEMATOLOGY ANALYZER	44.4	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED	OTOWATED HEIWATOLOGT AWARTZER	18.65	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDE	X	23.54	RATIO	BETA THALASSEMIA TRAIT: < = 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS	<u>S (WBCS)</u>			
TOTAL LEUCOCYTE C by FLOW CYTOMETRY DIFFERENTIAL LEUCO	BY SF CUBE & MICROSCOPY	7380	/cmm	4000 - 11000
NEUTROPHILS	/ BY SF CUBE & MICROSCOPY	60	%	50 - 70
LYMPHOCYTES	BY SF CUBE & MICROSCOPY	32	%	20 - 40



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH			
AGE/ GENDER	: 34 YRS/MALE		PATIENT ID	: 1575425
COLLECTED BY	:		REG. NO./LAB NO.	: 122408090008
REFERRED BY	:		REGISTRATION DATE	: 09/Aug/2024 10:30 AM
BARCODE NO.	: 12504069		COLLECTION DATE	: 09/Aug/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE	REPORTING DATE	:09/Aug/202401:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	ALA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
EOSINOPHILS by FLOW CYTOMETRY	Y BY SF CUBE & MICROSCOPY	2	%	1 - 6
MONOCYTES	Y BY SF CUBE & MICROSCOPY	6	%	2 - 12
BASOPHILS by flow cytometry ABSOLUTE LEUKOCY	Y BY SF CUBE & MICROSCOPY TES (WBC) COUNT	0	%	0 - 1
ABSOLUTE NEUTROP	HIL COUNT Y BY SF CUBE & MICROSCOPY	4428	/cmm	2000 - 7500
ABSOLUTE LYMPHOC		2362 ^L	/cmm	800 - 4900
ABSOLUTE EOSINOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		148	/cmm	40 - 440
ABSOLUTE MONOCY by FLOW CYTOMETRY	TE COUNT Y BY SF CUBE & MICROSCOPY	443	/cmm	80 - 880
	BY SF CUBE & MICROSCOPY	0	/cmm	0 - 110
PLATELETS AND OTH	IER PLATELET PREDICTIVE MARKE			
PLATELET COUNT (PL by hydro dynamic f	T) OCUSING, ELECTRICAL IMPEDENCE	161000	/cmm	150000 - 450000
PLATELETCRIT (PCT) by HYDRO DYNAMIC F	OCUSING, ELECTRICAL IMPEDENCE	0.2	%	0.10 - 0.36
MEAN PLATELET VOL by hydro dynamic f	UME (MPV) ocusing, electrical impedence	12 ^H	fL	6.50 - 12.0
PLATELET LARGE CEL by HYDRO DYNAMIC F	L COUNT (P-LCC) ocusing, electrical impedence	69000	/cmm	30000 - 90000
PLATELET LARGE CEL by HYDRO DYNAMIC F	L RATIO (P-LCR) ocusing, electrical impedence	42.8	%	11.0 - 45.0
•	ION WIDTH (PDW) ocusing, electrical impedence CTED ON EDTA WHOLE BLOOD	16.2	%	15.0 - 17.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH			
AGE/ GENDER	: 34 YRS/MALE	РАТ	IENT ID	: 1575425
COLLECTED BY	:	REG	. NO./LAB NO.	: 122408090008
REFERRED BY	:	REG	ISTRATION DATE	: 09/Aug/2024 10:30 AM
BARCODE NO.	: 12504069	COL	LECTION DATE	: 09/Aug/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE REP	ORTING DATE	: 09/Aug/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AN	MBALA CITY - HARYAN	JA	
Test Name		Value	Unit	Biological Reference interval
	ERYTH	ROCYTE SEDIMEN	TATION RATE (ES	R)
	MENTATION RATE (ESR) RGREN AUTOMATED METHOD	5	mm/1st h	•
1. ESR is a non-specif immune disease, but 2. An ESR can be affe as C-reactive protein	does not tell the health practitic acted by other conditions besides be used to monitor disease activ ematosus	oner exactly where the inflammation. For this	inflammation is in the s reason, the ESR is typ	ion associated with infection, cancer and auto e body or what is causing it. pically used in conjunction with other test such bove diseases as well as some others, such as

A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood cell count (polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such

as sickle cells in sickle cell anaemia) also lower the ESR. NOTE:

ESR and C - reactive protein (C-RP) are both markers of inflammation.
Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.

4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.

5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.

6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH			
AGE/ GENDER	: 34 YRS/MALE		PATIENT ID	: 1575425
COLLECTED BY	:		REG. NO./LAB NO.	: 122408090008
REFERRED BY	:		REGISTRATION DATE	: 09/Aug/2024 10:30 AM
BARCODE NO.	: 12504069		COLLECTION DATE	:09/Aug/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE	REPORTING DATE	: 09/Aug/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - HAI	RYANA	
Test Name		Value	Unit	Biological Reference interval
	CLIN	ICAL CHEMIS	TRY/BIOCHEMISTR	Y
		GLUCOSE	FASTING (F)	
GLUCOSE FASTING (I by GLUCOSE OXIDAS	F): PLASMA e - peroxidase (god-pod)	85.11	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
1. A fasting plasma g	H AMERICAN DIABETES ASSOCIA lucose level below 100 mg/dl is	considered norma	I.	prodiabatic A fasting and post prandial blo

A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH			
AGE/ GENDER	: 34 YRS/MALE		PATIENT ID	: 1575425
COLLECTED BY	:		REG. NO./LAB NO.	: 122408090008
REFERRED BY	:		REGISTRATION DATE	: 09/Aug/2024 10:30 AM
BARCODE NO.	: 12504069		COLLECTION DATE	: 09/Aug/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	FITUTE	REPORTING DATE	: 09/Aug/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HA	ARYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID PR	OFILE : BASIC	
CHOLESTEROL TOTA by CHOLESTEROL OX		161.95	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0
TRIGLYCERIDES: SER by GLYCEROL PHOSE	RUM PHATE OXIDASE (ENZYMATIC)	184.52 ^H	mg/dL	HIGH CHOLESTEROL: > OR = 240.0 OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL (by SELECTIVE INHIBIT		42.97	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: S by CALCULATED, SPE		82.08	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTE by CALCULATED, SPE		118.98	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL: by CALCULATED, SPE		36.9	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SERUI	M	508.42	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL I by CALCULATED, SPE	RATIO: SERUM	3.77	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SER by CALCULATED, SPE		1.91	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE





🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH		
AGE/ GENDER	: 34 YRS/MALE	PATIENT ID	: 1575425
COLLECTED BY	:	REG. NO./LAB NO.	: 122408090008
REFERRED BY	:	REGISTRATION DATE	: 09/Aug/2024 10:30 AM
BARCODE NO.	: 12504069	COLLECTION DATE	: 09/Aug/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 09/Aug/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name	Value	Unit	Biological Reference interval
TRIGLYCERIDES/HDL RATIO: SERUM	4.29	RATIO	3.00 - 5.00
by CALCULATED SPECTROPHOTOMETRY			

INTERPRETATION:

1.Measurements in the same patient can show physiological& analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol. 2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is eccommended recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogenic) porteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL.

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH			
AGE/ GENDER	: 34 YRS/MALE		PATIENT ID	: 1575425
COLLECTED BY :			REG. NO./LAB NO.	: 122408090008
REFERRED BY	:		REGISTRATION DATE	: 09/Aug/2024 10:30 AM
BARCODE NO.	: 12504069		COLLECTION DATE	: 09/Aug/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTI	TUTE	REPORTING DATE	: 09/Aug/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AME	BALA CITY - H	IARYANA	
Test Name		Value	Unit	Biological Reference interval
	LIVI	ER FUNCTIO	ON TEST (COMPLETE)	
BILIRUBIN TOTAL: S		1.2	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	CONJUGATED): SERUM	0.37	mg/dL	0.00 - 0.40
BILIRUBIN INDIRECT	(UNCONJUGATED): SERUM	0.83	mg/dL	0.10 - 1.00
SGOT/AST: SERUM	RIDOXAL PHOSPHATE	27.72	U/L	7.00 - 45.00
SGPT/ALT: SERUM	RIDOXAL PHOSPHATE	43.02	KR U/L	0.00 - 49.00
AST/ALT RATIO: SER by CALCULATED, SPE	UM	0.64	RATIO	0.00 - 46.00
ALKALINE PHOSPHA		100.95	U/L	40.0 - 130.0
GAMMA GLUTAMYL by SZASZ, SPECTROF	TRANSFERASE (GGT): SERUM	35.3	U/L	0.00 - 55.0
TOTAL PROTEINS: SE	RUM	6.92	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL G		4.46	gm/dL	3.50 - 5.50
GLOBULIN: SERUM by CALCULATED, SPE		2.46	gm/dL	2.30 - 3.50
A : G RATIO: SERUM by calculated, spe		1.81	RATIO	1.00 - 2.00

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH			
AGE/ GENDER	: 34 YRS/MALE	PATIENT ID	: 1575425	
COLLECTED BY	:	REG. NO./LAB NO.	: 122408090008	
REFERRED BY	:	REGISTRATION DATE	: 09/Aug/2024 10:30 AM	
BARCODE NO.	: 12504069	COLLECTION DATE	: 09/Aug/2024 10:53AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 09/Aug/2024 01:21PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA			

Test Name	Value	Unit	Biological Reference interval
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS		> 1.3 (Slightly Increased)	

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



: Mr. NITISH

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH					
AGE/ GENDER			PATIENT ID	: 1575425		
COLLECTED BY			REG. NO./LAB NO.	: 122408090008		
REFERRED BY	:		REGISTRATION DATE	: 09/Aug/2024 10:30 AM		
BARCODE NO.	: 12504069		COLLECTION DATE	: 09/Aug/2024 10:53AM		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS'	TITUTE	REPORTING DATE	: 09/Aug/2024 01:21PM		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HA		ARYANA			
Test Name		Value	Unit	Biological Reference interval		
	KIE		ON TEST (COMPLETE)			
UREA: SERUM by UREASE - GLUTAM	ATE DEHYDROGENASE (GLDH)	22.15	mg/dL	10.00 - 50.00		
CREATININE: SERUN		0.66	mg/dL	0.40 - 1.40		
BLOOD UREA NITRO		10.35	mg/dL	7.0 - 25.0		
BLOOD UREA NITRO RATIO: SERUM by CALCULATED, SPE	GEN (BUN)/CREATININE	15.68 ^H	RATIO	10.0 - 20.0		
UREA/CREATININE R	ATIO: SERUM	33.56	KR RATIO			
URIC ACID: SERUM	E PEROXIDASE	5.83	mg/dL	3.60 - 7.70		
CALCIUM: SERUM by Arsenazo III, spec	CTROPHOTOMETRY	9.48	mg/dL	8.50 - 10.60		
PHOSPHOROUS: SER by PHOSPHOMOLYBD ELECTROLYTES	UM ate, spectrophotometry	2.69	mg/dL	2.30 - 4.70		
SODIUM: SERUM	E ELECTRODE)	140.1	mmol/L	135.0 - 150.0		
POTASSIUM: SERUM by ISE (ION SELECTIVI		4.1	mmol/L	3.50 - 5.00		
CHLORIDE: SERUM by ISE (ION SELECTIVE ESTIMATED GLOME	e electrode) R ULAR FILTERATION RATE	105.07	mmol/L	90.0 - 110.0		
(eGFR): SERUM by calculated INTERPRETATION:	RULAR FILTERATION RATE een pre- and post renal azotemia.	126.2				

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600, REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)



NAME

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH			
AGE/ GENDER	: 34 YRS/MALE	PATIENT ID	:	1575425
COLLECTED BY	:	REG. NO./LAB	NO. :	122408090008
REFERRED BY	:	REGISTRATION	N DATE :	09/Aug/2024 10:30 AM
BARCODE NO.	: 12504069	COLLECTION D	ATE :	09/Aug/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUT	TE REPORTING D A	ATE :	09/Aug/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA	A CITY - HARYANA		
Test Name		Value	Unit	Biological Reference interval
3. GI haemorrhage.				
4. High protein intak				
5. Impaired renal fur		le g infection GI bleeding	thurotoxicosis	, Cushing's syndrome, high protein diet,
burns, surgery, cache	•	(e.g. infection, of bleeding,		cushing s synurome, nigh protein ulet,
	n (e.g. ureter colostomy)			
	nass (subnormal creatinine production))		
9. Certain drugs (e.g.	. tetracycline, glucocorticoids)			
•	20:1) WITH ELEVATED CREATININE LEVE			
	a (BUN rises disproportionately more the	han creatinine) (e.g. obstruc	tive uropathy)	
2. Prerenal azotemia	a superimposed on renal disease.			

DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis. 2. Low protein diet and starvation.

- 3. Severe liver disease.
- 4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

- 6. Inherited hyperammonemias (urea is virtually absent in blood).
- 7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.
- 8. Pregnancy.

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH		
AGE/ GENDER	: 34 YRS/MALE	PATIENT ID	: 1575425
COLLECTED BY	:	REG. NO./LAB NO.	: 122408090008
REFERRED BY	:	REGISTRATION DATE	: 09/Aug/2024 10:30 AM
BARCODE NO.	: 12504069	COLLECTION DATE	:09/Aug/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 09/Aug/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH			
AGE/ GENDER	: 34 YRS/MALE	PATI	ENT ID	: 1575425
COLLECTED BY	:	REG.	NO./LAB NO.	: 122408090008
REFERRED BY	:	REGI	STRATION DATE	: 09/Aug/2024 10:30 AM
BARCODE NO.	: 12504069	COLL	ECTION DATE	: 09/Aug/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE REPO	RTING DATE	: 09/Aug/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AI	MBALA CITY - HARYAN	A	
Test Name		Value	Unit	Biological Reference interval
		CLINICAL PATI	HOLOGY	
	URINE R	OUTINE & MICROS	COPIC EXAMINAT	ION
PHYSICAL EXAMINA	TION			
QUANTITY RECIEVED		30	ml	
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	PALE YELLOW		PALE YELLOW
	TANCE SPECTROPHOTOMETRY	TALL TELLOW		TALL TELLOW
TRANSPARANCY		CLEAR		CLEAR
by DIP STICK/REFLEC SPECIFIC GRAVITY	TANCE SPECTROPHOTOMETRY			1.002 - 1.030
	TANCE SPECTROPHOTOMETRY	11		1.002 - 1.030
CHEMICAL EXAMINA	ATION			
REACTION		ACIDIC		
by DIP STICK/REFLEC PROTEIN	TANCE SPECTROPHOTOMETRY			
	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
SUGAR		NEGATIVE (-ve)		NEGATIVE (-ve)
•	TANCE SPECTROPHOTOMETRY			
pH by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	6.5		5.0 - 7.5
BILIRUBIN		NEGATIVE (-ve)		NEGATIVE (-ve)
-	TANCE SPECTROPHOTOMETRY			
NITRITE	TANCE SPECTROPHOTOMETRY.	NEGATIVE (-ve)		NEGATIVE (-ve)
UROBILINOGEN	TANGE OF LOTTOF HOTOWLINT.	NOT DETECTED	EU/dL	0.2 - 1.0
	TANCE SPECTROPHOTOMETRY			
KETONE BODIES	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
BLOOD	IANGE SPECIKUPHUIUMEIRY	NEGATIVE (-ve)		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY			
ASCORBIC ACID		NEGATIVE (-ve)		NEGATIVE (-ve)
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY 1INATION			



NAME

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

: Mr. NITISH

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

ABSENT

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. NITISH			
AGE/ GENDER	: 34 YRS/MALE	PATIEN	T ID	: 1575425
COLLECTED BY	:	REG. NO)./LAB NO.	: 122408090008
REFERRED BY	:	REGIST	RATION DATE	: 09/Aug/2024 10:30 AM
BARCODE NO.	: 12504069	COLLEC	TION DATE	: 09/Aug/2024 10:53AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	ITUTE REPOR	FING DATE	: 09/Aug/2024 01:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMI	BALA CITY - HARYANA		
Test Name		Value	Unit	Biological Reference interval
RED BLOOD CELLS (R	RBCs) CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3
PUS CELLS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	3-4	/HPF	0 - 5
EPITHELIAL CELLS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	2-3	/HPF	ABSENT
CRYSTALS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS		N <mark>EGATIVE</mark> (-ve)		NEGATIVE (-ve)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report

ABSENT





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

