PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. SANJAY JAIN				
AGE/ GENDER	: 57 YRS/MALE		PATIENT ID	: 158201	6
COLLECTED BY : REFERRED BY :		REG. NO./LAB NO. REGISTRATION DATE		: 122408160017 : 16/Aug/2024 11:11 AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	JTE REPORTING DATE		: 16/Aug/2024 04:21PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	LA CITY - H	ARYANA	0	
Test Name		Value	Unit		Biological Reference interval
		HAEN	MATOLOGY		
	CON	/IPLETE B	LOOD COUNT (CBC)		
RED BLOOD CELLS (R	BCS) COUNT AND INDICES				
HAEMOGLOBIN (HB)		14	gm/dL		12.0 - 17.0
RED BLOOD CELL (RB		4.83	Millions/	cmm	3.50 - 5.00
PACKED CELL VOLUM	DCUSING, ELECTRICAL IMPEDENCE IE (PCV) UTOMATED HEMATOLOGY ANALYZER	42.5	%		40.0 - 54.0
MEAN CORPUSCULAR		88	KR fL		80.0 - 100.0
	R HAEMOGLOBIN (MCH) JTOMATED HEMATOLOGY ANALYZER	29	pg		27.0 - 34.0
	R HEMOGLOBIN CONC. (MCHC)	33	g/dL		32.0 - 36.0
	ON WIDTH (RDW-CV)	15	%		11.00 - 16.00
by CALCULATED BY A	ON WIDTH (RDW-SD) JTOMATED HEMATOLOGY ANALYZER	49.2	fL		35.0 - 56.0
MENTZERS INDEX by calculated GREEN & KING INDEX by calculated		18.22	RATIO		BETA THALASSEMIA TRAIT: < 13 IRON DEFICIENCY ANEMIA: >13.
		27.34	RATIO		BETA THALASSEMIA TRAIT: < = 65.0 IRON DEFICIENCY ANEMIA: > 65
WHITE BLOOD CELLS	<u>(WBCS)</u>				
TOTAL LEUCOCYTE CO by FLOW CYTOMETRY DIFFERENTIAL LEUCO	BY SF CUBE & MICROSCOPY	9610	/cmm		4000 - 11000
NEUTROPHILS	BY SF CUBE & MICROSCOPY	67	%		50 - 70
LYMPHOCYTES by FLOW CYTOMETRY	BY SF CUBE & MICROSCOPY	23	%		20 - 40

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. SANJAY JAIN				
AGE/ GENDER	: 57 YRS/MALE		PATIENT ID	: 1582016	
COLLECTED BY	:		REG. NO./LAB NO.	: 122408160017	
REFERRED BY	:		REGISTRATION DATE	: 16/Aug/2024 11:11 AM	
BARCODE NO.	: 12504175 : P.K.R JAIN HEALTHCARE INSTITUTE		COLLECTION DATE	: 16/Aug/2024 11:27AM : 16/Aug/2024 04:21PM	
CLIENT CODE.			REPORTING DATE		
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMB	ALA CITY - H	ARYANA		
Test Name		Value	Unit	Biological Reference interval	
EOSINOPHILS	/ BY SF CUBE & MICROSCOPY	2	%	1 - 6	
MONOCYTES by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY BASOPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE LEUKOCYTES (WBC) COUNT		8	%	2 - 12	
		0	%	0 - 1	
ABSOLUTE NEUTROPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE LYMPHOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE EOSINOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		6439	/cmm	2000 - 7500	
		2210	/cmm	800 - 4900	
		192	KR /cmm	40 - 440	
ABSOLUTE MONOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		769	/cmm	80 - 880	
ABSOLUTE BASOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		0	/cmm	0 - 110	
	IER PLATELET PREDICTIVE MARKE				
PLATELET COUNT (PLT) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE		370000	/cmm	150000 - 450000	
PLATELETCRIT (PCT) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE		0.32	%	0.10 - 0.36	
MEAN PLATELET VOLUME (MPV) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PLATELET LARGE CELL COUNT (P-LCC) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PLATELET LARGE CELL RATIO (P-LCR) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE		9	fL	6.50 - 12.0	
		66000	/cmm	30000 - 90000	
		17.8	%	11.0 - 45.0	
	TON WIDTH (PDW) FOCUSING, ELECTRICAL IMPEDENCE CTED ON EDTA WHOLE BLOOD	15.6	%	15.0 - 17.0	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. SANJAY JAIN			
AGE/ GENDER	: 57 YRS/MALE	P	ATIENT ID	: 1582016
COLLECTED BY	:	R	EG. NO./LAB NO.	: 122408160017
REFERRED BY	:	R	EGISTRATION DATE	:16/Aug/2024 11:11 AM
BARCODE NO.	: 12504175	C	OLLECTION DATE	: 16/Aug/2024 11:27AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE R	EPORTING DATE	: 16/Aug/2024 04:21PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	/IBALA CITY - HARY	ANA	
Test Name		Value	Unit	Biological Reference interval
	MENTATION RATE (ESR)	38 ^H	mm/1st hr	0 - 20
by MODIFIED WESTER INTERPRETATION:	RGREN AUTOMATED METHOD			
1. ESR is a non-specif	ic test because an elevated resul	t often indicates th	e presence of inflammatio	n associated with infection, cancer and auto
immune disease, but	does not tell the health practitio	ner exactly where t	he inflammation is in the	body or what is causing it. cally used in conjunction with other test suc
as C-reactive protein				
		ity and response to	therapy in both of the ab	ove diseases as well as some others, such as
systemic lupus eryth CONDITION WITH LO				
A low ESR can be see	n with conditions that inhibit the	norma <mark>l sedimenta</mark>	tion of red blood cells, suc	ch as a high red blood cell count
(polycythaemia), sigr	nificantly high white blood cell co e cell anaemia) also lower the E	ount (leucocytosis) SR	, and some protein abnorr	nalities. Šome changes in red cell shape (su
NOTE:				
 ESR and C - reactiv 	e protein (C-RP) are both marker	s of inflammation		

1. ESR and C - reactive protein (C-RP) are both markers of inflammation. 2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.

 3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while environment of a structure of the start of aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE 🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mr. SANJAY JAIN				
AGE/ GENDER	: 57 YRS/MALE	PATI	ENT ID	: 1582016	
COLLECTED BY	:	REG.	NO./LAB NO.	: 122408160017	
REFERRED BY	:	REGI	STRATION DATE	: 16/Aug/2024 11:11 AM	
BARCODE NO.	: 12504175	COLL	ECTION DATE	: 16/Aug/2024 11:27AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCA	LTHCARE INSTITUTE REPORTING DATE		: 16/Aug/2024 04:28PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR RO	AD, AMBALA CITY - HARYAN	Α		
Test Name		Value	Unit	Biological Reference interval	
		IMMUNOPATHOLO			
		WIDAL SLIDE AGGLU	FINATION TEST		
SALMONELLA TYPHI O by SLIDE AGGLUTINATION		1:40	TITRE	1 : 80	
SALMONELLA TYPHI H by SLIDE AGGLUTINATION		1 : 40	TITRE	1 : 160	
SALMONELLA PARATYPHI AH by slide agglutination		1 : 20	TITRE	1 : 160	
			T. T. T.	1 1/0	

SALMONELLA PARATYPHI BH by SLIDE AGGLUTINATION

INTERPRETATION:

1. Titres of 1:80 or more for "O" agglutinin is considered significant.

2. Titres of 1:160 or more for "H" agglutinin is considered significant.

LIMITATIONS:

1.Agglutinins usually appear by 5th to 6th day of illness of enteric fever, hence a negative result in early stage is inconclusive. The titre then rises till 3rd or 4th week, after which it declines gradually.

TITRE

1:160

NIL

2.Lower titres may be found in normal individuals.

3.A single positive result has less significance than the rising agglutination titre, since demonstration of rising titre four or more in 1st and 3rd week is considered as a definite evidence of infection.

4.A simultaneous rise in H agglutinins is suggestive of paratyphoid infection.

NOTE:

1. Individuals with prior infection or immunization with TAB vaccine may develop an ANAMNESTIC RESPONSE (False-Positive) during an unrelated fever i.e High titres of antibodies to various antigens. This may be differentiated by repitition of the test after a week.

2. The anamnestic response shows only a transient rise, while in enteric fever rise is sustained.

3.H agglutinins tend to persist for many months after vaccination but O agglutinins tend to disappear sooner i.e within 6 months. Therefore rise in Oagglutinins indicate recent infection.

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

