CLIENT CODE.

HAEMOCLORINI (HR)



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

: 16/Aug/2024 04:23PM

NAME : Mr. ABDUL RAZZAK

AGE/ GENDER : 27 YRS/MALE **PATIENT ID** : 1582185

COLLECTED BY REG. NO./LAB NO. : 122408160019

REFERRED BY **REGISTRATION DATE** : 16/Aug/2024 12:48 PM BARCODE NO. : 12504177 **COLLECTION DATE** : 16/Aug/2024 12:53PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

: P.K.R JAIN HEALTHCARE INSTITUTE

Test Name Value Unit **Biological Reference interval**

HAEMATOLOGY

REPORTING DATE

COMPLETE BLOOD COUNT (CBC)

RED BLOOD CELLS (RBCS) COUNT AND INDICES

| HAEMOGLOBIN (HB) | 14.8 | gm/dL | 12.0 - 17.0 |
|--|-------------------|--------------|--|
| by CALORIMETRIC RED BLOOD CELL (RBC) COUNT by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | 5.15 ^H | Millions/cmm | 3.50 - 5.00 |
| PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 42.7 | % | 40.0 - 54.0 |
| MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 82.8 | fL | 80.0 - 100.0 |
| MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 28.7 | pg | 27.0 - 34.0 |
| MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 34.6 | g/dL | 32.0 - 36.0 |
| RED CELL DISTRIBUTION WIDTH (RDW-CV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 13.1 | % | 11.00 - 16.00 |
| RED CELL DISTRIBUTION WIDTH (RDW-SD) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 42.2 | fL | 35.0 - 56.0 |
| MENTZERS INDEX by CALCULATED | 16.08 | RATIO | BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0 |
| GREEN & KING INDEX by CALCULATED | 21.03 | RATIO | BETA THALASSEMIA TRAIT: < = 65.0 IRON DEFICIENCY ANEMIA: > 65.0 |
| WHITE BLOOD CELLS (WBCS) | | | |
| TOTAL LEUCOCYTE COUNT (TLC) by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 9440 | /cmm | 4000 - 11000 |
| <u>DIFFERENTIAL LEUCOCYTE COUNT (DLC)</u> | | | |
| NEUTROPHILS by Flow cytometry by SF cube & microscopy | 47 ^L | % | 50 - 70 |
| LYMPHOCYTES by Flow cytometry by SF cube & microscopy | 45 ^H | % | 20 - 40 |
| EOSINOPHILS | 2 | % | 1 - 6 |



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)







A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mr. ABDUL RAZZAK

AGE/ GENDER : 27 YRS/MALE **PATIENT ID** : 1582185

COLLECTED BY : 122408160019 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 16/Aug/2024 12:48 PM BARCODE NO. : 12504177 **COLLECTION DATE** : 16/Aug/2024 12:53PM

CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 16/Aug/2024 04:23PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

| Test Name | Value | Unit | Biological Reference interval |
|--|-------------------|-----------|-------------------------------|
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | | |
| MONOCYTES | 6 | % | 2 - 12 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | | |
| BASOPHILS | 0 | % | 0 - 1 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE LEUKOCYTES (WBC) COUNT | | | |
| | | | |
| ABSOLUTE NEUTROPHIL COUNT | 4437 | /cmm | 2000 - 7500 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | Jama ma | 000 4000 |
| ABSOLUTE LYMPHOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | 4248 ^L | /cmm | 800 - 4900 |
| ABSOLUTE FOSINOPHIL COUNT | 189 | /cmm | 40 - 440 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | PKR | / GITIITI | 10 110 |
| ABSOLUTE MONOCYTE COUNT | 566 | /cmm | 80 - 880 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | | | |
| ABSOLUTE BASOPHIL COUNT | 0 | /cmm | 0 - 110 |
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY | De | | |
| PLATELETS AND OTHER PLATELET PREDICTIVE MARKE | <u>RS.</u> | | |
| PLATELET COUNT (PLT) | 297000 | /cmm | 150000 - 450000 |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | | 24 | |
| PLATELETCRIT (PCT) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | 0.26 | % | 0.10 - 0.36 |
| MEAN PLATELET VOLUME (MPV) | 9 | fL | 6.50 - 12.0 |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | 7 | IL | 0.30 - 12.0 |
| PLATELET LARGE CELL COUNT (P-LCC) | 59000 | /cmm | 30000 - 90000 |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | | | |
| PLATELET LARGE CELL RATIO (P-LCR) | 20 | % | 11.0 - 45.0 |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | | | |
| PLATELET DISTRIBUTION WIDTH (PDW) | 15.8 | % | 15.0 - 17.0 |
| by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD | | | |
| NOTE. TEST CONDUCTED ON EDTA WHOLE BLOOD | | | |



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS, MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



CLIENT CODE.





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

REPORTING DATE

: 16/Aug/2024 04:53PM

NAME : Mr. ABDUL RAZZAK

AGE/ GENDER : 27 YRS/MALE **PATIENT ID** : 1582185

COLLECTED BY : 122408160019 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 16/Aug/2024 12:48 PM BARCODE NO. : 12504177 **COLLECTION DATE** : 16/Aug/2024 12:53PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

: P.K.R JAIN HEALTHCARE INSTITUTE

Test Name Value Unit **Biological Reference interval**

CLINICAL CHEMISTRY/BIOCHEMISTRY

LIVER FUNCTION TEST (COMPLETE)

| BILIRUBIN TOTAL: SERUM by DIAZOTIZATION, SPECTROPHOTOMETRY | 0.53 | mg/dL | INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20 |
|--|---------------------|-------|---|
| BILIRUBIN DIRECT (CONJUGATED): SERUM by DIAZO MODIFIED, SPECTROPHOTOMETRY | 0.22 | mg/dL | 0.00 - 0.40 |
| BILIRUBIN INDIRECT (UNCONJUGATED): SERUM by CALCULATED, SPECTROPHOTOMETRY | 0.31 | mg/dL | 0.10 - 1.00 |
| SGOT/AST: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE | 48.19 ^H | U/L | 7.00 - 45.00 |
| SGPT/ALT: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE | 107.65 ^H | U/L | 0.00 - 49.00 |
| AST/ALT RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY | 0.45 | RATIO | 0.00 - 46.00 |
| ALKALINE PHOSPHATASE: SERUM by Para nitrophenyl phosphatase by amino methyl propanol | 69.87 | U/L | 40.0 - 130.0 |
| GAMMA GLUTAMYL TRANSFERASE (GGT): SERUM by SZASZ, SPECTROPHTOMETRY | 32.31 | U/L | 0.00 - 55.0 |
| TOTAL PROTEINS: SERUM by BIURET, SPECTROPHOTOMETRY | 7.83 | gm/dL | 6.20 - 8.00 |
| ALBUMIN: SERUM by BROMOCRESOL GREEN | 4.77 | gm/dL | 3.50 - 5.50 |
| GLOBULIN: SERUM by CALCULATED, SPECTROPHOTOMETRY | 3.06 | gm/dL | 2.30 - 3.50 |
| A : G RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY | 1.56 | RATIO | 1.00 - 2.00 |

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

| DRUG HEPATOTOXICITY | > 2 |
|---------------------|-------------------------|
| ALCOHOLIC HEPATITIS | > 2 (Highly Suggestive) |
| CIRRHOSIS | 1.4 - 2.0 |



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)





A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mr. ABDUL RAZZAK

AGE/ GENDER : 27 YRS/MALE **PATIENT ID** : 1582185

COLLECTED BY : 122408160019 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 16/Aug/2024 12:48 PM BARCODE NO. : 12504177 **COLLECTION DATE** : 16/Aug/2024 12:53PM

CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 16/Aug/2024 04:53PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

| Test Name | Value | Unit | Biological Reference interval |
|--|-------|----------------------------|-------------------------------|
| INTRAHEPATIC CHOLESTATIS | | > 1.5 | |
| HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS | | > 1.3 (Slightly Increased) | |
| DEODE A OFF | | | |

DECREASED:

- 1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)
- 2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTIC SIGNIFICANCE:

| NORMAL | < 0.65 |
|----------------------|-----------|
| GOOD PROGNOSTIC SIGN | 0.3 - 0.6 |
| POOR PROGNOSTIC SIGN | 1.2 - 1.6 |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)

CLIENT CODE.



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

REPORTING DATE

: 16/Aug/2024 04:53PM

NAME : Mr. ABDUL RAZZAK

AGE/ GENDER : 27 YRS/MALE **PATIENT ID** : 1582185

COLLECTED BY : 122408160019 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 16/Aug/2024 12:48 PM BARCODE NO. : 12504177 **COLLECTION DATE** : 16/Aug/2024 12:53PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

: P.K.R JAIN HEALTHCARE INSTITUTE

| Test Name | Value | Unit | Biological Reference interval |
|--|-------------------|----------------|-------------------------------|
| | KIDNEY FUNCTION | N TEST (BASIC) | |
| LIDEA, CEDUM | | | 10.00 50.00 |
| UREA: SERUM | 23.47 | mg/dL | 10.00 - 50.00 |
| by UREASE - GLUTAMATE DEHYDROGENASE (GLDH) | 1.0 | | 0.40 1.40 |
| CREATININE: SERUM | 1.2 | mg/dL | 0.40 - 1.40 |
| by ENZYMATIC, SPECTROPHOTOMETERY | 10.07 | | 7.0.05.0 |
| BLOOD UREA NITROGEN (BUN): SERUM | 10.97 | mg/dL | 7.0 - 25.0 |
| by CALCULATED, SPECTROPHOTOMETERY | | DATIO | 40.0.00.0 |
| BLOOD UREA NITROGEN (BUN)/CREATININE | 9.14 ^L | RATIO | 10.0 - 20.0 |
| RATIO: SERUM | | | |
| by CALCULATED, SPECTROPHOTOMETERY | 10 F (D Z | DATIO | |
| UREA/CREATININE RATIO: SERUM | 19.56 | RATIO | |
| by CALCULATED, SPECTROPHOTOMETERY | | | |
| URIC ACID: SERUM | 4.93 | mg/dL | 3.60 - 7.70 |
| by URICASE - OXIDASE PEROXIDASE | | | |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)





A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 **■** pkrjainhealthcare@gmail.com

REPORTING DATE

: 16/Aug/2024 04:53PM

NAME : Mr. ABDUL RAZZAK

AGE/ GENDER : 27 YRS/MALE **PATIENT ID** : 1582185

COLLECTED BY : 122408160019 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 16/Aug/2024 12:48 PM BARCODE NO. **COLLECTION DATE** : 16/Aug/2024 12:53PM : 12504177

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

: P.K.R JAIN HEALTHCARE INSTITUTE

Test Name Value Unit **Biological Reference interval**

INTERPRETATION:

CLIENT CODE.

Normal range for a healthy person on normal diet: 12 - 20

To Differentiate between pre- and postrenal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

Ž.Catabolic states with increased tissue breakdown.

3.GI hemorrhage.

4. High protein intake.

5. Impaired renal function plus.

6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushings syndrome, high protein diet,

burns, surgery, cachexia, high fever)

7. Urine reabsorption (e.g. ureterocolostomy)
8. Reduced muscle mass (subnormal creatinine production)
9. Certain drugs (e.g. tetracycline, glucocorticoids)
INCREASED RATIO (pia (PLIN rices diegrapartic particular partic

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

DECREASED RATIO (<10:1) WITH DECREASED BUN:

1.Acute tubular necrosis.

2.Low protein diet and starvation.

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6.Inherited hyperammonemias (urea is virtually absent in blood)

7.SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

- 1. Phenacimide therapy (accelerates conversion of creatine to creatinine).
- 2. Rhabdomyolysis (releases muscle creatinine).
- 3. Muscular patients who develop renal failure

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)





A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 **■** pkrjainhealthcare@gmail.com

REPORTING DATE

: 16/Aug/2024 04:28PM

: Mr. ABDUL RAZZAK **NAME**

AGE/ GENDER : 27 YRS/MALE **PATIENT ID** : 1582185

COLLECTED BY : 122408160019 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 16/Aug/2024 12:48 PM BARCODE NO. : 12504177 **COLLECTION DATE** : 16/Aug/2024 12:53PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

: P.K.R JAIN HEALTHCARE INSTITUTE

Value Unit **Biological Reference interval** Test Name

CLINICAL PATHOLOGY URINE ROUTINE & MICROSCOPIC EXAMINATION

PHYSICAL EXAMINATION

CLIENT CODE.

QUANTITY RECIEVED ml by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

PALE YELLOW PALE YELLOW **COLOUR**

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY TRANSPARANCY HAZY **CLEAR**

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

1.02 1.002 - 1.030 SPECIFIC GRAVITY by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

CHEMICAL EXAMINATION

REACTION **ACIDIC**

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

NEGATIVE (-ve) **PROTEIN** Negative

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY **SUGAR NEGATIVE** (-ve) Negative

рΗ 5.0 - 7.55.5

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY **BILIRUBIN** Negative **NEGATIVE** (-ve)

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

NITRITE Negative **NEGATIVE** (-ve) by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.

EU/dL **UROBILINOGEN** Normal 0.2 - 1.0by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

KETONE BODIES NEGATIVE (-ve) Negative

NEGATIVE (-ve) **BLOOD** Negative

NEGATIVE (-ve) NEGATIVE (-ve) ASCORBIC ACID

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY MICROSCOPIC EXAMINATION



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)







A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 ■ pkrjainhealthcare@gmail.com

NAME : Mr. ABDUL RAZZAK

AGE/ GENDER : 27 YRS/MALE **PATIENT ID** : 1582185

COLLECTED BY : 122408160019 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 16/Aug/2024 12:48 PM : 16/Aug/2024 12:53PM BARCODE NO. : 12504177 **COLLECTION DATE**

CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 16/Aug/2024 04:28PM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

| Test Name | Value | Unit | Biological Reference interval |
|--|----------------|------|-------------------------------|
| RED BLOOD CELLS (RBCs) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | /HPF | 0 - 3 |
| PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | 8-10 | /HPF | 0 - 5 |
| EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | 2-3 | /HPF | ABSENT |
| CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | NEGATIVE (-ve) | | NEGATIVE (-ve) |
| TRICHOMONAS VAGINALIS (PROTOZOA) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | ABSENT | | ABSENT |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS, MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)



A PIONEER DIAGNOSTIC CENTRE

■ 0171-2532620, 8222896961 **■** pkrjainhealthcare@gmail.com

NAME : Mr. ABDUL RAZZAK

AGE/ GENDER : 27 YRS/MALE **PATIENT ID** : 1582185

COLLECTED BY REG. NO./LAB NO. : 122408160019

REFERRED BY **REGISTRATION DATE** : 16/Aug/2024 12:48 PM BARCODE NO. **COLLECTION DATE** : 16/Aug/2024 12:53PM : 12504177 CLIENT CODE. : P.K.R JAIN HEALTHCARE INSTITUTE REPORTING DATE : 19/Aug/2024 10:29AM

CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA

Value Unit **Biological Reference interval** Test Name

MICROBIOLOGY

CULTURE AEROBIC BACTERIA AND ANTIBIOTIC SENSITIVITY: URINE

CULTURE AND SUSCEPTIBILITY: URINE

DATE OF SAMPLE 16-08-2024 SPECIMEN SOURCE **URINE INCUBATION PERIOD** 48 HOURS

by AUTOMATED BROTH CULTURE

CULTURE by AUTOMATED BROTH CULTURE

ORGANISM

NO AEROBIC PYOGENIC ORGANISM GROWN AFTER 48 HOURS OF INCUBATION AT by AUTOMATED BROTH CULTURE

AEROBIC SUSCEPTIBILITY: URINE

1. In urine culture and sensitivity, presence of more than 100,000 organism per mL in midstream sample of urine is considered clinically significant. However in symptomatic patients, a smaller number of bacteria (100 to 10000/mL) may signify infection.

2. Colony count of 100 to 10000/ mL indicate infection, if isolate from specimen obtained by suprapubic aspiration or "in-and-out"

catheterization or from patients with indwelling catheters.

STERILE

1. A test interpreted as SENSTITIVE implies that infection due to isolate may be appropriately treated with the dosage of an antimicrobial agent recommended for that type of infection and infecting species, unless otherwise indicated..

2. A test interpreted as **INTERMEDIATE** implies that the "Infection due to the isolate may be appropriately treated in body sites where the drugs are

physiologically concentrated or when a high dosage of drug can be used".

3.A test interpreted as **RESISTANT** implies that the "isolates are not inhibited by the usually achievable concentration of the agents with normal dosage, schedule and/or fall in the range where specific microbial resistance mechanism are likely (e.g. beta-lactamases), and clinical efficacy has not been reliable in treatment studies

CAUTION:

Conditions which can cause a false Negative culture:

- 1. Patient is on antibiotics. Please repeat culture post therapy.
- 2. Anaerobic bacterial infection.
- 3. Fastidious aerobic bacteria which are not able to grow on routine culture media.
- 4. Besides all these factors, at least in 25-40 % of cases there is no direct correlation between in vivo clinical picture.

5. Renal tuberculosis to be confirmed by AFB studies.

*** End Of Report ***



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)



440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)