TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GEETANJALI					
AGE/ GENDER	: 28 YRS/FEMALE		PATIENT ID	: 1603785	5	
COLLECTED BY	:		REG. NO./LAB NO.	: 122409060002		
REFERRED BY : BARCODE NO. : 12504519			REGISTRATION DATE COLLECTION DATE		: 06/Sep/2024 08:08 AM : 06/Sep/2024 08:09AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	JTE	TE REPORTING DATE		2024 01:25PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	LA CITY - H	ARYANA	-		
Test Name		Value	Unit		Biological Reference interval	
		HAEN	MATOLOGY			
	CON	/IPLETE B	LOOD COUNT (CBC)			
RED BLOOD CELLS (R	RBCS) COUNT AND INDICES					
HAEMOGLOBIN (HB)		8 ^L	gm/dL		12.0 - 16.0	
by CALORIMETRIC RED BLOOD CELL (RE	COUNT	3.33 ^L	Millions/o	mm	3.50 - 5.00	
by HYDRO DYNAMIC FOCOSING, ELECTRICAL IMPEDENCE PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		25.1 ^L	%		37.0 - 50.0	
		75.5 ^L	KR 1		80.0 - 100.0	
		24.1 ^L	pg		27.0 - 34.0	
MEAN CORPUSCULA	R HEMOGLOBIN CONC. (MCHC)	32	g/dL		32.0 - 36.0	
RED CELL DISTRIBUT	TON WIDTH (RDW-CV)	20.8 ^H	%		11.00 - 16.00	
RED CELL DISTRIBUT	TION WIDTH (RDW-SD)	58.7 ^H	fL		35.0 - 56.0	
MENTZERS INDEX		22.67	RATIO		BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0	
GREEN & KING INDE by calculated	Х	47.31	RATIO		BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0	
WHITE BLOOD CELLS	<u>S (WBCS)</u>					
TOTAL LEUCOCYTE C by FLOW CYTOMETRY	OUNT (TLC) Y BY SF CUBE & MICROSCOPY	4300	/cmm		4000 - 11000	
DIFFERENTIAL LEUCO	<u>DCYTE COUNT (DLC)</u>					
NEUTROPHILS		61	%		50 - 70	
LYMPHOCYTES	/ BY SF CUBE & MICROSCOPY / BY SF CUBE & MICROSCOPY	33	%		20 - 40	
EOSINOPHILS	Y BY SF CUBE & MICROSCOPY	0 ^L	%		1 - 6	
MONOCYTES		6	%		2 - 12	

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GEETANJALI				
AGE/ GENDER	: 28 YRS/FEMALE		PATIENT ID	: 1603785	
COLLECTED BY	:		REG. NO./LAB NO.	: 122409060002	
REFERRED BY	:		REGISTRATION DATE	: 06/Sep/2024 08:08 AM : 06/Sep/2024 08:09AM	
BARCODE NO.	: 12504519		COLLECTION DATE		
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE REPORTING DATE		: 06/Sep/2024 01:25PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY		ARYANA		
Test Name		Value	Unit	Biological Reference interval	
by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY				
BASOPHILS		0	%	0 - 1	
	Y BY SF CUBE & MICROSCOPY				
ABSOLUTE LEUKOC		0(00		0000 7500	
ABSOLUTE NEUTRO	PHIL COUN I Y BY SF CUBE & MICROSCOPY	2623	/cmm	2000 - 7500	
ABSOLUTE LYMPHOCYTE COUNT		1419 ^L	/cmm	800 - 4900	
	Y BY SF CUBE & MICROSCOPY				
ABSOLUTE EOSINO	PHIL COUNT RY BY SF CUBE & MICROSCOPY	0 ^L	/cmm	40 - 440	
ABSOLUTE MONOCY		258	/cmm	80 - 880	
by FLOW CYTOMETR	Y BY SF CUBE & MICROSCOPY				
ABSOLUTE BASOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY		0	/cmm	0 - 110	
-	HER PLATELET PREDICTIVE MARKE	RS			
PLATELET COUNT (P		139000 ^L	/cmm	150000 - 450000	
	FOCUSING, ELECTRICAL IMPEDENCE				
PLATELETCRIT (PCT)		0.12	%	0.10 - 0.36	
MEAN PLATELET VC	FOCUSING, ELECTRICAL IMPEDENCE	10	fL	6.50 - 12.0	
	FOCUSING, ELECTRICAL IMPEDENCE	10	1	0.00 - 12.0	
PLATELET LARGE CE		39000	/cmm	30000 - 90000	
-	FOCUSING, ELECTRICAL IMPEDENCE	21.2	0/		
PLATELET LARGE CE	LL RATIO (P-LCR) FOCUSING, ELECTRICAL IMPEDENCE	31.2	%	11.0 - 45.0	
	TION WIDTH (PDW)	15.9	%	15.0 - 17.0	
,	FOCUSING, ELECTRICAL IMPEDENCE				
NOTE: TEST CONDU	JCTED ON EDTA WHOLE BLOOD				



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GEETANJALI			
AGE/ GENDER	: 28 YRS/FEMALE	PAT	TENT ID	: 1603785
COLLECTED BY	:	REG	. NO./LAB NO.	: 122409060002
REFERRED BY	:	REG	ISTRATION DATE	: 06/Sep/2024 08:08 AM
BARCODE NO.	: 12504519	COL	LECTION DATE	: 06/Sep/2024 08:09AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE REP	ORTING DATE	: 06/Sep/2024 01:25PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	/IBALA CITY - HARYAN	NA	
Test Name		Value	Unit	Biological Reference interval
	ERYTH	ROCYTE SEDIMEN	ITATION RATE (ESF	R)
	VIENTATION RATE (ESR)	35 ^H	mm/1st h	ır 0 - 20
by MODIFIED WESTER INTERPRETATION:	RGREN AUTOMATED METHOD			
1. ESR is a non-specif	ic test because an elevated resul	t often indicates the p	presence of inflammati	on associated with infection, cancer and auto
immune disease, but	does not tell the health practitio	ner exactly where the	inflammation is in the	body or what is causing it.
as C-reactive protein		Inflammation. For this	s reason, the ESR is typ	bically used in conjunction with other test suc
3. This test may also	be used to monitor disease activi	ity and response to th	erapy in both of the al	pove diseases as well as some others, such as
systemic lupus erythe	ematosus			
CONDITION WITH LOV	N ESR n with conditions that inhibit the			and a shire red blood call count

A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood cell count

(polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such as sickle cells in sickle cell anaemia) also lower the ESR.

NOTE:

1. ESR and C - reactive protein (C-RP) are both markers of inflammation.

2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.

 3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while explicit contraceptives are the process. aspirin, cortisone, and quinine may decrease it





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GEETANJALI			
AGE/ GENDER	: 28 YRS/FEMALE	РАТ	IENT ID	: 1603785
COLLECTED BY	:	REG	. NO./LAB NO.	: 122409060002
REFERRED BY	:	REG	ISTRATION DATE	: 06/Sep/2024 08:08 AM
BARCODE NO.	: 12504519	COL	LECTION DATE	:06/Sep/202408:09AM
CLIENT CODE.	: P.K.R JAIN HEALTH	ICARE INSTITUTE REP	ORTING DATE	:06/Sep/202401:25PM
CLIENT ADDRESS	: NASIRPUR, HISSAR	R ROAD, AMBALA CITY - HARYAN	NA	
Test Name		Value	Unit	Biological Reference interval
		IMMUNOPATHOLO	GY/SEROLOGY	
		WIDAL SLIDE AGGLU	ITINATION TEST	
SALMONELLA TYPHI O		1 : 80	TITRE	1 : 80
by SLIDE AGGLUTINATION SALMONELLA TYPHI H		1 : 40	TITRE	1:160
by SLIDE AGGLUTINATION		1.40	TITLE	1.100
SALMONELLA PARATYPHI AH by slide agglutination		NIL	TITRE	1 : 160
SALMONELLA PARATYPHI BH		NIL	TITRE	1 : 160
by SLIDE AGGLUTINA	TION			

INTERPRETATION:

1. Titres of 1:80 or more for "O" agglutinin is considered significant.

2. Titres of 1:160 or more for "H" agglutinin is considered significant.

LIMITATIONS:

1.Agglutinins usually appear by 5th to 6th day of illness of enteric fever, hence a negative result in early stage is inconclusive. The titre then rises till 3rd or 4th week, after which it declines gradually.

2.Lower titres may be found in normal individuals.

3.A single positive result has less significance than the rising agglutination titre, since demonstration of rising titre four or more in 1st and 3rd week is considered as a definite evidence of infection.

4.A simultaneous rise in H agglutinins is suggestive of paratyphoid infection.

NOTE:

1. Individuals with prior infection or immunization with TAB vaccine may develop an ANAMNESTIC RESPONSE (False-Positive) during an unrelated fever i.e High titres of antibodies to various antigens. This may be differentiated by repitition of the test after a week.

2. The anamnestic response shows only a transient rise, while in enteric fever rise is sustained.

3.H agglutinins tend to persist for many months after vaccination but O agglutinins tend to disappear sooner i.e within 6 months. Therefore rise in Oagglutinins indicate recent infection.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

TEST PERFORMED AT KOS DIAGNOSTIC LAB. AMBALA CANTI





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

: Mrs. GEETANJALI				
: 28 YRS/FEMALE	P	ATIENT ID	: 1603785	
:	R	REG. NO./LAB NO.	: 122409060002	
:	R	REGISTRATION DATE	: 06/Sep/2024 08:08 AM	
: 12504519	C	COLLECTION DATE	: 06/Sep/2024 08:09AM	
: P.K.R JAIN HEALTHCARE INST	TITUTE R	REPORTING DATE	: 06/Sep/2024 03:47PM	
: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HAR	YANA	•	
	Value	Unit	Biological Reference interva	
	CLINICAL P	ATHOLOGY		
URINE RO	OUTINE & MICR	ROSCOPIC EXAMINAT	ION	
<u>rion</u>				
	10	ml		
	PALE YELLO	W	PALE YELLOW	
	CLEAR		CLEAR	
TANCE SPECTROPHOTOMETRY	1.02		1.002 - 1.030	
	ACIDIC			
TANCE SPECTROPHOTOMETRY				
	Negative		NEGATIVE (-ve)	
	Negative		NEGATIVE (-ve)	
TANCE SPECTROPHOTOMETRY				
TANCE SPECTROPHOTOMETRY	6		5.0 - 7.5	
	Negative		NEGATIVE (-ve)	
TANCE SPECTROPHOTOMETRY	Nogativo		NEGATIVE (-ve)	
TANCE SPECTROPHOTOMETRY.	negative		NEGATIVE (-VE)	
	Normal	EU/dL	0.2 - 1.0	
IANGE SPECI KUPHUI UMEI KY	Negative		NEGATIVE (-ve)	
TANCE SPECTROPHOTOMETRY	U U			
TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)	
	NEGATIVE (·	-ve)	NEGATIVE (-ve)	
TANCE SPECTROPHOTOMETRY I INATION				
	: 28 YRS/FEMALE : : : 12504519 : P.K.R JAIN HEALTHCARE INST : NASIRPUR, HISSAR ROAD, AM URINE RO CHON TANCE SPECTROPHOTOMETRY TANCE SPECTROPHOTOMETRY	: 28 YRS/FEMALE I : 29 YRS/FEMALE I : 29 YRS/FEMALE I : 20 YRS/FEMA	: 28 YRS/FEMALE PATIENT ID :	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE



PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. GEETANJALI				
AGE/ GENDER	: 28 YRS/FEMALE	PATIENT	T ID	: 1603785	
COLLECTED BY	:	REG. NO.	/LAB NO.	: 122409060002	
REFERRED BY	:	REGISTR	ATION DATE	: 06/Sep/2024 08:08 AM	
BARCODE NO.	: 12504519	COLLECT	TON DATE	: 06/Sep/2024 08:09AM	
CLIENT CODE. : P.K.R JAIN HEALTHCARE INST		TUTE REPORTING DATE		: 06/Sep/2024 03:47PM	
CLIENT ADDRESS : NASIRPUR, HISSAR ROAD, AM		BALA CITY - HARYANA			
Test Name		Value	Unit	Biological Reference interval	
RED BLOOD CELLS (F	RBCs) CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3	
PUS CELLS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	1-3	/HPF	0 - 5	
EPITHELIAL CELLS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	2-4	/HPF	ABSENT	
CRYSTALS by MICROSCOPY ON G	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
CASTS by MICROSCOPY ON G	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
BACTERIA by MICROSCOPY ON G	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
OTHERS	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
by MICROSCOPY ON C	JENTRIFUGED URINART SEDIMENT				

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

