A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME                                | : Mrs. SANTOSH   |                               |                       |  |
|-------------------------------------|--|-------------------------------|-----------------------|--|
| AGE/ GENDER                         | : 60 YRS/FEMALE  | PAT                           | ENT ID                | : 1616928  |
| COLLECTED BY                        | :  | REG.                          | NO./LAB NO.           | : 122409180012   |
| REFERRED BY                         | :  | REG                           | STRATION DATE         | : 18/Sep/2024 10:21 AM   |
| BARCODE NO.                         | : 12504774   | COLL                          | LECTION DATE          | : 18/Sep/2024 10:36AM  |
| CLIENT CODE.                        | : P.K.R JAIN HEALTHCARE INS                                      | TITUTE <b>REP</b>             | DRTING DATE           | : 18/Sep/2024 12:50PM  |
| CLIENT ADDRESS                      | : NASIRPUR, HISSAR ROAD, AI                                      | MBALA CITY - HARYAN           | A                     |  |
|                                     |  |                               |                       |  |
| Test Name                           |  | Value                         | Unit                  | Biological Reference interva   |
|                                     | CLIN   | ICAL CHEMISTRY<br>GLUCOSE RAN |                       | (  |
| GLUCOSE RANDOM<br>by GLUCOSE OXIDAS | (R): PLASMA<br>E - PEROXIDASE (GOD-POD)                          | 173.47 <sup>H</sup>           | mg/dL                 | NORMAL: < 140.00<br>PREDIABETIC: 140.0 - 200.0<br>DIABETIC: > 0R = 200.0 |
| 1. A random plasma                  | H AMERICAN DIABETES ASSOCIAT<br>glucose level below 140 mg/dl is | considered normal.            | intelesent on prodict | etic. A fasting and post-prnadial blood te                               |

3. A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



## PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME                                      | : Mrs. SANTOSH                          |               |                          |   |  |
|---|---|---------------|--------------------------|---|--|
| AGE/ GENDER                               | : 60 YRS/FEMALE                         |               | PATIENT ID               | : 1616928                                 |  |
| COLLECTED BY                              | :                                       |               | REG. NO./LAB NO.         | : 122409180012                            |  |
| <b>REFERRED BY</b>                        | :                                       |               | <b>REGISTRATION DATE</b> | : 18/Sep/2024 10:21 AM                    |  |
| BARCODE NO.                               | : 12504774                              |               | COLLECTION DATE          | : 18/Sep/2024 10:36AM                     |  |
| CLIENT CODE.                              | : P.K.R JAIN HEALTHCARE INST            | ITUTE         | <b>REPORTING DATE</b>    | : 18/Sep/2024 12:50PM                     |  |
| CLIENT ADDRESS                            | : NASIRPUR, HISSAR ROAD, AMI            | BALA CITY - H | IARYANA                  |   |  |
| Test Name                                 |   | Value         | Unit                     | Biological Reference interva              |  |
|   | LIV                                     | ER FUNCTIO    | ON TEST (COMPLETE)       |   |  |
| BILIRUBIN TOTAL: SE                       |   | 0.55          | mg/dL                    | INFANT: 0.20 - 8.00<br>ADULT: 0.00 - 1.20 |  |
|   | ONJUGATED): SERUM                       | 0.11          | mg/dL                    | 0.00 - 0.40                               |  |
| BILIRUBIN INDIRECT                        | (UNCONJUGATED): SERUM<br>CTROPHOTOMETRY | 0.44          | mg/dL                    | 0.10 - 1.00                               |  |
| SGOT/AST: SERUM<br>by IFCC, WITHOUT PYF   | RIDOXAL PHOSPHATE                       | 14.35         | U/L                      | 7.00 - 45.00                              |  |
| SGPT/ALT: SERUM<br>by IFCC, WITHOUT PYF   |   | 18.83         |                          | 0.00 - 49.00                              |  |
| AST/ALT RATIO: SERU                       | JM                                      | 0.76          | RATIO                    | 0.00 - 46.00                              |  |
| ALKALINE PHOSPHAT                         |   | 93.16         | U/L                      | 40.0 - 130.0                              |  |
| GAMMA GLUTAMYL<br>by SZASZ, SPECTROP      | TRANSFERASE (GGT): SERUM                | 22.49         | U/L                      | 0.00 - 55.0                               |  |
| TOTAL PROTEINS: SE<br>by BIURET, SPECTROF |   | 6.96          | gm/dL                    | 6.20 - 8.00                               |  |
| ALBUMIN: SERUM<br>by BROMOCRESOL GF       |   | 4.16          | gm/dL                    | 3.50 - 5.50                               |  |
| GLOBULIN: SERUM                           |   | 2.8           | gm/dL                    | 2.30 - 3.50                               |  |
| A : G RATIO: SERUM                        |   | 1.49          | RATIO                    | 1.00 - 2.00                               |  |

by CALCULATED, SPECTROPHOTOMETRY

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

## **INCREASED:**

| DRUG HEPATOTOXICITY      | > 2                     |
|--------------------------|-------------------------|
| ALCOHOLIC HEPATITIS      | > 2 (Highly Suggestive) |
| CIRRHOSIS                | 1.4 - 2.0               |
| INTRAHEPATIC CHOLESTATIS | > 1.5                   |





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



**INTERPRETATION** 

A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME                | : Mrs. SANTOSH                         |                          |                        |
|---------------------|--|--------------------------|------------------------|
| AGE/ GENDER         | : 60 YRS/FEMALE                        | PATIENT ID               | : 1616928              |
| <b>COLLECTED BY</b> | :                                      | <b>REG. NO./LAB NO.</b>  | : 122409180012         |
| <b>REFERRED BY</b>  | :                                      | <b>REGISTRATION DATE</b> | : 18/Sep/2024 10:21 AM |
| BARCODE NO.         | : 12504774                             | <b>COLLECTION DATE</b>   | : 18/Sep/2024 10:36AM  |
| CLIENT CODE.        | : P.K.R JAIN HEALTHCARE INSTITUTE      | <b>REPORTING DATE</b>    | : 18/Sep/2024 12:50PM  |
| CLIENT ADDRESS      | : NASIRPUR, HISSAR ROAD, AMBALA CITY - | HARYANA                  |                        |
|                     |  |                          |                        |

| Test Name                                    | Value | Unit                       | Biological Reference interval |
|--|-------|----------------------------|-------------------------------|
| HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS |       | > 1.3 (Slightly Increased) |                               |

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

| NORMAL               | < 0.65    |
|----------------------|-----------|
| GOOD PROGNOSTIC SIGN | 0.3 - 0.6 |
| POOR PROGNOSTIC SIGN | 1.2 - 1.6 |



**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| NAME                                    | : Mrs. SANTOSH                                       |                    |                 |                               |
|---|--|--------------------|-----------------|-------------------------------|
| AGE/ GENDER                             | : 60 YRS/FEMALE                                      | PA                 | TIENT ID        | : 1616928                     |
| COLLECTED BY                            | :  | RE                 | G. NO./LAB NO.  | : 122409180012                |
| <b>REFERRED BY</b>                      | :  | RE                 | GISTRATION DATE | : 18/Sep/2024 10:21 AM        |
| BARCODE NO.                             | : 12504774   | CO                 | LLECTION DATE   | : 18/Sep/2024 10:36AM         |
| CLIENT CODE.                            | : P.K.R JAIN HEALTHCARE INST                         | ITUTE <b>RE</b>    | PORTING DATE    | : 18/Sep/2024 01:15PM         |
| CLIENT ADDRESS                          | : NASIRPUR, HISSAR ROAD, AM                          | BALA CITY - HARYA  | NA              |                               |
| Test Name                               |  | Value              | Unit            | Biological Reference interval |
|   | k  | IDNEY FUNCTIO      | N TEST (BASIC)  |                               |
| UREA: SERUM                             | NATE DEHYDROGENASE (GLDH)                            | 51.2 <sup>H</sup>  | mg/dL           | 10.00 - 50.00                 |
| CREATININE: SERUN<br>by ENZYMATIC, SPEC |  | 1.17               | mg/dL           | 0.40 - 1.20                   |
| BLOOD UREA NITRO                        | GEN (BUN): SERUM                                     | 23.93              | mg/dL           | 7.0 - 25.0                    |
| RATIO: SERUM                            | GEN (BUN)/CREATININE                                 | 20.45 <sup>H</sup> | RATIO           | 10.0 - 20.0                   |
| UREA/CREATININE F                       | ectrophotometery<br>RATIO: SERUM<br>ectrophotometery | 43.76              | R               |                               |
| URIC ACID: SERUM                        |  | 3.73               | mg/dL           | 2.50 - 6.80                   |
|   |  |                    |                 |                               |

by URICASE - OXIDASE PEROXIDASE





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

| AGE/ GENDER  | : Mrs. SANTOSH   |  |   |
|--|--|--|---|
|  | : 60 YRS/FEMALE  | PATIENT ID   | : 1616928                                   |
| COLLECTED BY   | :  | REG. NO./LAB NO.   | : 122409180012                              |
| REFERRED BY  | :  | <b>REGISTRATION DATE</b>   | : 18/Sep/2024 10:21 AM                      |
| BARCODE NO.  | : 12504774   | <b>COLLECTION DATE</b>   | : 18/Sep/2024 10:36AM                       |
| CLIENT CODE.   | : P.K.R JAIN HEALTHCARE INSTITUTE  | <b>REPORTING DATE</b>  | : 18/Sep/2024 01:15PM                       |
| CLIENT ADDRESS   | : NASIRPUR, HISSAR ROAD, AMBALA CITY   | - HARYANA  |   |
| Test Name  | Value  | Unit   | Biological Reference interval               |
| INCREASED RATIO (>2<br>1. Prerenal azotemia<br>glomerular filtration<br>2. Catabolic states wi<br>3. GI hemorrhage.<br>4. High protein intake<br>5. Impaired renal fun<br>6. Excess protein inta<br>burns, surgery, cache<br>7. Urine reabsorption<br>8. Reduced muscle m<br>9. Certain drugs (e.g.<br>INCREASED RATIO (>2<br>1. Postrenal azotemia<br>2. Prerenal azotemia<br>3. Severe liver disease<br>4. Other causes of de<br>5. Repeated dialysis (<br>6. Inherited hyperam<br>7. SIADH (syndrome c<br>8. Pregnancy.<br>DECREASED RATIO (< | th increased tissue breakdown.<br><br>ction plus .<br>ke or production or tissue breakdown (e.g. in<br>xia, high fever).<br>(e.g. ureterocolostomy)<br>ass (subnormal creatinine production)<br>tetracycline, glucocorticoids)<br>20:1) WITH ELEVATED CREATININE LEVELS:<br>I (BUN rises disproportionately more than cre<br>superimposed on renal disease.<br>10:1) WITH DECREASED BUN :<br>osis.<br>nd starvation. | fection, GI bleeding, thyrotoxico<br>atinine) (e.g. obstructive uropat<br>«tracellular fluid).<br>tubular secretion of urea. | osis, Cushings syndrome, high protein diet, |





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

NOT VALID FOR MEDICO LEGAL PURPOSE

