A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR			
AGE/ GENDER	: 40 YRS/FEMALE	F	PATIENT ID	: 1618314
COLLECTED BY	:	F	REG. NO./LAB NO.	: 122409190020
REFERRED BY	:	F	REGISTRATION DATE	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804	(	COLLECTION DATE	: 19/Sep/2024 01:35PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITU	JTE F	REPORTING DATE	: 19/Sep/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	LA CITY - HAR	YANA	
Test Name		Value	Unit	Biological Reference interval
	SWAS	THYA WEL	LNESS PANEL: 1.2	
	CON	<b>/IPLETE BLO</b>	OD COUNT (CBC)	
RED BLOOD CELLS (F	RBCS) COUNT AND INDICES			
HAEMOGLOBIN (HB)	)	10.7 <sup>L</sup>	gm/dL	12.0 - 16.0
by CALORIMETRIC RED BLOOD CELL (RE by HYDRO DYNAMIC F	BC) COUNT FOCUSING, ELECTRICAL IMPEDENCE	3.59	Millions/cr	nm 3.50 - 5.00
PACKED CELL VOLUN	AE (PCV)	31.3 <sup>L</sup>	%	37.0 - 50.0
MEAN CORPUSCULA	AUTOMATED HEMATOLOGY ANALYZER R VOLUME (MCV) AUTOMATED HEMATOLOGY ANALYZER	87.1 P	(R fl	80.0 - 100.0
MEAN CORPUSCULA	R HAEMOGLOBIN (MCH)	29.8	pg	27.0 - 34.0
	R HEMOGLOBIN CONC. (MCHC)	34.3	g/dL	32.0 - 36.0
RED CELL DISTRIBUT	TON WIDTH (RDW-CV)	14	%	11.00 - 16.00
by CALCULATED BY A	ION WIDTH (RDW-SD)	47.4	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED		24.26	RATIO	BETA THALASSEMIA TRAIT: < 13 IRON DEFICIENCY ANEMIA: >13.
GREEN & KING INDE by calculated	X	33.96	RATIO	BETA THALASSEMIA TRAIT:<= 65 IRON DEFICIENCY ANEMIA: > 65
WHITE BLOOD CELLS	<u>S (WBCS)</u>			
TOTAL LEUCOCYTE C by FLOW CYTOMETRY DIFFERENTIAL LEUCO	Y BY SF CUBE & MICROSCOPY	7930	/cmm	4000 - 11000
NEUTROPHILS	Y BY SF CUBE & MICROSCOPY	66	%	50 - 70
LYMPHOCYTES	Y BY SF CUBE & MICROSCOPY	24	%	20 - 40
EOSINOPHILS		2	%	1 - 6

**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

**NOT VALID FOR MEDICO LEGAL PURPOSE** 



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR			
AGE/ GENDER	: 40 YRS/FEMALE		PATIENT ID	: 1618314
COLLECTED BY	:		REG. NO./LAB NO.	: 122409190020
<b>REFERRED BY</b>	:		<b>REGISTRATION DATE</b>	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804		COLLECTION DATE	: 19/Sep/2024 01:35PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTIT	UTE	<b>REPORTING DATE</b>	: 19/Sep/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBA	ALA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
MONOCYTES by FLOW CYTOMETRY	Y BY SF CUBE & MICROSCOPY	8	%	2 - 12
BASOPHILS	Y BY SF CUBE & MICROSCOPY	0	%	0 - 1
	PHIL COUNT y by sf cube & microscopy	5234	/cmm	2000 - 7500
ABSOLUTE LYMPHO		1903	/cmm	800 - 4900
ABSOLUTE EOSINOP	HIL COUNT Y by sf cube & microscopy	159	/cmm	40 - 440
ABSOLUTE MONOCY	TE COUNT Y BY SF CUBE & MICROSCOPY	634	/cmm	80 - 880
	L COUNT y by sf cube & microscopy <b>HER PLATELET PREDICTIVE MARKEI</b>	0	/cmm	0 - 110
PLATELET COUNT (PI		201000	/cmm	150000 - 450000
PLATELETCRIT (PCT)	OCUSING, ELECTRICAL IMPEDENCE	0.26	%	0.10 - 0.36
-	L COUNT (P-LCC) FOCUSING, ELECTRICAL IMPEDENCE	96000 <sup>H</sup>	/cmm	30000 - 90000

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR			
AGE/ GENDER	: 40 YRS/FEMALE	PATIENT ID	: 1618314	
COLLECTED BY	:	<b>REG. NO./LAB NO.</b>	: 122409190020	
<b>REFERRED BY</b>	:	<b>REGISTRATION DATE</b>	: 19/Sep/2024 01:32 PM	
BARCODE NO.	: 12504804	COLLECTION DATE	: 19/Sep/2024 01:35PM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	<b>REPORTING DATE</b>	: 19/Sep/2024 04:42PM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY	- HARYANA		
Test Name	Value	Unit	Biological Reference interval	
		mm/1st h	~ 0.00	
	MENTATION RATE (ESR) 57 <sup>H</sup>	mm/ ist m	r 0-20	
INTERPRETATION:	GATION BY CAPILLARY PHOTOMETRY			
	ic test because an elevated result often indic	ates the presence of inflammatic	on associated with infection cancer and auto	
immune disease, but	does not tell the health practitioner exactly w	where the inflammation is in the	body or what is causing it.	
2. An ESR can be affe	cted by other conditions besides inflammatic	on. For this reason, the ESR is typ	ically used in conjunction with other test suc	
as C-reactive protein 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as some others, such as				
		onse to therapy in both of the ab	ove diseases as well as some others, such as	
systemic lupus erythe				
	n with conditions that inhibit the normal sed	imentation of red blood cells, su	ch as a high red blood cell count	
(polycythaemia), sigr	nificantly high white blood cell count (leucocy	ytosis), and some protein abnor	malities. Some changes in red cell shape (su	
as sickle cells in sickl	e cell anaemia) also lower the ESR.		Ů,	
NOTE:	e matein (C.D.D.) ere heth merkene of infloren			

1. ESR and C - reactive protein (C-RP) are both markers of inflammation.

2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.

 3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while environment of a structure of the start of aspirin, cortisone, and quinine may decrease it



**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

AGE/ GENDER COLLECTED BY	: 40 YRS/FEMALE	PAT	FIENT ID	: 1618314
COLI FCTED BV				. 1010011
COLLECTED DI	:	REC	G. NO./LAB NO.	: 122409190020
<b>REFERRED BY</b>	:	REG	GISTRATION DATE	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804	COI	LECTION DATE	: 19/Sep/2024 01:35PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE <b>Rei</b>	PORTING DATE	: 19/Sep/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, A	MBALA CITY - HARYA	NA	
Test Name		Value	Unit	Biological Reference interval
	CLIN	ICAL CHEMISTRY	Y/BIOCHEMISTRY	
		GLUCOSE FA	STING (F)	
GLUCOSE FASTING (F):	PLASMA	87.58	mg/dL	NORMAL: < 100.0
by GLUCOSE OXIDASE ·	- PEROXIDASE (GOD-POD)			PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
				$D_{11}D_{11}D_{11} = 120.0$

2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR			
AGE/ GENDER	: 40 YRS/FEMALE		PATIENT ID	: 1618314
COLLECTED BY	:		REG. NO./LAB NO.	: 122409190020
<b>REFERRED BY</b>	:		<b>REGISTRATION DATE</b>	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804		COLLECTION DATE	: 19/Sep/2024 01:35PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	TITUTE	<b>REPORTING DATE</b>	: 19/Sep/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AI	MBALA CITY - H	ARYANA	
Test Name		Value	Unit	Biological Reference interval
		LIPID P	ROFILE : BASIC	
CHOLESTEROL TOTAL by CHOLESTEROL OX		161.75	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: SER by GLYCEROL PHOSP	UM HATE OXIDASE (ENZYMATIC)	76.41	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL ( by SELECTIVE INHIBITI		60.11	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: S by CALCULATED, SPE		86.36	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTE by calculated, spe		101.64	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL:		15.28	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SERUN by CALCULATED, SPE	N	399.91	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL F by CALCULATED, SPE	RATIO: SERUM	2.69	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SER by CALCULATED, SPE		1.44	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

**NOT VALID FOR MEDICO LEGAL PURPOSE** 



A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR		
AGE/ GENDER	: 40 YRS/FEMALE	PATIENT ID	: 1618314
COLLECTED BY	:	<b>REG. NO./LAB NO.</b>	: 122409190020
<b>REFERRED BY</b>	:	<b>REGISTRATION DATE</b>	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804	<b>COLLECTION DATE</b>	: 19/Sep/2024 01:35PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	<b>REPORTING DATE</b>	: 19/Sep/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	
Test Name	Value	Unit	Biological Reference interval

TRIGLYCERIDES/HDL RATIO: SERUM 1.27<sup>L</sup> RATIO 3.00 - 5.00 by CALCULATED, SPECTROPHOTOMETRY

#### INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR			
AGE/ GENDER	: 40 YRS/FEMALE		PATIENT ID	: 1618314
COLLECTED BY	:		REG. NO./LAB NO.	: 122409190020
REFERRED BY	:		<b>REGISTRATION DATE</b>	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804		COLLECTION DATE	: 19/Sep/2024 01:35PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	ITUTE	<b>REPORTING DATE</b>	: 19/Sep/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	BALA CITY - HA	RYANA	
Test Name		Value	Unit	Biological Reference interval
	LIV	ER FUNCTIO	N TEST (COMPLETE)	
BILIRUBIN TOTAL: SI by diazotization, sf	ERUM	0.65	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	CONJUGATED): SERUM	0.2	mg/dL	0.00 - 0.40
BILIRUBIN INDIRECT by CALCULATED, SPE	(UNCONJUGATED): SERUM	0.45	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	19.64	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	13.85	KR <sup>U/L</sup>	0.00 - 49.00
AST/ALT RATIO: SER by calculated, spe		1.42	RATIO	0.00 - 46.00
ALKALINE PHOSPHA <sup>-</sup> by para nitrophen <sup>-</sup> propanol	TASE: SERUM YL PHOSPHATASE BY AMINO METHYL	91.72	U/L	40.0 - 130.0
GAMMA GLUTAMYL by SZASZ, SPECTROF	TRANSFERASE (GGT): SERUM	19.66	U/L	0.00 - 55.0
TOTAL PROTEINS: SE by BIURET, SPECTRO		6.99	gm/dL	6.20 - 8.00
ALBUMIN: SERUM	DEEN	4.14	gm/dL	3.50 - 5.50

by CALCULATED, SPECTROPHOTOMETRY A : G RATIO: SERUM 1.45 RATIO by CALCULATED, SPECTROPHOTOMETRY

#### INTERPRETATION

by BROMOCRESOL GREEN GLOBULIN: SERUM

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

#### **INCREASED:**

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5

2.85





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

gm/dL

2.30 - 3.50

1.00 - 2.00

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR		
AGE/ GENDER	: 40 YRS/FEMALE	PATIENT ID	: 1618314
COLLECTED BY	:	<b>REG. NO./LAB NO.</b>	: 122409190020
<b>REFERRED BY</b>	:	<b>REGISTRATION DATE</b>	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804	<b>COLLECTION DATE</b>	: 19/Sep/2024 01:35PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	<b>REPORTING DATE</b>	: 19/Sep/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

 Test Name	Value	Unit	Biological Reference interval
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS		> 1.3 (Slightly Increased)	

**DECREASED:** 

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

IAME : Mrs. 2	RUPINDER KAUR				
<b>GE/ GENDER</b> : 40 YR	S/FEMALE	РАТ	IENT ID	: 1618314	
COLLECTED BY :		REG	. NO./LAB NO.	: 122409190020	
REFERRED BY :		REGISTRATION DATECOLLECTION DATESTITUTEREPORTING DATE		: 19/Sep/2024 01:32 PM	
<b>BARCODE NO.</b> : 12504	804			: 19/Sep/2024 01:35PM	
CLIENT CODE. : P.K.R	IAIN HEALTHCARE INSTITUT			: 19/Sep/2024 04:42PM	
CLIENT ADDRESS : NASIE	PUR, HISSAR ROAD, AMBALA	A CITY - HARYAN	IA		
Test Name	· · · · · · · · · · · · · · · · · · ·	Value	Unit	Biological Reference interval	
	KIDNEY	FUNCTION T	EST (COMPLETE)		
JREA: SERUM <i>by UREASE - GLUTAMATE DEHY</i>		24.26	mg/dL	10.00 - 50.00	
CREATININE: SERUM by enzymatic, spectrophot		0.68	mg/dL	0.40 - 1.20	
BLOOD UREA NITROGEN (BUN): SERUM by CALCULATED, SPECTROPHOTOMETRY		11.34	mg/dL	7.0 - 25.0	
BLOOD UREA NITROGEN (BU RATIO: SERUM by calculated, spectropho		16.68	RATIO	10.0 - 20.0	
JREA/CREATININE RATIO: SE by CALCULATED, SPECTROPHO		35.68	RATIO		
JRIC ACID: SERUM by uricase - oxidase peroxi		4.59	mg/dL	2.50 - 6.80	
ALCIUM: SERUM by arsenazo III, spectropho		9.57	mg/dL	8.50 - 10.60	
PHOSPHOROUS: SERUM by phosphomolybdate, spece CLECTROLYTES		2.65	mg/dL	2.30 - 4.70	
ODIUM: SERUM by ISE (ION SELECTIVE ELECTR		141.2	mmol/L	135.0 - 150.0	
POTASSIUM: SERUM by ISE (ION SELECTIVE ELECTRODE)		4.1	mmol/L	3.50 - 5.00	
CHLORIDE: SERUM by ISE (ION SELECTIVE ELECTR STIMATED GLOMERULAR FI	ODE)	105.9	mmol/L	90.0 - 110.0	
ESTIMATED GLOMERULAR FI eGFR): SERUM by calculated INTERPRETATION:	LTERATION RATE	112.8			

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

Thopra

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



**P K R JAIN HEALTHCARE INSTITUTE** 

NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

	Value	Unit	Biological Reference interva
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	HARYANA	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	<b>REPORTING DATE</b>	: 19/Sep/2024 04:42PM
BARCODE NO.	: 12504804	COLLECTION DATE	: 19/Sep/2024 01:35PM
<b>REFERRED BY</b>	:	<b>REGISTRATION DATE</b>	: 19/Sep/2024 01:32 PM
COLLECTED BY	:	<b>REG. NO./LAB NO.</b>	: 122409190020
AGE/ GENDER	: 40 YRS/FEMALE	PATIENT ID	: 1618314
NAME			

burns, surgery, cachexia, high fever).

7. Urine reabsorption (e.g. ureter colostomy)

8. Reduced muscle mass (subnormal creatinine production)

9. Certain drugs (e.g. tetracycline, glucocorticoids)

#### INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:

1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).

2. Prerenal azotemia superimposed on renal disease.

#### DECREASED RATIO (<10:1) WITH DECREASED BUN :

1. Acute tubular necrosis.

2. Low protein diet and starvation.

3. Severe liver disease.

4. Other causes of decreased urea synthesis.

5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).

6. Inherited hyperammonemias (urea is virtually absent in blood).

7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.

8. Pregnancy.

#### DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

1. Phenacimide therapy (accelerates conversion of creatine to creatinine).

2. Rhabdomyolysis (releases muscle creatinine).

3. Muscular patients who develop renal failure.

#### **INAPPROPIATE RATIO:**

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR ( mL/min/1.73m2 )	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR		
AGE/ GENDER	: 40 YRS/FEMALE	PATIENT ID	: 1618314
<b>COLLECTED BY</b>	:	<b>REG. NO./LAB NO.</b>	: 122409190020
<b>REFERRED BY</b>	:	<b>REGISTRATION DATE</b>	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804	<b>COLLECTION DATE</b>	: 19/Sep/2024 01:35PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	<b>REPORTING DATE</b>	: 19/Sep/2024 04:42PM
<b>CLIENT ADDRESS</b>	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name	Value	Unit	Biological Reference interval

COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney. 2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure eGFR with Cystatin C for confirmation of CKD

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage 5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure 6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C 7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR			
AGE/ GENDER	: 40 YRS/FEMALE	РАТ	TENT ID	: 1618314
COLLECTED BY	:	REG	. NO./LAB NO.	: 122409190020
<b>REFERRED BY</b>	:	REG	ISTRATION DATE	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804	COL	LECTION DATE	: 19/Sep/2024 01:35PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUT	ГЕ <b>Rep</b>	ORTING DATE	: 19/Sep/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBAL	A CITY - HARYA	NA	
Test Name		Value	Unit	Biological Reference interval
		ENDOCRIN	OLOGY	
	THYR	OID FUNCTIO	N TEST: TOTAL	
TRIIODOTHYRONIN by CMIA (CHEMILUMII	E (T3): SERUM NESCENT MICROPARTICLE IMMUNOASSAY)	1.24	ng/mL	0.35 - 1.93
THYROXINE (T4): SERUM by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)		7.5	μgm/dL	4.87 - 12.60
THYROID STIMULAT	ING HORMONE (TSH): SERUM	1.74	μlU/mL	0.35 - 5.50
by CMIA (CHEMILUMII 3rd GENERATION, ULT	NESCENT MICROPARTICLE IMMUNOASSAY)			

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and trilodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	T3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

#### LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (eg: phenytoin , salicylates).

3. Serum T4 levles in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothroidism, pregnancy, phenytoin therapy.

TRIIODOTH	TRIIODOTHYRONINE (T3) THYROXIN		INE (T4)	THYROID STIMUL	ATING HORMONE (TSH)
Age	Refferance Range (ng/mL)	Age	Refferance Range (μg/dL)	Age	Reference Range ( μIU/mL)
0 - 7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days – 6 Months	0.70 - 8.40





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





A PIONEER DIAGNOSTIC CENTRE

🕻 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR		
AGE/ GENDER	: 40 YRS/FEMALE	PATIENT ID	: 1618314
COLLECTED BY	:	<b>REG. NO./LAB NO.</b>	: 122409190020
<b>REFERRED BY</b>	:	<b>REGISTRATION DATE</b>	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804	<b>COLLECTION DATE</b>	: 19/Sep/2024 01:35PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	<b>REPORTING DATE</b>	: 19/Sep/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - H	ARYANA	

Test Name			Value	Unit		Biological Reference interval
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00	
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50	
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87- 13.20	11 – 19 Years	0.50 - 5.50	
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35-5.50	
	RECO	VIMENDATIONS OF TSH LI	EVELS DURING PRE	GNANCY ( µIU/mL)		
1st Trimester			0.10 - 2.50			
	2nd Trimester			0.20 - 3.00		
	3rd Trimester			0.30 - 4.10		

#### INCREASED TSH LEVELS:

1.Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2.Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis

4.DRUGS: Amphetamines, idonie containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goitre & Thyroiditis.

2. Over replacement of thyroid harmone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4. Secondary pituatary or hypothalmic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8.Pregnancy: 1st and 2nd Trimester





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



## **PKR JAIN HEALTHCARE INSTITUTE** NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR			
AGE/ GENDER	: 40 YRS/FEMALE	PA	TIENT ID	: 1618314
COLLECTED BY	:	RE	G. NO./LAB NO.	: 122409190020
<b>REFERRED BY</b>	:	RE	GISTRATION DATE	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804	CO	LLECTION DATE	: 19/Sep/2024 01:35PM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INST	TITUTE <b>RE</b>	PORTING DATE	: 19/Sep/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - HARY	ANA	
Test Name		Value	Unit	Biological Reference interval
		CLINICAL PA	THOLOGY	
	URINE RC	OUTINE & MICRO	SCOPIC EXAMINAT	ΓΙΟΝ
PHYSICAL EXAMINATI				
QUANTITY RECIEVED by DIP STICK/REFLECTA	ANCE SPECTROPHOTOMETRY	20	ml	
COLOUR		PALE YELLOW		PALE YELLOW
by DIP STICK/REFLECTA TRANSPARANCY	ANCE SPECTROPHOTOMETRY	TURBID		CLEAR
	ANCE SPECTROPHOTOMETRY	IOKDID		CELAR
SPECIFIC GRAVITY		1.02		1.002 - 1.030
	ANCE SPECTROPHOTOMETRY			
CHEMICAL EXAMINAT	ION			
REACTION	ANCE SPECTROPHOTOMETRY	ACIDIC		
PROTEIN		NEGATIVE (-v	e)	NEGATIVE (-ve)
	ANCE SPECTROPHOTOMETRY			
SUGAR	ANCE SPECTROPHOTOMETRY	NEGATIVE (-v	e)	NEGATIVE (-ve)
pH	ANCE SPECIROPHOTOWERRY	6		5.0 - 7.5
	ANCE SPECTROPHOTOMETRY			
		NEGATIVE (-v	e)	NEGATIVE (-ve)
NITRITE	ANCE SPECTROPHOTOMETRY	NEGATIVE (-v	ല	NEGATIVE (-ve)
	ANCE SPECTROPHOTOMETRY.		0)	
UROBILINOGEN		NOT DETECTE	ED EU/dL	0.2 - 1.0
by DIP STICK/REFLECTA KETONE BODIES	ANCE SPECTROPHOTOMETRY	NEGATIVE (-v	ما	NEGATIVE (-ve)
	ANCE SPECTROPHOTOMETRY			
BLOOD		1+		NEGATIVE (-ve)
by dip stick/reflect. ASCORBIC ACID	ANCE SPECTROPHOTOMETRY	NEGATIVE (-v	ല	NEGATIVE (-ve)
	ANCE SPECTROPHOTOMETRY	NEGATIVE (-V		
MICROSCOPIC EXAMI	NATION			

**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



A PIONEER DIAGNOSTIC CENTRE

【 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. RUPINDER KAUR			
AGE/ GENDER	: 40 YRS/FEMALE		PATIENT ID	: 1618314
COLLECTED BY	:		REG. NO./LAB NO.	: 122409190020
REFERRED BY :			<b>REGISTRATION DATE</b>	: 19/Sep/2024 01:32 PM
BARCODE NO.	: 12504804		<b>COLLECTION DATE</b>	: 19/Sep/2024 01:35PM
<b>CLIENT CODE.</b> : P.K.R JAIN HEALTHCAN		NSTITUTE <b>REPORTING DATE</b>		: 19/Sep/2024 04:42PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMI	BALA CITY - HA	ARYANA	
Test Name		Value	Unit	Biological Reference interval
RED BLOOD CELLS (F	RBCs) CENTRIFUGED URINARY SEDIMENT	4-5	/HPF	0 - 3
PUS CELLS by MICROSCOPY ON	CENTRIFUGED URINARY SEDIMENT	10-12	/HPF	0 - 5

by MICROSCOPT ON CENTRIFOGED ORINART SEDIMENT			
EPITHELIAL CELLS	3-5	/HPF	ABSENT
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
CRYSTALS	CALCIUM OXALATE (++)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			
CASTS	NEGATIVE (-ve)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT			. ,
BACTERIA	NEGATIVE (-ve)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	D K D /		
OTHERS	NEGATIVE (-ve)		NEGATIVE (-ve)
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	. ,		. ,
TRICHOMONAS VAGINALIS (PROTOZOA)	ABSENT		ABSENT

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

\*\*\* End Of Report



**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) MBBS , MD (PATHOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

