PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. AVTAR KAUR				
AGE/ GENDER	: 62 YRS/FEMALE	PA	TIENT ID	: 15577	/90
COLLECTED BY	:	RE	G. NO./LAB NO.	: 1224	09200001
REFERRED BY	:	RE	GISTRATION DATE	: 20/Sej	p/2024 08:10 AM
BARCODE NO.	: 12504807		COLLECTION DATE : 20/Sep/2024 08:30A		p/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE		REPORTING DATE : 20/Sep/2024 10:54A		p/2024 10:54AM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY - HARYANA		ANA		
Test Name		Value	Unit		Biological Reference interval
	CLIN	ICAL CHEMISTR	Y/BIOCHEMISTR	Y	
		GLUCOSE FA	ASTING (F)		
GLUCOSE FASTING (F): PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)		103.76 ^H	mg/dL		NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
INTERPRETATION					
	H AMERICAN DIABETES ASSOCIA lucose level below 100 mg/dl is				

A fasting plasma glucose level below 100 mg/di is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**





PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana) A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. AVTAR KAUR				
AGE/ GENDER	: 62 YRS/FEMALE		PATIENT ID	: 1557790	
COLLECTED BY	:		REG. NO./LAB NO.	: 122409200001	
REFERRED BY	:		REGISTRATION DATE	: 20/Sep/2024 08:10 AM	
BARCODE NO.	: 12504807		COLLECTION DATE	: 20/Sep/2024 08:30AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	RE INSTITUTE REPORTING DATE		: 20/Sep/2024 10:54AM	
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AM	IBALA CITY - H	ARYANA		
Test Name		Value	Unit	Biological Reference interval	
		CHOLEST	TEROL: SERUM		
CHOLESTEROL TOTAL: SERUM by CHOLESTEROL OXIDASE PAP		108.28	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0	

INTERPRETATION:

NATIONAL LIPID ASSOCIATION RECOMMENDATIONS (NLA-2014)	CHOLESTEROL IN ADULTS (mg/dL)	CHOLESTEROL IN ADULTS (mg/dL)
DESIRABLE	< 200.0	< 170.0
BORDERLINE HIGH	200.0 - 239.0	171.0 - 199.0
HIGH	>= 240.0	>= 200.0

NOTE:

Model
Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.
As per National Lipid association - 2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol.

high total cholesterol is recommended.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**



HIGH CHOLESTEROL: > OR = 240.0

PKR JAIN HEALTHCARE INSTITUTE NASIRPUR, Hissar Road, AMBALA CITY- (Haryana)

A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. AVTAR KAUR				
AGE/ GENDER	: 62 YRS/FEMALE		PATIENT ID	: 1557790	
COLLECTED BY	:		REG. NO./LAB NO.	: 122409200001	
REFERRED BY	:		REGISTRATION DATE	: 20/Sep/2024 08:10 AM	1
BARCODE NO.	: 12504807		COLLECTION DATE	: 20/Sep/2024 08:30AM	
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INS	STITUTE	REPORTING DATE	: 20/Sep/2024 01:34PM	
CLIENT ADDRESS					
Test Name		Value	Unit	Biological Refe	erence interval
		ENIDOC	CRINOLOGY		
		LINDOU			
by CMIA (CHEMILUMI MMUNOASSAY)	ING HORMONE (TSH): SERUM	ROID STIMULA	ATING HORMONE (TSH) μιυ/mL) 0.35 - 5.50	
by CMIA (CHEMILUMI MMUNOASSAY) Brd GENERATION, ULT	ING HORMONE (TSH): SERUM	ROID STIMULA	ATING HORMONE (TSH)		
by CMIA (CHEMILUMI MMUNOASSAY) Brd GENERATION, ULT	ING HORMONE (TSH): SERUM	ROID STIMULA	ATING HORMONE (TSH)	0.35 - 5.50	
by CMIA (CHEMILUMI MMUNOASSAY) Brd GENERATION, ULT	ING HORMONE (TSH): SERUM nescent microparticle rasensitive	ROID STIMULA	ATING HORMONE (TSH) μιυ/ml	0.35 - 5.50 (μIU/mL)	
by CMIA (CHEMILUMI MMUNOASSAY) Brd GENERATION, ULT	ING HORMONE (TSH): SERUM nescent microparticle rasensitive AGE	ROID STIMULA	ATING HORMONE (TSH) µIU/mL REFFERENCE RANGE (0.35 - 5.50 (µIU/mL)	
by CMIA (CHEMILUMI MMUNOASSAY) Brd GENERATION, ULT	ING HORMONE (TSH): SERUM NESCENT MICROPARTICLE RASENSITIVE AGE 0 - 5 DAYS 6 Days - 2 Months 3 - 11 Months	ROID STIMULA	ATING HORMONE (TSH) μIU/mL <u>REFFERENCE RANGE (</u> 0.70 – 15.20 0.70 – 11.00 0.70 – 8.40	0.35 - 5.50 (µIU/mL)	
by CMIA (CHEMILUMI MMUNOASSAY) Brd GENERATION, ULT	ING HORMONE (TSH): SERUM NESCENT MICROPARTICLE RASENSITIVE AGE 0 - 5 DAYS 6 Days - 2 Months 3 - 11 Months 1 - 5 Years	ROID STIMULA	ATING HORMONE (TSH) μIU/mL REFFERENCE RANGE (0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00	0.35 - 5.50	
by CMIA (CHEMILUMI MMUNOASSAY) Brd GENERATION, ULT	ING HORMONE (TSH): SERUM NESCENT MICROPARTICLE RASENSITIVE AGE 0 - 5 DAYS 6 Days - 2 Months 3 - 11 Months 1 - 5 Years 6 - 10 Years	ROID STIMULA	ATING HORMONE (TSH) μIU/mL REFFERENCE RANGE (0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00 0.60 – 5.50	0.35 - 5.50 (μIU/mL)	
by CMIA (CHEMILUMI MMUNOASSAY) Brd GENERATION, ULT	ING HORMONE (TSH): SERUM NESCENT MICROPARTICLE RASENSITIVE AGE 0 - 5 DAYS 6 Days - 2 Months 3 - 11 Months 1 - 5 Years 6 - 10 Years 11 - 15	ROID STIMULA	ATING HORMONE (TSH) μIU/mL REFFERENCE RANGE (0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00 0.60 – 5.50 0.50 – 5.50	0.35 - 5.50	
by CMIA (CHEMILUMI MMUNOASSAY) Brd GENERATION, ULT	ING HORMONE (TSH): SERUM NESCENT MICROPARTICLE RASENSITIVE AGE 0 - 5 DAYS 6 Days - 2 Months 3 - 11 Months 1 - 5 Years 6 - 10 Years	ROID STIMULA 5.71 ^H	ATING HORMONE (TSH) μIU/mL REFFERENCE RANGE (0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00 0.60 – 5.50	0.35 - 5.50	
by CMIA (CHEMILUMI MMUNOASSAY) Brd GENERATION, ULT	ING HORMONE (TSH): SERUM NESCENT MICROPARTICLE RASENSITIVE AGE 0 - 5 DAYS 6 Days - 2 Months 3 - 11 Months 1 - 5 Years 6 - 10 Years 11 - 15 > 20 Years (Adults)	ROID STIMULA	ATING HORMONE (TSH) μIU/mL REFFERENCE RANGE (0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00 0.60 – 5.50 0.50 – 5.50 0.27 – 5.50	0.35 - 5.50	
	ING HORMONE (TSH): SERUM NESCENT MICROPARTICLE RASENSITIVE AGE 0 – 5 DAYS 6 Days – 2 Months 3 – 11 Months 1 – 5 Years 6 – 10 Years 11 - 15 > 20 Years (Adults) 1st Trimester	ROID STIMULA 5.71 ^H	ATING HORMONE (TSH) μIU/mL REFFERENCE RANGE (0.70 – 15.20 0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00 0.60 – 5.50 0.50 – 5.50 0.27 – 5.50 0.10 - 3.00	0.35 - 5.50	
by CMIA (CHEMILUMI IMMUNOASSAY) 3rd GENERATION, ULT	ING HORMONE (TSH): SERUM NESCENT MICROPARTICLE RASENSITIVE AGE 0 - 5 DAYS 6 Days - 2 Months 3 - 11 Months 1 - 5 Years 6 - 10 Years 11 - 15 > 20 Years (Adults)	ROID STIMULA 5.71 ^H	ATING HORMONE (TSH) μIU/mL REFFERENCE RANGE (0.70 – 15.20 0.70 – 11.00 0.70 – 8.40 0.70 – 7.00 0.60 – 5.50 0.50 – 5.50 0.27 – 5.50	0.35 - 5.50	

USE:- TSH controls biosynthesis and release of thyroid harmones T4 & T3. It is a sensitive measure of thyroid function, especially useful in early or subclinical hypothyroidism, before the patient develops any clinical findings or goitre or any other thyroid function abnormality. **INCREASED LEVELS**:

1. Primary or untreated hypothyroidism, may vary from 3 times to more than 100 times normal depending on degree of hypofunction.

2. Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis.

4.DRUGS: Amphetamines, lodine containing agents and dopamine antagonist.

5. Neonatal period, increase in 1st 2-3 days of life due to post-natal surge.

DECREASED LEVELS:

1. Toxic multi-nodular goitre & Thyroiditis.

2. Over replacement of thyroid harmone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4. Secondary pituatary or hypothalmic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

NOT VALID FOR MEDICO LEGAL PURPOSE

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600, REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)





A PIONEER DIAGNOSTIC CENTRE

🔽 0171-2532620, 8222896961 🛛 🖾 pkrjainhealthcare@gmail.com

NAME	: Mrs. AVTAR KAUR		
AGE/ GENDER	: 62 YRS/FEMALE	PATIENT ID	: 1557790
COLLECTED BY	:	REG. NO./LAB NO.	: 122409200001
REFERRED BY	:	REGISTRATION DATE	: 20/Sep/2024 08:10 AM
BARCODE NO.	: 12504807	COLLECTION DATE	: 20/Sep/2024 08:30AM
CLIENT CODE.	: P.K.R JAIN HEALTHCARE INSTITUTE	REPORTING DATE	: 20/Sep/2024 01:34PM
CLIENT ADDRESS	: NASIRPUR, HISSAR ROAD, AMBALA CITY -	HARYANA	

Test Name

Unit **Biological Reference interval**

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis. 8. Pregnancy: 1st and 2nd Trimester

Value

LIMITATIONS:

1.TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothyroidism, pregnancy, phenytoin therapy. 2. Autoimmune disorders may produce spurious results.

* End Of Report *:



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

440 Dated 17.5.2012 u/s 80 G OF INCOME TAX ACT. PAN NO. AAAAP1600. **REPORT ATTRACTS THE CONDITIONS PRINTED OVERLEAF (P.T.O.)**

